

| Leading Causes of Death in 2004               |       |       |  |  |  |
|---|-------|-------|--|--|--|
| Causes of Death                               | Total | %*    |  |  |  |
| Diseases of the circulatory system            | 2013  | 38,5% |  |  |  |
| Neoplasms                                     | 1005  | 19,2% |  |  |  |
| Endocrine, nutritional and metabolic diseases | 389   | 7,4%  |  |  |  |
| Diseases of the respiratory system            | 350   | 6,7%  |  |  |  |
| External causes of injury and poisoning       | 318   | 6,1%  |  |  |  |
| Other   | 1150  | 22,0% |  |  |  |
| Total   | 5225  | 100%  |  |  |  |

<sup>\*</sup> Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.




| Leading Causes of Death, by sex in 2004       |       |         |       |            |  |
|---|-------|---------|-------|------------|--|
| Causes of Death                               | Nu    | Number  |       | <b>%</b> * |  |
| Causes of Death                               | Males | Females | Males | Females    |  |
| Diseases of the circulatory system            | 1065  | 948     | 37,7% | 39,5%      |  |
| Neoplasms                                     | 603   | 402     | 21,3% | 16,8%      |  |
| Endocrine, nutritional and metabolic diseases | 181   | 208     | 6,4%  | 8,7%       |  |
| Diseases of the respiratory system            | 195   | 155     | 6,9%  | 6,5%       |  |
| External causes of injury and poisoning       | 218   | 100     | 7,7%  | 4,2%       |  |
| Other   | 563   | 587     | 19,9% | 24,5%      |  |
| Total   | 2825  | 2400    | 100%  | 100%       |  |

\* Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.




| Leading Causes of Death in 2005               |       |            |  |  |
|---|-------|------------|--|--|
| Causes of Death                               | Total | <b>%</b> * |  |  |
| Diseases of the circulatory system            | 2125  | 39,2%      |  |  |
| Neoplasms                                     | 1012  | 18,7%      |  |  |
| External causes of injury and poisoning       | 410   | 7,6%       |  |  |
| Endocrine, nutritional and metabolic diseases | 387   | 7,1%       |  |  |
| Diseases of the respiratory system            | 364   | 6,7%       |  |  |
| Other   | 1127  | 20,8%      |  |  |
| Total   | 5425  | 100%       |  |  |

<sup>\*</sup> Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.




| Leading Causes of Death, by sex in 2005       |       |               |       |         |  |
|---|-------|---------------|-------|---------|--|
| Causes of Death                               | Nu    | Number        |       | %*      |  |
| causes of Death                               | Males | Males Females |       | Females |  |
| Diseases of the circulatory system            | 1066  | 1059          | 37,6% | 40,9%   |  |
| Neoplasms                                     | 572   | 440           | 20,2% | 17,0%   |  |
| External causes of injury and poisoning       | 256   | 154           | 9,0%  | 5,9%    |  |
| Endocrine, nutritional and metabolic diseases | 181   | 206           | 6,4%  | 7,9%    |  |
| Diseases of the respiratory system            | 193   | 171           | 6,8%  | 6,6%    |  |
| Other   | 565   | 562           | 19,9% | 21,7%   |  |
| Total   | 2833  | 2592          | 100%  | 100%    |  |

<sup>\*</sup> Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.




| Leading Causes of Death in 2006               |       |            |  |  |
|---|-------|------------|--|--|
| Causes of Death                               | Total | <b>%</b> * |  |  |
| Diseases of the circulatory system            | 2040  | 39,8%      |  |  |
| Neoplasms                                     | 1017  | 19,8%      |  |  |
| Endocrine, nutritional and metabolic diseases | 390   | 7,6%       |  |  |
| Diseases of the respiratory system            | 343   | 6,7%       |  |  |
| External causes of injury and poisoning       | 294   | 5,7%       |  |  |
| Other   | 1043  | 20,3%      |  |  |
| Total   | 5127  | 100%       |  |  |

<sup>\*</sup> Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.




| Leading Causes of Death, by sex, in 2006      |       |               |       |            |
|---|-------|---------------|-------|------------|
| Causes of Death                               | Nu    | Number        |       | <b>6</b> * |
| Causes of Death                               | Males | Males Females |       | Females    |
| Diseases of the circulatory system            | 1020  | 1020          | 38,9% | 40,7%      |
| Neoplasms                                     | 569   | 448           | 21,7% | 17,9%      |
| Endocrine, nutritional and metabolic diseases | 188   | 202           | 7,2%  | 8,1%       |
| Diseases of the respiratory system            | 179   | 164           | 6,8%  | 6,5%       |
| External causes of injury and poisoning       | 190   | 104           | 7,2%  | 4,2%       |
| Other   | 477   | 566           | 18,2% | 22,6%      |
| Total   | 2623  | 2504          | 100%  | 100%       |

<sup>\*</sup> Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.




| Leading Causes of Death in 2007               |       |            |  |  |
|---|-------|------------|--|--|
| Causes of Death                               | Total | <b>%</b> * |  |  |
| Diseases of the circulatory system            | 2092  | 38,9%      |  |  |
| Neoplasms                                     | 1109  | 20,6%      |  |  |
| Diseases of the respiratory system            | 389   | 7,2%       |  |  |
| Endocrine, nutritional and metabolic diseases | 387   | 7,2%       |  |  |
| External causes of injury and poisoning       | 330   | 6,1%       |  |  |
| Other   | 1073  | 19,9%      |  |  |
| Total   | 5380  | 100%       |  |  |

\* Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.




| Leading Causes of Death, by sex, in 2007      |       |               |       |            |  |
|---|-------|---------------|-------|------------|--|
| Causes of Death                               | Nui   | Number        |       | <b>%</b> * |  |
| Causes of Death                               | Males | Males Females |       | Females    |  |
| Diseases of the circulatory system            | 1093  | 999           | 38,9% | 38,9%      |  |
| Neoplasms                                     | 610   | 499           | 21,7% | 19,4%      |  |
| Diseases of the respiratory system            | 218   | 171           | 7,7%  | 6,7%       |  |
| Endocrine, nutritional and metabolic diseases | 169   | 218           | 6,0%  | 8,5%       |  |
| External causes of injury and poisoning       | 238   | 92            | 8,5%  | 3,6%       |  |
| Other   | 485   | 588           | 17,2% | 22,9%      |  |
| Total   | 2813  | 2567          | 100%  | 100%       |  |

<sup>\*</sup> Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.




| Leading Causes of Death in 2008               |       |            |  |  |  |
|---|-------|------------|--|--|--|
| Causes of Death                               | Total | <b>%</b> * |  |  |  |
| Diseases of the circulatory system            | 2015  | 38,8%      |  |  |  |
| Neoplasms                                     | 1139  | 21,9%      |  |  |  |
| Endocrine, nutritional and metabolic diseases | 393   | 7,6%       |  |  |  |
| Diseases of the respiratory system            | 356   | 6,9%       |  |  |  |
| External causes of injury and poisoning       | 314   | 6,0%       |  |  |  |
| Other   | 977   | 18,8%      |  |  |  |
| Total   | 5194  | 100%       |  |  |  |

<sup>\*</sup> Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.




| Leading Causes of Death, by sex, in 2008      |       |               |       |            |
|---|-------|---------------|-------|------------|
| Causes of Death                               | Nui   | Number        |       | <b>6</b> * |
| causes of Death                               | Males | Males Females |       | Females    |
| Diseases of the circulatory system            | 1024  | 991           | 37,4% | 40,4%      |
| Neoplasms                                     | 644   | 495           | 23,5% | 20,2%      |
| Endocrine, nutritional and metabolic diseases | 186   | 207           | 6,8%  | 8,4%       |
| Diseases of the respiratory system            | 184   | 172           | 6,7%  | 7,0%       |
| External causes of injury and poisoning       | 220   | 94            | 8,0%  | 3,8%       |
| Other   | 481   | 496           | 17,6% | 20,2%      |
| Total   | 2739  | 2455          | 100%  | 100%       |

<sup>\*</sup> Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.




| Leading Causes of Death in 2009               |       |            |  |  |
|---|-------|------------|--|--|
| Causes of Death                               | Total | <b>%</b> * |  |  |
| Diseases of the circulatory system            | 1951  | 37,6%      |  |  |
| Neoplasms                                     | 1177  | 22,7%      |  |  |
| Diseases of the respiratory system            | 395   | 7,6%       |  |  |
| Endocrine, nutritional and metabolic diseases | 359   | 6,9%       |  |  |
| External causes of injury and poisoning       | 312   | 6,0%       |  |  |
| Other   | 988   | 19,1%      |  |  |
| Total   | 5182  | 100%       |  |  |

<sup>\*</sup> Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.




| Leading Causes of Death, by sex, in 2009      |       |               |      |         |  |
|---|-------|---------------|------|---------|--|
| Causes of Death                               | Nui   | Number        |      | %*      |  |
| causes of Death                               | Males | Males Females |      | Females |  |
| Diseases of the circulatory system            | 1013  | 938           | 36%  | 39%     |  |
| Neoplasms                                     | 671   | 506           | 24%  | 21%     |  |
| Diseases of the respiratory system            | 214   | 181           | 8%   | 8%      |  |
| Endocrine, nutritional and metabolic diseases | 171   | 188           | 6%   | 8%      |  |
| External causes of injury and poisoning       | 217   | 95            | 8%   | 4%      |  |
| Other   | 494   | 494           | 18%  | 21%     |  |
| Total   | 2780  | 2402          | 100% | 100%    |  |

<sup>\*</sup> Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.



| Leading Causes of Death in 2010               |       |            |  |  |  |
|---|-------|------------|--|--|--|
| Causes of Death                               | Total | <b>%</b> * |  |  |  |
| Diseases of the circulatory system            | 1928  | 37,8%      |  |  |  |
| Neoplasms                                     | 1156  | 22,7%      |  |  |  |
| Endocrine, nutritional and metabolic diseases | 365   | 7,2%       |  |  |  |
| Diseases of the respiratory system            | 360   | 7,1%       |  |  |  |
| External causes of injury and poisoning       | 291   | 5,7%       |  |  |  |
| Other   | 995   | 19,5%      |  |  |  |
| Total   | 5095  | 100%       |  |  |  |

<sup>\*</sup> Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.



| Leading Causes of Death, by sex, in 2010      |        |         |       |         |  |
|---|--------|---------|-------|---------|--|
| Causes of Death                               | Number |         | %*    |         |  |
|   | Males  | Females | Males | Females |  |
| Diseases of the circulatory system            | 983    | 945     | 36%   | 40%     |  |
| Neoplasms                                     | 670    | 486     | 25%   | 20%     |  |
| Endocrine, nutritional and metabolic diseases | 177    | 188     | 7%    | 8%      |  |
| Diseases of the respiratory system            | 208    | 152     | 8%    | 6%      |  |
| External causes of injury and poisoning       | 203    | 88      | 7%    | 4%      |  |
| Other   | 482    | 513     | 18%   | 22%     |  |
| Total   | 2723   | 2372    | 100%  | 100%    |  |

<sup>\*</sup> Percentages are calculated by dividing each leading cause of death with the total number of deaths in each year.

