


**Mortality rates
for the six most common
cancers for both sex, 2004-2009**

**Source: Death Registry
Prepared by: Maria Athanasiadou
March 2011**

Prostate cancer (ICD-10: C61)

Age specific, Crude and Age Standardised Mortality Rates for Prostate cancer, 2004-2009

Age group	2004	2005	2006	2007	2008	2009	Age specific mortality rate 2004-2009
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0
40-44	0,0	3,6	0,0	0,0	0,0	0,0	0,6
45-49	0,0	0,0	0,0	3,5	0,0	0,0	0,6
50-54	4,3	0,0	0,0	4,0	0,0	0,0	1,3
55-59	0,0	14,1	9,0	4,3	4,3	4,2	6,0
60-64	6,1	17,5	17,0	0,0	10,2	29,3	13,7
65-69	78,8	41,0	65,7	70,1	31,3	67,3	58,8
70-74	95,6	128,3	80,2	93,8	65,1	70,0	87,8
75-79	262,2	204,5	161,5	170,3	200,0	135,9	187,5
80-84	210,7	408,0	334,5	344,2	319,8	307,9	321,5
85+	881,7	1063,8	745,1	619,8	752,1	496,2	746,8
Crude rate	22,2	25,9	21,4	20,8	20,3	19,1	21,6
WASMR	12,8	14,7	11,6	11,1	10,2	10,1	11,7




Colorectal cancer (ICD-10: C18-C20)

Age specific, Crude and Age Standardised Mortality Rates for Colorectal Cancer, 2004-2009


Age group	2004			2005			2006			2007			2008			2009			2004-2009		Total
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate- Male	Age specific mortality rate- Female	
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	3,5	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,3
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	3,8	0,0	1,8	0,0	3,5	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,6	0,6
40-44	7,3	0,0	3,6	3,6	0,0	1,8	0,0	3,4	1,8	0,0	10,5	5,4	3,7	0,0	1,8	0,0	3,7	1,9	2,4	2,9	2,7
45-49	3,9	0,0	1,9	3,7	3,6	3,6	3,6	3,5	3,5	7,0	7,1	7,0	3,5	0,0	1,8	3,5	0,0	1,8	4,2	2,4	3,3
50-54	8,7	8,4	8,5	8,4	4,1	6,2	4,1	8,0	6,1	19,9	3,9	11,8	7,7	7,5	7,6	3,7	14,8	9,3	8,7	7,7	8,3
55-59	19,8	9,4	14,5	14,1	8,9	11,4	0,0	12,8	6,6	26,1	4,2	14,9	12,8	12,5	12,6	16,9	4,1	10,4	14,9	8,6	11,7
60-64	30,5	17,1	23,6	23,4	5,5	14,1	11,3	10,6	10,9	53,7	20,0	36,2	25,6	19,1	22,2	29,3	18,2	23,6	29,1	15,3	22,0
65-69	43,0	45,9	44,5	20,5	12,6	16,4	65,7	24,6	44,5	70,1	30,0	49,4	31,3	17,4	24,1	24,5	22,4	23,4	42,5	25,2	33,5
70-74	66,9	39,8	52,1	45,8	46,6	46,2	71,3	38,4	53,6	76,7	44,6	59,6	56,9	50,4	53,5	77,8	48,5	62,3	66,2	44,8	54,8
75-79	144,2	40,1	85,2	102,3	68,8	83,3	99,4	77,0	86,7	121,6	66,7	90,8	94,1	74,2	83,0	124,5	72,6	95,7	114,2	66,8	87,6
80-84	189,6	171,4	179,2	81,6	73,9	77,1	118,1	72,1	91,5	191,2	139,9	161,6	131,7	108,9	118,5	72,4	65,7	68,5	129,9	104,2	115,0
85+	182,4	98,0	131,1	182,4	156,8	166,8	159,7	242,8	210,0	155,0	168,1	162,9	175,5	81,1	118,2	223,3	94,0	144,0	179,9	139,2	155,2
Crude rate	14,4	10,5	12,4	9,8	8,5	9,1	11,2	11,4	11,3	17,7	12,5	15,1	11,6	10,0	10,8	12,6	9,9	11,2	12,9	10,5	11,7
WASMR	9,0	5,7	7,2	6,2	4,1	5,1	6,9	5,6	6,2	11,2	6,4	8,7	6,9	4,9	5,8	7,3	5,0	6,0	7,9	5,3	6,5

Age specific, Crude and Age Standardised Mortality Rates for Colorectal cancer, 2004-2009



Trachea, Bronchus, Lung cancer (ICD-10: C33-C34)
Age specific, Crude and Age Standardised Mortality Rates for Trachea, Bronchus, Lung cancer, 2004-2009

Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate- Male	Age specific mortality rate- Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	3,6	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,3
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	3,1	0,0	1,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,3
30-34	3,7	0,0	1,8	0,0	0,0	0,0	0,0	3,4	1,7	0,0	0,0	0,0	0,0	0,0	0,0	3,2	0,0	1,6	1,1	0,6	0,9
35-39	0,0	0,0	0,0	0,0	3,6	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,3
40-44	14,5	3,5	8,9	0,0	6,8	3,5	3,6	0,0	1,8	3,6	3,5	3,6	3,7	0,0	1,8	0,0	3,7	1,9	4,3	2,9	3,6
45-49	15,5	3,7	9,5	14,7	10,7	12,7	7,2	3,5	5,3	14,0	7,1	10,5	3,5	3,6	3,5	10,5	7,3	8,9	10,8	6,0	8,4
50-54	21,6	0,0	10,6	12,6	8,2	10,4	8,2	0,0	4,1	31,8	7,8	19,7	30,7	0,0	15,2	44,6	22,1	33,3	25,4	6,6	15,9
55-59	74,4	9,4	41,1	33,0	40,0	36,6	49,6	17,1	32,9	43,5	4,2	23,5	42,5	25,0	33,7	63,3	12,3	37,5	50,8	18,0	34,1
60-64	73,1	11,4	41,2	87,7	11,0	48,1	101,7	10,6	54,6	96,7	10,0	51,7	127,9	42,9	83,9	112,5	18,2	63,6	101,1	17,8	58,0
65-69	164,7	39,4	99,3	163,8	69,5	114,9	164,2	30,8	95,3	127,5	66,0	95,8	93,8	29,0	60,2	195,7	22,4	105,3	151,3	42,4	94,8
70-74	239,1	23,9	121,6	229,0	46,6	130,2	142,6	38,4	86,6	238,8	44,6	135,0	276,5	28,8	145,1	241,1	55,4	142,9	228,9	39,9	127,6
75-79	380,2	20,0	176,1	383,5	58,9	200,0	285,8	86,6	173,5	231,1	57,2	133,6	164,7	37,1	93,4	249,1	108,9	171,3	279,3	62,1	157,3
80-84	421,4	46,8	206,0	285,6	29,6	137,1	295,2	86,5	174,7	229,4	56,0	129,3	432,7	68,1	221,2	271,6	52,5	144,7	321,5	56,8	168,4
85+	152,0	58,8	95,3	152,0	78,4	107,2	186,3	17,3	84,0	77,5	33,6	50,9	275,8	0,0	108,3	347,3	78,3	182,4	202,4	43,5	105,8
Crude rate	38,7	6,1	22,2	33,9	12,4	23,0	31,6	8,6	19,9	31,6	9,3	20,3	35,9	8,5	22,1	42,2	12,1	27,0	35,7	9,5	22,4
WASMR	25,4	3,7	13,7	22,2	7,9	14,4	20,4	4,6	12,0	20,7	5,5	12,6	22,3	5,1	13,1	26,4	6,5	15,8	22,9	5,6	13,7


Age specific, Crude and Age Standardised Mortality Rates for Trachea, Bronchus, Lung cancer, 2004-2009


Bladder cancer (ICD-10: C67)

Age specific, Crude and Age Standardised Mortality Rates for Bladder cancer, 2004-2009


Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate- Male	Age specific mortality rate- Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
40-44	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
45-49	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,6	1,8	0,0	0,0	0,0	0,0	0,0	0,6	0,3
50-54	13,0	0,0	6,4	0,0	0,0	0,0	4,1	0,0	2,0	0,0	0,0	0,0	3,8	0,0	1,9	0,0	0,0	0,0	3,3	0,0	1,7
55-59	0,0	0,0	0,0	4,7	0,0	2,3	0,0	0,0	0,0	13,0	0,0	6,4	4,3	0,0	2,1	0,0	0,0	0,0	3,7	0,0	1,8
60-64	6,1	0,0	2,9	0,0	0,0	0,0	28,3	0,0	13,7	5,4	5,0	5,2	30,7	0,0	14,8	9,8	0,0	4,7	13,7	0,8	7,0
65-69	14,3	0,0	6,8	6,8	0,0	3,3	32,8	0,0	15,9	0,0	0,0	0,0	18,8	11,6	15,1	18,3	0,0	8,8	15,2	2,0	8,4
70-74	66,9	0,0	30,4	36,6	15,5	25,2	35,7	0,0	16,5	17,1	0,0	7,9	56,9	0,0	26,7	38,9	0,0	18,3	41,7	2,5	20,7
75-79	39,3	20,0	28,4	76,7	9,8	38,9	37,3	9,6	21,7	60,8	9,5	32,1	70,6	0,0	31,1	45,3	18,2	30,2	55,0	11,1	30,4
80-84	42,1	15,6	26,9	81,6	29,6	51,4	98,4	14,4	49,9	153,0	14,0	72,7	188,1	95,3	134,3	54,3	0,0	22,8	103,9	28,4	60,3
85+	212,8	19,6	95,3	60,8	39,2	47,7	133,0	17,3	63,0	103,3	50,4	71,3	75,2	32,4	49,2	173,7	15,7	76,8	126,0	29,0	67,0
Crude rate	6,8	1,1	3,9	4,8	1,8	3,3	7,3	0,8	4,0	5,9	1,5	3,7	9,4	3,0	6,1	6,0	0,7	3,4	6,7	1,5	4,1
WASMR	4,3	0,4	2,1	2,6	0,8	1,6	4,6	0,3	2,2	3,0	0,6	1,7	5,3	1,2	3,1	3,3	0,3	1,6	3,9	0,6	2,1

Age specific, Crude and Age Standardised Mortality Rates for Bladder cancer, 2004-2009



Non-Hodgkin's Lymphoma (ICD-10: C82-C85; C96)
Age specific, Crude and Age Standardised Mortality Rates for Non-Hodgkin's Lymphoma, 2004-2009

Age group	2004			2005			2006			2007			2008			2009			2004-2009			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate- Male	Age specific mortality rate- Female	Total	
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,8	0,0	1,9	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,3	0,3
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	3,1	0,0	1,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,3	0,3
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,0	0,0	1,5	2,9	0,0	1,4	0,0	0,0	0,0	1,0	0,0	0,5	0,5
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,4	1,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,3	0,3
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,7	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,3	0,3
40-44	3,6	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	3,6	3,5	3,6	0,0	0,0	0,0	0,0	0,0	0,0	1,2	0,6	0,9	0,9
45-49	3,9	0,0	1,9	0,0	3,6	1,8	3,6	7,0	5,3	0,0	0,0	0,0	0,0	0,0	0,0	0,0	7,3	3,6	1,2	3,0	2,1	2,1
50-54	4,3	0,0	2,1	4,2	4,1	4,1	4,1	0,0	2,0	4,0	7,8	5,9	11,5	0,0	5,7	3,7	0,0	1,9	5,4	2,0	3,6	3,6
55-59	14,9	9,4	12,1	4,7	8,9	6,9	4,5	4,3	4,4	0,0	8,4	4,3	4,3	4,2	4,2	4,2	4,1	4,2	5,2	6,5	5,9	5,9
60-64	24,4	17,1	20,6	17,5	5,5	11,3	0,0	10,6	5,5	5,4	0,0	2,6	0,0	0,0	0,0	14,7	4,5	9,4	10,0	5,9	7,9	7,9
65-69	21,5	6,6	13,7	27,3	12,6	19,7	13,1	18,5	15,9	12,7	6,0	9,3	18,8	17,4	18,1	12,2	5,6	8,8	17,4	11,1	14,1	14,1
70-74	47,8	23,9	34,7	27,5	31,0	29,4	26,7	38,4	33,0	34,1	22,3	27,8	24,4	7,2	15,3	46,7	34,7	40,3	34,5	26,2	30,1	30,1
75-79	26,2	10,0	17,0	38,3	19,6	27,8	62,1	9,6	32,5	12,2	38,1	26,7	23,5	9,3	15,6	67,9	27,2	45,3	38,7	19,1	27,7	27,7
80-84	42,1	31,2	35,8	40,8	14,8	25,7	39,4	43,3	41,6	19,1	42,0	32,3	75,3	54,5	63,2	54,3	26,3	38,1	45,5	35,5	39,7	39,7
85+	91,2	19,6	47,7	30,4	19,6	23,8	79,8	17,3	42,0	103,3	50,4	71,3	25,1	32,4	29,5	49,6	31,3	38,4	63,0	29,0	42,3	42,3
Crude rate	6,8	3,4	5,1	4,8	3,9	4,3	5,0	4,8	4,9	4,6	4,8	4,7	4,6	3,0	3,8	6,0	4,2	5,1	5,3	4,0	4,6	4,6
WASMR	4,8	2,1	3,3	3,2	2,4	2,7	3,0	2,9	2,9	3,2	2,4	2,8	2,8	1,4	2,0	3,4	2,2	2,8	3,4	2,2	2,8	2,8


Age specific, Crude and Age Standardised Mortality Rates for Non-Hodgkin's Lymphoma, 2004-2009


Stomach cancer (ICD-10: C16)

Age specific, Crude and Age Standardised Mortality Rates for Stomach cancer 2004-2009

Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate- Male	Age specific mortality rate- Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	3,5	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,3
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,4	1,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,3
35-39	0,0	0,0	0,0	7,6	0,0	3,7	0,0	0,0	0,0	7,3	0,0	3,6	3,5	0,0	1,8	0,0	0,0	0,0	3,1	0,0	1,5
40-44	0,0	0,0	0,0	3,6	0,0	1,8	0,0	3,4	1,8	0,0	0,0	0,0	0,0	0,0	0,0	3,7	0,0	1,9	1,2	0,6	0,9
45-49	3,9	3,7	3,8	0,0	0,0	0,0	10,8	7,0	8,9	7,0	3,5	5,3	3,5	3,6	3,5	3,5	7,3	5,4	4,8	4,2	4,5
50-54	4,3	4,2	4,3	0,0	0,0	0,0	4,1	0,0	2,0	11,9	0,0	5,9	7,7	0,0	3,8	3,7	11,1	7,4	5,4	2,6	4,0
55-59	5,0	9,4	7,3	4,7	4,4	4,6	9,0	4,3	6,6	17,4	8,4	12,8	4,3	16,7	10,5	4,2	4,1	4,2	7,5	7,9	7,7
60-64	18,3	0,0	8,8	11,7	16,4	14,1	22,6	5,3	13,7	16,1	5,0	10,3	20,5	14,3	17,3	29,3	4,5	16,5	20,0	7,6	13,6
65-69	35,8	6,6	20,5	13,7	6,3	9,8	32,8	12,3	22,2	44,6	18,0	30,9	31,3	11,6	21,1	30,6	5,6	17,6	31,6	10,1	20,4
70-74	47,8	8,0	26,1	36,6	23,3	29,4	35,7	23,0	28,9	34,1	14,9	23,8	24,4	21,6	22,9	38,9	34,7	36,6	36,0	21,2	28,0
75-79	39,3	20,0	28,4	0,0	9,8	5,6	24,9	28,9	27,1	24,3	47,6	37,4	47,0	37,1	41,5	45,3	18,2	30,2	30,6	27,0	28,6
80-84	21,1	31,2	26,9	102,0	0,0	42,8	98,4	14,4	49,9	57,4	14,0	32,3	112,9	108,9	110,6	18,1	65,7	45,7	68,2	40,3	52,0
85+	91,2	39,2	59,6	30,4	0,0	11,9	159,7	0,0	63,0	0,0	0,0	0,0	100,3	81,1	88,6	74,4	47,0	57,6	76,5	29,0	47,6
Crude rate	6,5	3,2	4,8	4,8	2,3	3,5	8,3	3,5	5,9	7,7	4,0	5,8	7,8	7,5	7,7	7,0	5,7	6,4	7,0	4,4	5,7
WASMR	4,6	1,7	3,1	3,1	1,6	2,3	5,4	2,2	3,6	5,3	2,3	3,8	4,8	3,6	4,1	4,6	2,9	3,7	4,6	2,4	3,5


Age specific, Crude and Age Standardised Mortality Rates for Stomach cancer, 2004-2009



Breast cancer (ICD-10: C50)

Age specific, Crude and Age Standardised Mortality Rates for Breast cancer, 2004-2009

Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific	Age specific	Total
																			mortality rate-	mortality rate-	
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	3,5	1,8	3,3	1,6	0,0	3,1	1,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,5	0,8
30-34	0,0	7,1	3,6	3,5	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	6,7	3,3	0,0	3,3	1,6	0,0	3,4	1,7
35-39	0,0	7,1	3,7	7,2	3,7	0,0	3,6	1,8	0,0	0,0	0,0	0,0	0,0	7,2	3,6	0,0	14,2	7,0	0,0	6,6	3,3
40-44	0,0	14,0	7,1	0,0	0,0	0,0	17,2	8,8	0,0	10,5	5,4	0,0	21,7	11,0	0,0	7,5	3,7	0,0	0,0	11,8	6,0
45-49	0,0	14,8	7,6	21,5	10,9	0,0	14,0	7,1	0,0	28,3	14,0	0,0	21,4	10,6	0,0	14,6	7,2	0,0	0,0	19,1	9,6
50-54	4,3	33,5	19,2	16,4	8,3	0,0	36,0	18,3	0,0	38,9	19,7	0,0	41,5	20,9	0,0	36,9	18,5	0,0	0,7	34,1	17,6
55-59	0,0	33,0	16,9	53,3	27,4	0,0	47,1	24,1	0,0	16,8	8,5	4,3	54,2	29,5	0,0	41,1	20,8	0,0	0,7	40,9	21,2
60-64	0,0	51,3	26,5	54,8	28,3	0,0	58,2	30,1	0,0	84,8	44,0	5,1	38,2	22,2	4,9	77,3	42,4	1,8	1,8	61,2	32,5
65-69	0,0	105,0	54,8	88,5	45,9	0,0	92,3	47,6	6,4	48,0	27,8	0,0	46,4	24,1	6,1	56,1	32,2	2,2	2,2	71,7	38,2
70-74	0,0	55,7	30,4	100,9	54,6	0,0	76,8	41,2	0,0	89,1	47,6	0,0	108,0	57,3	0,0	55,4	29,3	0,0	0,0	81,0	43,4
75-79	0,0	120,2	68,2	108,0	61,1	0,0	86,6	48,8	12,2	76,2	48,1	11,8	148,5	88,2	11,3	118,0	70,5	6,1	6,1	109,8	64,3
80-84	0,0	140,3	80,6	118,2	68,6	0,0	187,4	108,2	0,0	111,9	64,6	0,0	95,3	55,3	0,0	157,6	91,4	0,0	0,0	135,0	78,1
85+	0,0	137,1	83,4	98,0	59,6	53,2	104,1	84,0	0,0	201,7	122,2	0,0	146,0	88,6	0,0	172,3	105,6	9,0	9,0	145,0	91,7
Crude rate	0,3	23,2	11,9	22,4	11,4	0,5	24,0	12,5	0,5	22,5	11,7	0,8	25,6	13,3	0,8	25,2	13,1	0,5	0,5	23,8	12,3
WASMR	0,2	14,8	7,9	14,2	7,5	0,3	15,0	8,0	0,3	13,9	7,5	0,5	15,4	8,3	0,5	14,6	7,9	0,3	0,3	14,6	7,8




Corpus Uteri cancer (ICD-10: C54)

Age specific, Crude and Age Standardised Mortality Rates for Corpus Uteri cancer, 2004-2009

Age group	2004	2005	2006	2007	2008	2009	Age specific mortality rate 2004-2009	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
40-44	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
45-49	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
50-54	0,0	0,0	0,0	3,9	0,0	0,0	0,7	0,3
55-59	4,7	4,4	8,6	0,0	8,3	0,0	4,3	2,2
60-64	5,7	5,5	10,6	15,0	4,8	0,0	6,8	3,5
65-69	0,0	19,0	0,0	6,0	11,6	5,6	7,1	3,7
70-74	15,9	23,3	7,7	14,9	21,6	0,0	13,7	7,3
75-79	20,0	9,8	9,6	19,1	0,0	9,1	11,1	6,3
80-84	15,6	0,0	14,4	14,0	0,0	0,0	7,1	4,1
85+	0,0	0,0	0,0	0,0	32,4	31,3	11,6	7,1
Crude rate	1,8	2,3	1,8	2,5	2,5	1,0	2,0	1,0
WASMR	1,0	1,5	1,1	1,5	1,5	0,4	1,2	0,6

Age specific, Crude and Age Standardised Mortality Rates for Corpus Uteri cancer, 2004-2009



Thyroid cancer (ICD-10: C33-C34)

Age specific, Crude and Age Standardised Mortality Rates for Thyroid cancer, 2004-2009

Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate-	Age specific mortality rate-	Total
																			Male	Female	
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
40-44	3,6	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,3
45-49	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
50-54	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
55-59	0,0	0,0	0,0	0,0	4,4	2,3	0,0	0,0	4,3	0,0	2,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,7	0,7
60-64	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	5,0	2,6	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,8	0,4
65-69	0,0	6,6	3,4	6,8	6,3	6,6	6,2	3,2	0,0	0,0	0,0	12,5	0,0	6,0	12,2	0,0	5,9	5,4	3,0	4,2	
70-74	0,0	0,0	0,0	0,0	7,8	4,2	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	6,9	3,7	0,0	2,5	1,3	
75-79	0,0	10,0	5,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	11,8	0,0	5,2	0,0	0,0	0,0	2,0	1,6	1,8	
80-84	0,0	0,0	0,0	20,4	0,0	8,6	14,4	8,3	0,0	0,0	0,0	0,0	13,6	7,9	0,0	0,0	0,0	3,2	4,7	4,1	
85+	0,0	19,6	11,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	16,2	9,8	0,0	15,7	9,6	0,0	8,7	5,3	
Crude rate	0,3	0,8	0,5	0,5	0,8	0,7	0,5	0,3	0,3	0,3	0,3	0,8	0,5	0,6	0,5	0,5	0,5	0,4	0,5	0,5	
WASMR	0,2	0,4	0,3	0,3	0,5	0,4	0,3	0,1	0,2	0,2	0,2	0,5	0,1	0,3	0,4	0,2	0,3	0,3	0,3	0,3	

Age specific, Crude and Age Standardised Mortality Rates for Thyroid cancer, 2004-2009

