


# Mortality rates for Malignant Neoplasms, 2004-2009

**Source: Death Registry**  
**Prepared by: Maria Athanasiadou**  
**March 2011**

**Malignant melanoma of skin (ICD10 - C43)**
**Age specific, Crude and Age Standardised Mortality Rates for Malignant melanoma of skin, 2004-2009**

Age group	2004			2005			2006			2007			2008			2009			2004-2009			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total	
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,5	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,3	0,3
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,9	0,0	1,4	0,5	0,0	0,3	0,3	0,3
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	6,6	0,0	3,3	0,0	0,0	1,1	0,0	0,6	0,6	0,6
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,6	1,8	0,0	0,0	0,0	0,6	0,6	0,3	0,3
40-44	0,0	0,0	0,0	0,0	6,8	3,5	0,0	0,0	0,0	0,0	0,0	0,0	3,7	0,0	1,8	3,7	3,7	3,7	1,2	1,8	1,5	1,5
45-49	3,9	0,0	1,9	0,0	3,6	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,6	0,6	0,6	
50-54	4,3	0,0	2,1	0,0	4,1	2,1	4,1	0,0	2,0	8,0	0,0	3,9	7,7	7,5	7,6	0,0	3,7	1,9	4,0	2,6	3,3	3,3
55-59	0,0	4,7	2,4	0,0	0,0	0,0	0,0	0,0	0,0	0,0	4,2	2,1	0,0	0,0	0,0	0,0	4,1	2,1	0,0	2,2	1,1	1,1
60-64	0,0	5,7	2,9	0,0	0,0	0,0	0,0	5,3	2,7	0,0	0,0	0,0	5,1	0,0	2,5	4,9	4,5	4,7	1,8	2,5	2,2	2,2
65-69	14,3	6,6	10,3	13,7	19,0	16,4	0,0	0,0	0,0	6,4	0,0	3,1	6,3	0,0	3,0	0,0	5,6	2,9	6,5	5,0	5,8	5,8
70-74	9,6	0,0	4,3	0,0	15,5	8,4	8,9	7,7	8,2	0,0	0,0	0,0	8,1	0,0	3,8	0,0	0,0	0,0	4,3	3,7	4,0	4,0
75-79	0,0	10,0	5,7	0,0	0,0	0,0	12,4	0,0	5,4	12,2	9,5	10,7	0,0	0,0	0,0	0,0	9,1	5,0	4,1	4,8	4,5	4,5
80-84	0,0	15,6	9,0	0,0	0,0	0,0	0,0	0,0	0,0	38,2	0,0	16,2	18,8	0,0	7,9	36,2	13,1	22,8	16,2	4,7	9,6	9,6
85+	0,0	0,0	0,0	0,0	0,0	0,0	0,0	34,7	21,0	0,0	16,8	10,2	25,1	16,2	19,7	0,0	0,0	0,0	4,5	11,6	8,8	8,8
Crude rate	1,4	1,3	1,3	0,5	2,3	1,4	0,8	1,0	0,9	1,8	0,8	1,3	2,5	1,0	1,8	1,3	1,7	1,5	1,4	1,3	1,4	1,4
WASMR	1,1	0,8	0,9	0,4	1,7	1,1	0,5	0,5	0,5	1,2	0,3	0,8	1,8	0,7	1,2	0,8	1,1	1,0	1,0	0,9	0,9	0,9


**Age specific, Crude and Age Standardised Mortality Rates for Malignant melanoma of skin, for both sex, 2004-2009**




Mortality Rates


Mortality rates for Malignant melanoma of skin for both sex, 2004-2009

Year	2004	2005	2006	2007	2008	2009
Crude rate	1,3	1,4	0,9	1,3	1,8	1,5
WASMR	0,9	1,1	0,5	0,8	1,2	1,0




Crude rate for Malignant melanoma of skin, by sex, 2004-2009

Year	2004	2005	2006	2007	2008	2009
Males	1,4	0,5	0,8	1,8	2,5	1,3
Females	1,3	2,3	1,0	0,8	1,0	1,7



World Age-Standardised for Malignant melanoma of skin, by sex, 2004-2009


Year	2004	2005	2006	2007	2008	2009
Males	1,1	0,4	0,5	1,2	1,8	0,8
Females	0,8	1,7	0,5	0,3	0,7	1,1



Malignant neoplasm of liver and the intrahepatic bile ducts (ICD10 - C22)

Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of liver and the intrahepatic bile ducts, 2004-2009


Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	3,7	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,3
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,6	1,8	0,0	0,0	0,6	0,3
40-44	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
45-49	3,9	0,0	1,9	3,7	0,0	1,8	0,0	0,0	0,0	0,0	3,5	1,8	0,0	0,0	0,0	0,0	0,0	0,0	1,2	0,6	0,9
50-54	0,0	0,0	0,0	8,4	4,1	6,2	4,1	4,0	4,1	0,0	0,0	0,0	3,8	3,8	3,8	3,7	0,0	1,9	3,3	2,0	2,7
55-59	9,9	0,0	4,8	14,1	0,0	6,9	9,0	4,3	6,6	8,7	4,2	6,4	0,0	8,3	4,2	8,4	0,0	4,2	8,2	2,9	5,5
60-64	12,2	0,0	5,9	5,8	11,0	8,5	0,0	5,3	2,7	26,9	0,0	12,9	25,6	0,0	12,3	9,8	9,1	9,4	13,7	4,2	8,8
65-69	14,3	13,1	13,7	20,5	12,6	16,4	13,1	12,3	12,7	19,1	6,0	12,4	18,8	11,6	15,1	24,5	5,6	14,6	18,5	10,1	14,1
70-74	28,7	0,0	13,0	27,5	0,0	12,6	53,5	30,7	41,2	17,1	14,9	15,9	24,4	21,6	22,9	38,9	6,9	22,0	31,7	12,5	21,4
75-79	65,6	0,0	28,4	140,6	19,6	72,2	37,3	28,9	32,5	60,8	19,1	37,4	35,3	9,3	20,7	34,0	9,1	20,2	61,2	14,3	34,9
80-84	21,1	31,2	26,9	81,6	14,8	42,8	98,4	28,8	58,2	38,2	42,0	40,4	37,6	40,9	39,5	36,2	26,3	30,5	52,0	30,8	39,7
85+	152,0	39,2	83,4	91,2	19,6	47,7	106,4	34,7	63,0	180,8	16,8	81,4	75,2	32,4	49,2	124,0	62,6	86,4	121,5	34,8	68,8
Crude rate	6,0	1,6	3,7	8,2	2,3	5,2	6,0	4,0	5,0	6,7	2,8	4,7	5,1	3,5	4,3	6,0	3,0	4,5	6,3	2,9	4,6
WASMR	3,9	0,7	2,2	4,9	1,4	3,0	3,4	2,2	2,7	4,0	1,3	2,6	3,2	1,8	2,4	3,6	1,4	2,4	3,8	1,5	2,5



**Mortality Rates**


**Mortality rates for Malignant neoplasm of liver and the intrahepatic bile ducts, for both sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Crude rate	3,7	5,2	5,0	4,7	4,3	4,5
WASMR	2,2	3,0	2,7	2,6	2,4	2,4




**Crude rate for Malignant neoplasm of liver and the intrahepatic bile ducts, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	6,0	8,2	6,0	6,7	5,1	6,0
Females	1,6	2,3	4,0	2,8	3,5	3,0




**World Age-Standardised for Malignant neoplasm of liver and the intrahepatic bile ducts, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	3,9	4,9	3,4	4,0	3,2	3,6
Females	0,7	1,4	2,2	1,3	1,8	1,4



**Malignant neoplasm of bladder (ICD10 - C67)**
**Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of bladder, 2004-2009**

Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
40-44	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
45-49	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,6	1,8	0,0	0,0	0,0	0,0	0,6	0,3
50-54	13,0	0,0	6,4	0,0	0,0	0,0	4,1	0,0	2,0	0,0	0,0	0,0	3,8	0,0	1,9	0,0	0,0	0,0	3,3	0,0	1,7
55-59	0,0	0,0	0,0	4,7	0,0	2,3	0,0	0,0	0,0	13,0	0,0	6,4	4,3	0,0	2,1	0,0	0,0	0,0	3,7	0,0	1,8
60-64	6,1	0,0	2,9	0,0	0,0	0,0	28,3	0,0	13,7	5,4	5,0	5,2	30,7	0,0	14,8	9,8	0,0	4,7	13,7	0,8	7,0
65-69	14,3	0,0	6,8	6,8	0,0	3,3	32,8	0,0	15,9	0,0	0,0	0,0	18,8	11,6	15,1	18,3	0,0	8,8	15,2	2,0	8,4
70-74	66,9	0,0	30,4	36,6	15,5	25,2	35,7	0,0	16,5	17,1	0,0	7,9	56,9	0,0	26,7	38,9	0,0	18,3	41,7	2,5	20,7
75-79	39,3	20,0	28,4	76,7	9,8	38,9	37,3	9,6	21,7	60,8	9,5	32,1	70,6	0,0	31,1	45,3	18,2	30,2	55,0	11,1	30,4
80-84	42,1	15,6	26,9	81,6	29,6	51,4	98,4	14,4	49,9	153,0	14,0	72,7	188,1	95,3	134,3	54,3	0,0	22,8	103,9	28,4	60,3
85+	212,8	19,6	95,3	60,8	39,2	47,7	133,0	17,3	63,0	103,3	50,4	71,3	75,2	32,4	49,2	173,7	15,7	76,8	126,0	29,0	67,0
Crude rate	6,8	1,1	3,9	4,8	1,8	3,3	7,3	0,8	4,0	5,9	1,5	3,7	9,4	3,0	6,1	6,0	0,7	3,4	6,7	1,5	4,1
WASMR	4,3	0,4	2,1	2,6	0,8	1,6	4,6	0,3	2,2	3,0	0,6	1,7	5,3	1,2	3,1	3,3	0,3	1,6	3,9	0,6	2,1


**Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of bladder, for both sex, 2004-2009**




## Mortality Rates


Mortality rates for Malignant neoplasm of bladder, for both sex, 2004-2009

Year	2004	2005	2006	2007	2008	2009
Crude rate	3,9	3,3	4,0	3,7	6,1	3,4
WASMR	2,1	1,6	2,2	1,7	3,1	1,6




Crude rate for Malignant neoplasm of bladder, by sex, 2004-2009

Year	2004	2005	2006	2007	2008	2009
Males	6,8	4,8	7,3	5,9	9,4	6,0
Females	1,1	1,8	0,8	1,5	3,0	0,7



World Age-Standardised for Malignant neoplasm of bladder, by sex, 2004-2009


Year	2004	2005	2006	2007	2008	2009
Males	4,3	2,6	4,6	3,0	5,3	3,3
Females	0,4	0,8	0,3	0,6	1,2	0,3



Malignant neoplasm of breast (ICD10 - C50)

Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of breast, 2004-2009

Age group	2004			2005			2006			2007			2008			2009			2004-2009			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total	
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	3,5	1,8	3,3	1,6	0,0	3,1	1,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,5	0,8	
30-34	0,0	7,1	3,6	3,5	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	6,7	3,3	0,0	3,3	1,6	0,0	0,0	3,4	1,7	
35-39	0,0	7,1	3,7	7,2	3,7	0,0	3,6	1,8	0,0	0,0	0,0	0,0	7,2	3,6	0,0	14,2	7,0	0,0	0,0	6,6	3,3	
40-44	0,0	14,0	7,1	0,0	0,0	0,0	17,2	8,8	0,0	10,5	5,4	0,0	21,7	11,0	0,0	7,5	3,7	0,0	0,0	11,8	6,0	
45-49	0,0	14,8	7,6	21,5	10,9	0,0	14,0	7,1	0,0	28,3	14,0	0,0	21,4	10,6	0,0	14,6	7,2	0,0	0,0	19,1	9,6	
50-54	4,3	33,5	19,2	16,4	8,3	0,0	36,0	18,3	0,0	38,9	19,7	0,0	41,5	20,9	0,0	36,9	18,5	0,7	0,7	34,1	17,6	
55-59	0,0	33,0	16,9	53,3	27,4	0,0	47,1	24,1	0,0	16,8	8,5	4,3	54,2	29,5	0,0	41,1	20,8	0,7	0,7	40,9	21,2	
60-64	0,0	51,3	26,5	54,8	28,3	0,0	58,2	30,1	0,0	84,8	44,0	5,1	38,2	22,2	4,9	77,3	42,4	1,8	1,8	61,2	32,5	
65-69	0,0	105,0	54,8	88,5	45,9	0,0	92,3	47,6	6,4	48,0	27,8	0,0	46,4	24,1	6,1	56,1	32,2	2,2	2,2	71,7	38,2	
70-74	0,0	55,7	30,4	100,9	54,6	0,0	76,8	41,2	0,0	89,1	47,6	0,0	108,0	57,3	0,0	55,4	29,3	0,0	0,0	81,0	43,4	
75-79	0,0	120,2	68,2	108,0	61,1	0,0	86,6	48,8	12,2	76,2	48,1	11,8	148,5	88,2	11,3	118,0	70,5	6,1	6,1	109,8	64,3	
80-84	0,0	140,3	80,6	118,2	68,6	0,0	187,4	108,2	0,0	111,9	64,6	0,0	95,3	55,3	0,0	157,6	91,4	0,0	0,0	135,0	78,1	
85+	0,0	137,1	83,4	98,0	59,6	53,2	104,1	84,0	0,0	201,7	122,2	0,0	146,0	88,6	0,0	172,3	105,6	9,0	9,0	145,0	91,7	
Crude rate	0,3	23,2	11,9	22,4	11,4	0,5	24,0	12,5	0,5	22,5	11,7	0,8	25,6	13,3	0,8	25,2	13,1	0,5	0,5	23,8	12,3	
WASMR	0,2	14,8	7,9	14,2	7,5	0,3	15,0	8,0	0,3	13,9	7,5	0,5	15,4	8,3	0,5	14,6	7,9	0,3	0,3	14,6	7,8	






Mortality Rates


Mortality rates for Malignant neoplasm of breast, for both sex, 2004-2009

Year	2004	2005	2006	2007	2008	2009
Crude rate	11,9	11,4	12,5	11,7	13,3	13,1
WASMR	7,9	7,5	8,0	7,5	8,3	7,9




Crude rate for Malignant neoplasm of breast, by sex, 2004-2009

Year	2004	2005	2006	2007	2008	2009
Males	0,3	0,3	0,5	0,5	0,8	0,8
Females	23,2	22,4	24,0	22,5	25,6	25,2



World Age-Standardised for Malignant neoplasm of breast, by sex, 2004-2009


Year	2004	2005	2006	2007	2008	2009
Males	0,2	0,2	0,3	0,3	0,5	0,5
Females	14,8	14,2	15,0	13,9	15,4	14,6



**Malignant neoplasm of cervix uteri (ICD10 - C53)**

Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of cervix uteri, 2004-2009


Age group	2004			2005			2006			2007			2008			2009			2004-2009			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total	
00-04		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
05-09		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
10-14		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
15-19		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
20-24		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
25-29		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
30-34		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
35-39		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
40-44		7,0	3,6		0,0	0,0		3,4	1,8		3,5	1,8		3,6	1,8		0,0	0,0			2,9	1,5
45-49		0,0	0,0		0,0	0,0		3,5	1,8		0,0	0,0		0,0	0,0		0,0	0,0			0,6	0,3
50-54		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		7,5	3,8		0,0	0,0			1,3	0,7
55-59		4,7	2,4		4,4	2,3		4,3	2,2		4,2	2,1		8,3	4,2		0,0	0,0			4,3	2,2
60-64		0,0	0,0		5,5	2,8		0,0	0,0		0,0	0,0		14,3	7,4		0,0	0,0			3,4	1,8
65-69		0,0	0,0		6,3	3,3		0,0	0,0		0,0	0,0		5,8	3,0		0,0	0,0			2,0	1,0
70-74		8,0	4,3		0,0	0,0		7,7	4,1		14,9	7,9		0,0	0,0		0,0	0,0			5,0	2,7
75-79		30,1	17,0		9,8	5,6		0,0	0,0		47,6	26,7		9,3	5,2		27,2	15,1			20,7	11,6
80-84		15,6	9,0		0,0	0,0		14,4	8,3		14,0	8,1		13,6	7,9		26,3	15,2			14,2	8,2
85+		0,0	0,0		19,6	11,9		34,7	21,0		0,0	0,0		0,0	0,0		15,7	9,6			11,6	7,1
Crude rate		2,1	1,1		1,3	0,7		1,8	0,9		2,5	1,3		2,7	1,4		1,5	0,7			2,0	1,0
WASMR		1,1	0,6		0,8	0,4		1,0	0,5		1,2	0,7		1,8	0,9		0,5	0,3			1,1	0,6



**Mortality Rates**


**Mortality rates for Malignant neoplasm of cervix uteri, for women, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Crude rate	1,1	0,7	0,9	1,3	1,4	0,7
WASMR	0,6	0,4	0,5	0,7	0,9	0,3




**Crude rate for Malignant neoplasm of cervix uteri, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males						
Females	2,1	1,3	1,8	2,5	2,7	1,5




**World Age-Standardised for Malignant neoplasm of cervix uteri, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males						
Females	1,1	0,8	1,0	1,2	1,8	0,5




**Malignant neoplasm of other parts of uterus (ICD10 - C54-C55)**
**Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of other parts of uterus, 2004-2009**

Age group	2004			2005			2006			2007			2008			2009			2004-2009			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total	
00-04		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
05-09		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
10-14		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
15-19		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
20-24		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
25-29		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
30-34		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
35-39		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0			0,0	0,0
40-44		3,5	1,8		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		3,7	1,9			1,2	0,6
45-49		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		3,7	1,8			0,6	0,3
50-54		4,2	2,1		0,0	0,0		8,0	4,1		3,9	2,0		0,0	0,0		0,0	0,0			2,6	1,3
55-59		23,6	12,1		8,9	4,6		12,8	6,6		4,2	2,1		12,5	6,3		4,1	2,1			10,8	5,5
60-64		5,7	2,9		11,0	5,7		10,6	5,5		24,9	12,9		4,8	2,5		4,5	2,4			10,2	5,3
65-69		19,7	10,3		25,3	13,1		6,2	3,2		12,0	6,2		17,4	9,0		11,2	5,9			15,1	7,9
70-74		23,9	13,0		23,3	12,6		15,4	8,2		22,3	11,9		36,0	19,1		6,9	3,7			21,2	11,4
75-79		40,1	22,7		19,6	11,1		28,9	16,3		57,2	32,1		37,1	20,7		27,2	15,1			35,0	19,7
80-84		62,3	35,8		14,8	8,6		43,3	25,0		28,0	16,2		27,2	15,8		39,4	22,8			35,5	20,5
85+		0,0	0,0		58,8	35,7		34,7	21,0		16,8	10,2		64,9	39,4		62,6	38,4			40,6	24,7
Crude rate		5,8	2,9		4,4	2,2		4,6	2,3		5,3	2,7		5,5	2,8		4,2	2,1			4,9	2,5
WASMR		3,4	1,8		2,6	1,4		2,5	1,3		3,0	1,6		2,8	1,5		2,0	1,1			2,7	1,4




**Mortality Rates**
**Mortality rates for Malignant neoplasm of other parts of uterus, for women, 2004-2009**


Year	2004	2005	2006	2007	2008	2009
Crude rate	2,9	2,2	2,3	2,7	2,8	2,1
WASMR	1,8	1,4	1,3	1,6	1,5	1,1


**Crude rate for Malignant neoplasm of other parts of uterus, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males						
Females	5,8	4,4	4,6	5,3	5,5	4,2


**World Age-Standardised Mortality Rate for Malignant neoplasm of other parts of uterus, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males						
Females	3,4	2,6	2,5	3,0	2,8	2,0




**Malignant neoplasm of ovary (ICD10 - C56)**

Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of ovary, 2004-2009

Age group	2004			2005			2006			2007			2008			2009			2004-2009			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total	
00-04	0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0				0,0	0,0
05-09	0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0				0,0	0,0
10-14	0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0				0,0	0,0
15-19	0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0				0,0	0,0
20-24	0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0				0,0	0,0
25-29	0,0	0,0		0,0	0,0		0,0	0,0		3,0	1,5		0,0	0,0		0,0	0,0				0,5	0,3
30-34	0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		3,3	1,7		3,3	1,6				1,1	0,6
35-39	0,0	0,0		3,6	1,8		0,0	0,0		3,5	1,8		0,0	0,0		3,6	1,8				1,8	0,9
40-44	0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		0,0	0,0		3,7	1,9				0,6	0,3
45-49	3,7	1,9		0,0	0,0		0,0	0,0		3,5	1,8		3,6	1,8		0,0	0,0				1,8	0,9
50-54	8,4	4,3		4,1	2,1		8,0	4,1		7,8	3,9		7,5	3,8		11,1	5,6				7,9	4,0
55-59	14,2	7,3		8,9	4,6		8,6	4,4		16,8	8,5		20,8	10,5		8,2	4,2				12,9	6,6
60-64	34,2	17,7		38,4	19,8		21,2	10,9		10,0	5,2		23,8	12,3		9,1	4,7				22,1	11,4
65-69	13,1	6,8		12,6	6,6		36,9	19,1		24,0	12,4		17,4	9,0		0,0	0,0				17,2	8,9
70-74	8,0	4,3		38,8	21,0		30,7	16,5		44,6	23,8		14,4	7,6		13,9	7,3				24,9	13,4
75-79	30,1	17,0		9,8	5,6		19,2	10,8		19,1	10,7		37,1	20,7		45,4	25,2				27,0	15,2
80-84	31,2	17,9		14,8	8,6		28,8	16,6		83,9	48,5		27,2	15,8		39,4	22,8				37,9	21,9
85+	39,2	23,8		19,6	11,9		0,0	0,0		67,2	40,7		113,5	68,9		15,7	9,6				43,5	26,5
Crude rate	5,8	2,9		5,4	2,7		5,6	2,8		8,3	4,2		8,0	4,0		5,2	2,6				6,4	3,2
WASMR	3,8	2,0		3,7	2,0		3,6	1,9		4,7	2,5		4,5	2,4		2,9	1,5				3,8	2,0


Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of ovary, for women, 2004-2009



Mortality Rates


Mortality rates for Malignant neoplasm of ovary, for women, 2004-2009

Year	2004	2005	2006	2007	2008	2009
Crude rate	2,9	2,7	2,8	4,2	4,0	2,6
WASMR	2,0	2,0	1,9	2,5	2,4	1,5




Crude rate for Malignant neoplasm of ovary, by sex, 2004-2009

Year	2004	2005	2006	2007	2008	2009
Males						
Females	5,8	5,4	5,6	8,3	8,0	5,2




World Age-Standardised Mortality Rate for Malignant neoplasm of ovary, by sex, 2004-2009

Year	2004	2005	2006	2007	2008	2009
Males						
Females	3,8	3,7	3,6	4,7	4,5	2,9



**Malignant neoplasm of prostate (ICD10 - C61)**
**Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of prostate, 2004-2009**

Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
40-44	0,0	0,0	3,6	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,3	0,3
45-49	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,5	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,3	0,3
50-54	4,3	2,1	0,0	0,0	0,0	0,0	0,0	4,0	2,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,3	0,7	0,7	
55-59	0,0	0,0	14,1	6,9	9,0	4,4	4,3	2,1	4,3	2,1	4,2	2,1	4,2	2,1	4,2	2,1	6,0	2,9	6,0	2,9	2,9
60-64	6,1	2,9	17,5	8,5	17,0	8,2	0,0	0,0	10,2	4,9	29,3	14,1	13,7	6,6	13,7	6,6	13,7	6,6	13,7	6,6	6,6
65-69	78,8	37,7	41,0	19,7	65,7	31,8	70,1	34,0	31,3	15,1	67,3	32,2	58,8	28,3	67,3	32,2	58,8	28,3	58,8	28,3	28,3
70-74	95,6	43,4	128,3	58,8	80,2	37,1	93,8	43,7	65,1	30,5	70,0	33,0	87,8	40,7	70,0	33,0	87,8	40,7	87,8	40,7	40,7
75-79	262,2	113,6	204,5	88,9	161,5	70,5	170,3	74,8	200,0	88,2	135,9	60,5	187,5	82,2	135,9	60,5	187,5	82,2	187,5	82,2	82,2
80-84	210,7	89,6	408,0	171,4	334,5	141,5	344,2	145,4	319,8	134,3	307,9	129,4	321,5	135,6	307,9	129,4	321,5	135,6	321,5	135,6	135,6
85+	881,7	345,5	1063,8	417,1	745,1	294,0	619,8	244,3	752,1	295,5	496,2	192,0	746,8	292,8	496,2	192,0	746,8	292,8	746,8	292,8	292,8
Crude rate	22,2	10,9	25,9	12,8	21,4	10,5	20,8	10,3	20,3	10,0	19,1	9,5	21,6	10,7	19,1	9,5	21,6	10,7	21,6	10,7	10,7
WASMR	12,8	5,5	14,7	6,3	11,6	5,1	11,1	4,9	10,2	4,4	10,1	4,5	11,7	5,1	10,1	4,5	11,7	5,1	11,7	5,1	5,1


**Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of prostate , for males, 2004-2009**




Mortality Rates


Mortality rates for Malignant neoplasm of prostate, for males, 2004-2009

Year	2004	2005	2006	2007	2008	2009
Crude rate	10,9	12,8	10,5	10,3	10,0	9,5
WASMR	5,5	6,3	5,1	4,9	4,4	4,5




Crude rate for Malignant neoplasm of prostate, by sex, 2004-2009

Year	2004	2005	2006	2007	2008	2009
Males	22,2	25,9	21,4	20,8	20,3	19,1
Females						




World Age-Standardised Mortality Rate for Malignant neoplasm of prostate, by sex, 2004-2009

Year	2004	2005	2006	2007	2008	2009
Males	12,8	14,7	11,6	11,1	10,2	10,1
Females						




**Malignant neoplasm of colon (ICD10 - C18)**
**Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of colon, 2004-2009**

Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	3,5	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,3
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	3,8	0,0	1,8	0,0	3,5	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,6	0,6
40-44	7,3	0,0	3,6	0,0	0,0	0,0	0,0	3,4	1,8	0,0	10,5	5,4	3,7	0,0	1,8	0,0	3,7	1,9	1,8	2,9	2,4
45-49	3,9	0,0	1,9	3,7	3,6	3,6	3,6	0,0	1,8	7,0	3,5	5,3	0,0	0,0	0,0	3,5	0,0	1,8	3,6	1,2	2,4
50-54	8,7	4,2	6,4	4,2	4,1	4,1	4,1	4,0	4,1	19,9	3,9	11,8	0,0	7,5	3,8	3,7	11,1	7,4	6,7	5,9	6,3
55-59	9,9	9,4	9,7	9,4	8,9	9,1	0,0	12,8	6,6	26,1	4,2	14,9	12,8	12,5	12,6	16,9	4,1	10,4	12,7	8,6	10,6
60-64	24,4	11,4	17,7	23,4	5,5	14,1	11,3	10,6	10,9	53,7	15,0	33,6	25,6	9,5	17,3	19,6	18,2	18,9	26,4	11,9	18,9
65-69	28,7	32,8	30,8	13,7	12,6	13,1	46,0	18,5	31,8	57,4	24,0	40,2	31,3	11,6	21,1	18,3	16,8	17,6	32,7	19,2	25,7
70-74	57,4	31,8	43,4	45,8	38,8	42,0	44,6	38,4	41,2	59,7	29,7	43,7	56,9	50,4	53,5	62,2	41,6	51,3	54,7	38,6	46,1
75-79	144,2	30,1	79,5	63,9	68,8	66,7	99,4	77,0	86,7	97,3	57,2	74,8	94,1	55,7	72,6	101,9	63,5	80,6	99,9	58,9	76,9
80-84	168,6	155,8	161,2	81,6	59,1	68,6	118,1	72,1	91,5	191,2	125,9	153,5	94,1	95,3	94,8	72,4	65,7	68,5	120,1	94,7	105,4
85+	152,0	98,0	119,1	121,6	78,4	95,3	159,7	208,2	189,0	155,0	168,1	162,9	150,4	64,9	98,5	173,7	94,0	124,8	153,0	118,9	132,3
Crude rate	12,2	8,7	10,4	7,4	6,9	7,2	9,7	10,1	9,9	16,2	10,8	13,4	10,1	8,2	9,2	10,3	8,9	9,6	11,0	8,9	9,9
WASMR	7,5	4,5	5,9	4,7	3,5	4,1	5,8	4,8	5,3	10,2	5,4	7,7	6,0	4,0	4,9	5,9	4,4	5,1	6,7	4,4	5,5




**Mortality Rates**
**Mortality rates for Malignant neoplasm of colon, for both sex, 2004-2009**


Year	2004	2005	2006	2007	2008	2009
Crude rate	10,4	7,2	9,9	13,4	9,2	9,6
WASMR	5,9	4,1	5,3	7,7	4,9	5,1


**Crude rate for Malignant neoplasm of colon, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	12,2	7,4	9,7	16,2	10,1	10,3
Females	8,7	6,9	10,1	10,8	8,2	8,9


**World Age-Standardised for Malignant neoplasm of colon, by sex, 2004-2009**


Year	2004	2005	2006	2007	2008	2009
Males	7,5	4,7	5,8	10,2	6,0	5,9
Females	4,5	3,5	4,8	5,4	4,0	4,4



**Malignant neoplasm of esophagus (ICD10 - C15)**


Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of esophagus, 2004-2009

Age group	2004			2005			2006			2007			2008			2009			2004-2009			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total	
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
40-44	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
45-49	3,9	1,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,3	0,3
50-54	0,0	0,0	0,0	0,0	0,0	0,0	4,1	0,0	2,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,0	0,3	0,3
55-59	0,0	0,0	0,0	0,0	4,4	2,3	4,5	4,3	4,4	4,3	0,0	2,1	4,3	0,0	2,1	4,2	0,0	2,1	3,0	1,4	2,2	2,2
60-64	0,0	0,0	0,0	0,0	0,0	0,0	11,3	0,0	5,5	0,0	0,0	0,0	20,5	0,0	9,9	4,9	4,5	4,7	6,4	0,8	3,5	3,5
65-69	14,3	6,8	0,0	0,0	0,0	0,0	13,1	0,0	6,4	19,1	0,0	9,3	6,3	0,0	3,0	0,0	5,6	2,9	8,7	1,0	4,7	4,7
70-74	19,1	8,7	0,0	0,0	0,0	0,0	17,8	0,0	8,2	17,1	14,9	15,9	0,0	0,0	0,0	7,8	0,0	3,7	10,1	2,5	6,0	6,0
75-79	0,0	0,0	38,3	9,8	22,2	0,0	37,3	0,0	16,3	24,3	0,0	10,7	11,8	0,0	5,2	11,3	9,1	10,1	20,4	3,2	10,7	10,7
80-84	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	18,8	13,6	15,8	0,0	39,4	22,8	3,2	9,5	6,8	6,8
85+	30,4	11,9	0,0	0,0	0,0	0,0	26,6	0,0	10,5	25,8	16,8	20,4	75,2	16,2	39,4	49,6	0,0	19,2	36,0	5,8	17,6	17,6
Crude rate	1,6	0,8	0,8	0,5	0,7	0,7	3,1	0,3	1,7	2,3	0,8	1,5	2,8	0,5	1,6	1,5	1,5	1,5	2,0	0,6	1,3	1,3
WASMR	1,2	0,6	0,4	0,3	0,3	0,3	2,1	0,2	1,1	1,5	0,4	0,9	1,8	0,1	0,9	0,9	0,6	0,7	1,3	0,3	0,8	0,8




**Mortality Rates**
**Mortality rates for Malignant neoplasm of esophagus, for both sex, 2004-2009**


Year	2004	2005	2006	2007	2008	2009
Crude rate	0,8	0,7	1,7	1,5	1,6	1,5
WASMR	0,6	0,3	1,1	0,9	0,9	0,7


**Crude rate for Malignant neoplasm of esophagus, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	1,6	0,8	3,1	2,3	2,8	1,5
Females		0,5	0,3	0,8	0,5	1,5



**World Age-Standardised for Malignant neoplasm of esophagus, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	1,2	0,4	2,1	1,5	1,8	0,9
Females		0,3	0,2	0,4	0,1	0,6




**Malignant neoplasm of kidney (ICD10 - C64)**
**Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of kidney, 2004-2009**

Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate	Age specific mortality rate	Total
																			Male	Female	
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,2	0,0	1,6	0,5	0,0	0,3
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,6	1,8	0,0	0,6	0,3
40-44	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
45-49	11,6	0,0	5,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,8	0,0	0,9
50-54	0,0	0,0	0,0	0,0	4,1	2,1	4,1	0,0	2,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,7	0,7
55-59	0,0	4,7	2,4	9,4	0,0	4,6	0,0	4,3	2,2	4,3	0,0	2,1	4,3	4,2	4,2	0,0	4,1	2,1	3,0	2,9	2,9
60-64	6,1	0,0	2,9	17,5	0,0	8,5	5,7	5,3	5,5	0,0	5,0	2,6	5,1	0,0	2,5	0,0	13,6	7,1	5,5	4,2	4,8
65-69	0,0	13,1	6,8	6,8	6,3	6,6	6,6	0,0	3,2	19,1	0,0	9,3	12,5	0,0	6,0	12,2	11,2	11,7	9,8	5,0	7,3
70-74	28,7	0,0	13,0	9,2	0,0	4,2	0,0	0,0	0,0	0,0	7,4	4,0	0,0	7,2	3,8	7,8	6,9	7,3	7,2	3,7	5,3
75-79	13,1	10,0	11,4	25,6	9,8	16,7	37,3	0,0	16,3	12,2	0,0	5,3	11,8	0,0	5,2	0,0	9,1	5,0	16,3	4,8	9,8
80-84	42,1	0,0	17,9	40,8	14,8	25,7	39,4	14,4	25,0	0,0	0,0	0,0	18,8	13,6	15,8	0,0	0,0	0,0	22,7	7,1	13,7
85+	0,0	0,0	0,0	0,0	19,6	11,9	0,0	0,0	0,0	25,8	16,8	20,4	50,1	0,0	19,7	24,8	0,0	9,6	18,0	5,8	10,6
Crude rate	2,7	1,1	1,9	2,9	1,3	2,1	2,1	0,8	1,4	1,5	0,8	1,1	2,0	0,7	1,4	1,3	2,2	1,7	2,1	1,1	1,6
WASMR	1,9	0,7	1,2	1,9	0,7	1,3	1,2	0,5	0,8	1,0	0,4	0,7	1,2	0,4	0,8	0,9	1,5	1,2	1,3	0,7	1,0




**Mortality Rates**
**Mortality rates for Malignant neoplasm of kidney, for both sex, 2004-2009**


Year	2004	2005	2006	2007	2008	2009
Crude rate	1,9	2,1	1,4	1,1	1,4	1,7
WASMR	1,2	1,3	0,8	0,7	0,8	1,2


**Crude rate for Malignant neoplasm of kidney, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	2,7	2,9	2,1	1,5	2,0	1,3
Females	1,1	1,3	0,8	0,8	0,7	2,2



**World Age-Standardised Mortality Rate for Malignant neoplasm of kidney, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	1,9	1,9	1,2	1,0	1,2	0,9
Females	0,7	0,7	0,5	0,4	0,4	1,5



**Malignant neoplasm of larynx and trachea/bronchus/lung (ICD10 - C32-C34)**
**Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of larynx and trachea/bronchus/lung, 2004-2009**


Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	3,6	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,3
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	3,1	0,0	1,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,3
30-34	3,7	0,0	1,8	0,0	0,0	0,0	0,0	3,4	1,7	0,0	0,0	0,0	0,0	0,0	0,0	3,2	0,0	1,6	1,1	0,6	0,9
35-39	0,0	0,0	0,0	0,0	3,6	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,3
40-44	14,5	3,5	8,9	0,0	6,8	3,5	3,6	0,0	1,8	3,6	3,5	3,6	3,7	0,0	1,8	0,0	3,7	1,9	4,3	2,9	3,6
45-49	15,5	3,7	9,5	14,7	10,7	12,7	7,2	3,5	5,3	14,0	7,1	10,5	6,9	3,6	5,3	10,5	7,3	8,9	11,4	6,0	8,7
50-54	26,0	0,0	12,8	16,8	8,2	12,4	8,2	0,0	4,1	35,8	7,8	21,6	30,7	0,0	15,2	48,3	22,1	35,2	28,1	6,6	17,2
55-59	79,4	9,4	43,5	33,0	40,0	36,6	54,1	17,1	35,1	43,5	4,2	23,5	46,8	25,0	35,8	67,5	12,3	39,5	53,8	18,0	35,5
60-64	79,2	17,1	47,1	93,6	11,0	50,9	107,4	10,6	57,4	102,1	10,0	54,3	133,1	42,9	86,4	117,4	18,2	66,0	106,5	18,7	61,1
65-69	164,7	39,4	99,3	170,6	69,5	118,1	183,9	30,8	104,8	140,2	66,0	102,0	112,6	29,0	69,2	201,8	22,4	108,3	162,2	42,4	100,0
70-74	239,1	23,9	121,6	238,2	46,6	134,4	151,5	38,4	90,7	238,8	44,6	135,0	309,0	36,0	164,2	256,6	55,4	150,2	240,4	41,1	133,6
75-79	380,2	20,0	176,1	409,1	58,9	211,1	298,2	86,6	178,9	255,4	57,2	144,2	188,2	37,1	103,7	260,4	108,9	176,3	295,6	62,1	164,4
80-84	442,5	46,8	215,0	306,0	29,6	145,7	295,2	86,5	174,7	305,9	56,0	161,6	508,0	68,1	252,8	271,6	52,5	144,7	353,9	56,8	182,1
85+	182,4	58,8	107,2	182,4	98,0	131,1	212,9	17,3	94,5	77,5	33,6	50,9	325,9	0,0	128,0	347,3	78,3	182,4	224,9	46,4	116,4
Crude rate	40,1	6,3	23,0	36,0	12,6	24,1	33,6	8,6	20,9	34,1	9,3	21,5	40,5	8,7	24,5	44,0	12,1	27,9	38,1	9,6	23,7
WASMR	26,3	3,9	14,3	23,5	8,0	15,1	21,8	4,6	12,6	22,1	5,5	13,3	25,0	5,2	14,4	27,5	6,5	16,4	24,4	5,6	14,4






**Mortality Rates**
**Mortality rates for Malignant neoplasm of larynx and trachea/bronchus/lung, for both sex, 2004-2009**


Year	2004	2005	2006	2007	2008	2009
Crude rate	23,0	24,1	20,9	21,5	24,5	27,9
WASMR	14,3	15,1	12,6	13,3	14,4	16,4


**Crude rate for Malignant neoplasm of larynx and trachea/bronchus/lung, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	40,1	36,0	33,6	34,1	40,5	44,0
Females	6,3	12,6	8,6	9,3	8,7	12,1


**World Age-Standardised Mortality Rate for Malignant neoplasm of larynx and trachea/bronchus/lung, by sex, 2004-2009**


Year	2004	2005	2006	2007	2008	2009
Males	26,3	23,5	21,8	22,1	25,0	27,5
Females	3,9	8,0	4,6	5,5	5,2	6,5



Malignant neoplasm of lip, oral, pharynx (ICD10 - C00-C14)


Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of lip, oral, pharynx, 2004-2009

Age group	2004			2005			2006			2007			2008			2009			2004-2009			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total	
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	3,6	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,2	0,0	1,6	0,6	0,6	0,6	0,6
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
40-44	0,0	0,0	0,0	3,6	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,3	0,3
45-49	3,9	0,0	1,9	0,0	0,0	7,2	0,0	3,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,8	0,0	0,9	0,9	
50-54	0,0	4,2	2,1	0,0	0,0	4,1	0,0	2,0	4,0	0,0	2,0	3,8	0,0	1,9	0,0	3,7	1,9	2,0	1,3	1,7	1,7	
55-59	0,0	0,0	0,0	0,0	0,0	4,5	0,0	2,2	4,3	0,0	2,1	8,5	0,0	4,2	4,2	8,2	6,2	3,7	1,4	2,6	2,6	
60-64	0,0	0,0	0,0	5,8	2,8	0,0	0,0	0,0	5,4	0,0	2,6	0,0	0,0	0,0	9,8	0,0	4,7	3,6	0,0	1,8	1,8	
65-69	7,2	0,0	3,4	6,8	3,3	0,0	0,0	0,0	19,1	0,0	9,3	0,0	0,0	0,0	12,2	0,0	5,9	7,6	0,0	3,7	3,7	
70-74	9,6	0,0	4,3	9,2	4,2	8,9	7,7	8,2	0,0	7,4	4,0	8,1	0,0	3,8	15,6	0,0	7,3	8,6	2,5	5,3	5,3	
75-79	26,2	0,0	11,4	0,0	0,0	12,4	0,0	5,4	0,0	0,0	0,0	11,8	9,3	10,4	0,0	18,2	10,1	8,2	4,8	6,3	6,3	
80-84	21,1	0,0	9,0	0,0	0,0	0,0	0,0	0,0	19,1	0,0	8,1	0,0	0,0	0,0	0,0	0,0	0,0	6,5	0,0	2,7	2,7	
85+	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	25,8	0,0	10,2	0,0	32,4	19,7	0,0	15,7	9,6	4,5	8,7	7,1	7,1	
Crude rate	1,6	0,5	1,1	1,1	0,5	1,6	0,3	0,9	2,1	0,3	1,1	1,3	0,7	1,0	2,0	1,5	1,7	1,6	0,5	1,1	1,1	
WASMR	1,0	0,4	0,7	0,8	0,4	1,1	0,2	0,6	1,4	0,1	0,7	0,8	0,3	0,5	1,4	0,8	1,1	1,1	0,3	0,7	0,7	




**Mortality Rates**
**Mortality rates for Malignant neoplasm of lip, oral, pharynx, for both sex, 2004-2009**


Year	2004	2005	2006	2007	2008	2009
Crude rate	1,1	0,5	0,9	1,1	1,0	1,7
WASMR	0,7	0,4	0,6	0,7	0,5	1,1


**Crude rate for Malignant neoplasm of lip, oral, pharynx, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	1,6	1,1	1,6	2,1	1,3	2,0
Females	0,5		0,3	0,3	0,7	1,5


**World Age-Standardised Mortality Rate for Malignant neoplasm of lip, oral, pharynx, by sex, 2004-2009**


Year	2004	2005	2006	2007	2008	2009
Males	1,0	0,8	1,1	1,4	0,8	1,4
Females	0,4		0,2	0,1	0,3	0,8



Malignant neoplasm of lymph./haematopoietic tissue (ICD10 - C81-C96)


Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of lymph./haematopoietic tissue, 2004-2009

Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total
00-04	4,7	0,0	2,4	0,0	10,1	4,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,8	1,6	1,2
05-09	4,1	0,0	2,1	0,0	0,0	0,0	0,0	0,0	0,0	4,5	0,0	2,3	0,0	0,0	0,0	0,0	0,0	0,0	1,5	0,0	0,8
10-14	7,1	0,0	3,6	0,0	0,0	0,0	3,6	3,8	3,7	3,8	0,0	1,9	3,9	0,0	2,0	0,0	0,0	0,0	3,1	0,7	1,9
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	7,3	3,6	0,0	3,6	1,8	3,5	3,6	3,5	0,0	3,6	1,8	0,6	3,0	1,8
20-24	0,0	0,0	0,0	0,0	0,0	0,0	3,1	0,0	1,5	3,1	0,0	1,5	0,0	0,0	0,0	0,0	0,0	0,0	1,0	0,0	0,5
25-29	0,0	3,5	1,8	0,0	0,0	0,0	0,0	0,0	0,0	3,0	0,0	1,5	2,9	0,0	1,4	0,0	0,0	0,0	1,0	0,5	0,8
30-34	0,0	0,0	0,0	3,6	0,0	1,8	0,0	3,4	1,7	3,4	0,0	1,7	0,0	0,0	0,0	3,2	0,0	1,6	1,7	0,6	1,1
35-39	0,0	3,6	1,9	0,0	3,6	1,8	0,0	0,0	0,0	3,7	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,6	1,2	0,9
40-44	7,3	3,5	5,3	0,0	6,8	3,5	0,0	0,0	0,0	7,3	7,0	7,1	0,0	0,0	0,0	0,0	7,5	3,7	2,4	4,1	3,3
45-49	11,6	0,0	5,7	7,4	3,6	5,4	3,6	7,0	5,3	0,0	3,5	1,8	0,0	0,0	0,0	3,5	7,3	5,4	4,2	3,6	3,9
50-54	4,3	0,0	2,1	4,2	8,2	6,2	16,5	8,0	12,2	4,0	11,7	7,9	26,9	3,8	15,2	7,4	0,0	3,7	10,7	5,2	8,0
55-59	24,8	9,4	16,9	14,1	13,3	13,7	9,0	12,8	11,0	4,3	16,8	10,7	8,5	4,2	6,3	4,2	8,2	6,2	10,5	10,8	10,6
60-64	42,6	28,5	35,3	40,9	16,4	28,3	17,0	10,6	13,7	10,7	20,0	15,5	30,7	4,8	17,3	48,9	13,6	30,6	31,9	15,3	23,3
65-69	86,0	19,7	51,4	75,1	56,9	65,6	78,8	36,9	57,2	25,5	30,0	27,8	81,3	40,6	60,2	42,8	22,4	32,2	64,2	34,3	48,7
70-74	105,2	47,7	73,8	73,3	62,1	67,2	98,1	61,4	78,4	59,7	37,1	47,6	97,6	28,8	61,1	101,1	55,4	77,0	89,2	48,6	67,4
75-79	104,9	60,1	79,5	127,8	58,9	88,9	124,3	38,5	75,9	36,5	142,9	96,2	164,7	74,2	114,1	181,2	90,8	131,0	124,4	78,0	98,3
80-84	168,6	77,9	116,5	224,4	118,2	162,8	137,7	144,2	141,5	133,8	97,9	113,1	225,8	136,2	173,8	217,3	144,5	175,1	185,1	120,8	147,9
85+	182,4	98,0	131,1	212,8	156,8	178,7	106,4	52,0	73,5	155,0	117,6	132,4	175,5	97,3	128,0	198,5	109,6	144,0	170,9	104,4	130,5
Crude rate	18,1	9,2	13,6	16,1	13,6	14,9	14,6	11,1	12,8	10,0	13,5	11,8	19,2	9,7	14,4	17,8	12,3	15,1	16,0	11,6	13,8
WASMR	13,1	5,2	9,0	10,3	8,6	9,2	9,4	6,7	7,9	6,7	7,2	7,0	11,8	4,6	8,0	10,1	6,0	7,9	10,2	6,3	8,1




**Mortality Rates**
**Mortality rates for Malignant neoplasm of lymph./haematopoietic tissue, for both sex, 2004-2009**


Year	2004	2005	2006	2007	2008	2009
Crude rate	13,6	14,9	12,8	11,8	14,4	15,1
WASMR	9,0	9,2	7,9	7,0	8,0	7,9


**Crude rate for Malignant neoplasm of lymph./haematopoietic tissue, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	18,1	16,1	14,6	10,0	19,2	17,8
Females	9,2	13,6	11,1	13,5	9,7	12,3


**World Age-Standardised Mortality Rate for Malignant neoplasm of lymph./haematopoietic tissue, by sex, 2004-2009**


Year	2004	2005	2006	2007	2008	2009
Males	13,1	10,3	9,4	6,7	11,8	10,1
Females	5,2	8,6	6,7	7,2	4,6	6,0



**Malignant neoplasm of pancreas (ICD10 - C25)**


Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of pancreas, 2004-2009

Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,7	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,3
40-44	0,0	3,5	1,8	0,0	0,0	0,0	0,0	0,0	0,0	3,6	0,0	1,8	0,0	0,0	0,0	3,7	3,7	3,7	1,2	1,2	1,2
45-49	0,0	3,7	1,9	3,7	0,0	1,8	0,0	0,0	0,0	7,0	0,0	3,5	3,5	3,6	3,5	3,5	3,7	3,6	3,0	1,8	2,4
50-54	0,0	4,2	2,1	0,0	0,0	0,0	4,1	0,0	2,0	0,0	0,0	0,0	0,0	0,0	0,0	3,7	7,4	5,6	1,3	2,0	1,7
55-59	5,0	0,0	2,4	4,7	8,9	6,9	13,5	4,3	8,8	26,1	4,2	14,9	17,0	4,2	10,5	21,1	12,3	16,6	14,9	5,7	10,3
60-64	24,4	11,4	17,7	17,5	21,9	19,8	22,6	10,6	16,4	16,1	15,0	15,5	30,7	9,5	19,8	48,9	4,5	25,9	27,3	11,9	19,3
65-69	43,0	26,2	34,2	6,8	12,6	9,8	13,1	12,3	12,7	44,6	24,0	34,0	43,8	23,2	33,1	48,9	39,3	43,9	33,7	23,2	28,3
70-74	57,4	15,9	34,7	64,1	15,5	37,8	35,7	46,1	41,2	51,2	52,0	51,6	16,3	36,0	26,7	23,3	6,9	14,7	40,3	28,7	34,1
75-79	52,4	50,1	51,1	76,7	19,6	44,4	49,7	9,6	27,1	109,4	28,6	64,1	23,5	37,1	31,1	11,3	27,2	20,2	53,0	28,6	39,3
80-84	105,4	46,8	71,7	0,0	44,3	25,7	19,7	43,3	33,3	76,5	83,9	80,8	75,3	81,7	79,0	108,7	78,8	91,4	64,9	63,9	64,4
85+	60,8	39,2	47,7	152,0	78,4	107,2	53,2	69,4	63,0	77,5	16,8	40,7	50,1	81,1	68,9	173,7	31,3	86,4	94,5	52,2	68,8
Crude rate	7,6	5,5	6,5	6,4	4,9	5,6	5,5	4,8	5,1	10,8	6,3	8,5	7,1	7,0	7,0	10,8	6,7	8,7	8,0	5,9	6,9
WASMR	5,0	3,1	4,0	4,1	2,7	3,3	3,6	2,5	3,1	6,8	3,3	4,9	4,6	3,4	4,0	6,9	3,6	5,1	5,2	3,1	4,1




**Mortality Rates**
**Mortality rates for Malignant neoplasm of pancreas, for both sex, 2004-2009**


Year	2004	2005	2006	2007	2008	2009
Crude rate	6,5	5,6	5,1	8,5	7,0	8,7
WASMR	4,0	3,3	3,1	4,9	4,0	5,1


**Crude rate for Malignant neoplasm of pancreas, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	7,6	6,4	5,5	10,8	7,1	10,8
Females	5,5	4,9	4,8	6,3	7,0	6,7


**World Age-Standardised Mortality Rate for Malignant neoplasm of pancreas, by sex, 2004-2009**


Year	2004	2005	2006	2007	2008	2009
Males	5,0	4,1	3,6	6,8	4,6	6,9
Females	3,1	2,7	2,5	3,3	3,4	3,6



**Malignant neoplasm of rectum and anus (ICD10 - C19-C20-C21)**

Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of rectum and anus, 2004-2009

Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
40-44	0,0	0,0	0,0	3,6	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,3
45-49	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,5	1,8	0,0	3,5	1,8	3,5	0,0	1,8	3,5	0,0	1,8	1,2	1,2	1,2
50-54	0,0	4,2	2,1	4,2	0,0	2,1	0,0	4,0	2,0	0,0	0,0	0,0	7,7	0,0	3,8	0,0	3,7	1,9	2,0	2,0	2,0
55-59	9,9	0,0	4,8	4,7	0,0	2,3	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,2	0,0	1,1	
60-64	6,1	5,7	5,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	5,0	2,6	0,0	9,5	4,9	9,8	0,0	4,7	2,7	3,4	3,1
65-69	14,3	13,1	13,7	6,8	0,0	3,3	19,7	6,2	12,7	12,7	12,0	12,4	0,0	5,8	3,0	6,1	5,6	5,9	9,8	7,1	8,4
70-74	9,6	8,0	8,7	0,0	7,8	4,2	26,7	0,0	12,4	17,1	14,9	15,9	0,0	0,0	0,0	15,6	6,9	11,0	11,5	6,2	8,7
75-79	0,0	20,0	11,4	38,3	0,0	16,7	0,0	0,0	0,0	24,3	9,5	16,0	0,0	18,6	10,4	22,6	9,1	15,1	14,3	9,5	11,6
80-84	21,1	15,6	17,9	0,0	14,8	8,6	0,0	0,0	0,0	0,0	14,0	8,1	37,6	13,6	23,7	0,0	0,0	0,0	9,7	9,5	9,6
85+	60,8	0,0	23,8	60,8	78,4	71,5	0,0	34,7	21,0	0,0	0,0	0,0	25,1	16,2	19,7	49,6	15,7	28,8	31,5	23,2	26,5
Crude rate	2,4	2,1	2,3	2,4	1,5	2,0	1,6	1,3	1,4	1,5	2,0	1,8	1,5	1,7	1,6	2,5	1,2	1,9	2,0	1,6	1,8
WASMR	1,7	1,3	1,4	1,5	0,6	1,0	1,1	0,8	0,9	1,0	1,2	1,1	0,9	0,9	0,9	1,6	0,7	1,1	1,3	0,9	1,1






**Mortality Rates**


**Mortality rates for Malignant neoplasm of rectum and anus, for both sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Crude rate	2,3	2,0	1,4	1,8	1,6	1,9
WASMR	1,4	1,0	0,9	1,1	0,9	1,1




**Crude rate for Malignant neoplasm of rectum and anus, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	2,4	2,4	1,6	1,5	1,5	2,5
Females	2,1	1,5	1,3	2,0	1,7	1,2




**World Age-Standardised Mortality Rate for Malignant neoplasm of rectum and anus, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	1,7	1,5	1,1	1,0	0,9	1,6
Females	1,3	0,6	0,8	1,2	0,9	0,7




**Malignant neoplasm of stomach (ICD10 - C16)**
**Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of stomach, 2004-2009**

Age group	2004			2005			2006			2007			2008			2009			2004-2009		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate Male	Age specific mortality rate Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	3,5	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,3
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,4	1,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,3
35-39	0,0	0,0	0,0	7,6	0,0	3,7	0,0	0,0	0,0	7,3	0,0	3,6	3,5	0,0	1,8	0,0	0,0	0,0	3,1	0,0	1,5
40-44	0,0	0,0	0,0	3,6	0,0	1,8	0,0	3,4	1,8	0,0	0,0	0,0	0,0	0,0	0,0	3,7	0,0	1,9	1,2	0,6	0,9
45-49	3,9	3,7	3,8	0,0	0,0	0,0	10,8	7,0	8,9	7,0	3,5	5,3	3,5	3,6	3,5	3,5	7,3	5,4	4,8	4,2	4,5
50-54	4,3	4,2	4,3	0,0	0,0	0,0	4,1	0,0	2,0	11,9	0,0	5,9	7,7	0,0	3,8	3,7	11,1	7,4	5,4	2,6	4,0
55-59	5,0	9,4	7,3	4,7	4,4	4,6	9,0	4,3	6,6	17,4	8,4	12,8	4,3	16,7	10,5	4,2	4,1	4,2	7,5	7,9	7,7
60-64	18,3	0,0	8,8	11,7	16,4	14,1	22,6	5,3	13,7	16,1	5,0	10,3	20,5	14,3	17,3	29,3	4,5	16,5	20,0	7,6	13,6
65-69	35,8	6,6	20,5	13,7	6,3	9,8	32,8	12,3	22,2	44,6	18,0	30,9	31,3	11,6	21,1	30,6	5,6	17,6	31,6	10,1	20,4
70-74	47,8	8,0	26,1	36,6	23,3	29,4	35,7	23,0	28,9	34,1	14,9	23,8	24,4	21,6	22,9	38,9	34,7	36,6	36,0	21,2	28,0
75-79	39,3	20,0	28,4	0,0	9,8	5,6	24,9	28,9	27,1	24,3	47,6	37,4	47,0	37,1	41,5	45,3	18,2	30,2	30,6	27,0	28,6
80-84	21,1	31,2	26,9	102,0	0,0	42,8	98,4	14,4	49,9	57,4	14,0	32,3	112,9	108,9	110,6	18,1	65,7	45,7	68,2	40,3	52,0
85+	91,2	39,2	59,6	30,4	0,0	11,9	159,7	0,0	63,0	0,0	0,0	0,0	100,3	81,1	88,6	74,4	47,0	57,6	76,5	29,0	47,6
Crude rate	6,5	3,2	4,8	4,8	2,3	3,5	8,3	3,5	5,9	7,7	4,0	5,8	7,8	7,5	7,7	7,0	5,7	6,4	7,0	4,4	5,7
WASMR	4,6	1,7	3,1	3,1	1,6	2,3	5,4	2,2	3,6	5,3	2,3	3,8	4,8	3,6	4,1	4,6	2,9	3,7	4,6	2,4	3,5


**Age specific, Crude and Age Standardised Mortality Rates for Malignant neoplasm of stomach, for both sex, 2004-2009**


**Mortality Rates**
**Mortality rates for Malignant neoplasm of stomach, for both sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Crude rate	4,8	3,5	5,9	5,8	7,7	6,4
WASMR	3,1	2,3	3,6	3,8	4,1	3,7


**Crude rate for Malignant neoplasm of stomach, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	6,5	4,8	8,3	7,7	7,8	7,0
Females	3,2	2,3	3,5	4,0	7,5	5,7


**World Age-Standardised Mortality Rate for Malignant neoplasm of stomach, by sex, 2004-2009**

Year	2004	2005	2006	2007	2008	2009
Males	4,6	3,1	5,4	5,3	4,8	4,6
Females	1,7	1,6	2,2	2,3	3,6	2,9

