

Γενικό Χημείο του Κράτους

ΚΑΤΑΚΥΡΩΣΗ ΠΡΟΣΦΟΡΑΣ

Πιστοποιημένα Υλικά Αναφοράς και Πρότυπα Αναφοράς

Αρ.προσφοράς: 13.25.12.2021.9

A/A	Περιγραφή είδους	Ποσότητα	Τιμή	Προσφοροδότης
1	ALCOHOLIC SOLUTION 12%	1 x 370 ML	EUR 670.00	MILL
2	EWES AND GOATS CURD	1 x 1 Pieces	EUR 168.00	MILL
3	N, N, -TETRAMETHYL UREA	2 x 500 ML	EUR 3,888.80	KRI
4	SKIM MILK POWDER	1 x 50 G	EUR 190.00	MILL
5	SOYA-MAIZE OIL BLEND (FATTY ACID PROFILE)	1 x 5,5 G	EUR 210.00	MILL
6	BEETSUGAR (13) C, LABORATORY STANDARD FOR EA-IRMS	1 x 1 Pieces	EUR 140.00	MILL
7	REFRACTIVE INDEX STANDARD AT 20°C SOLVENT BASED R.I 1.49672 nD,15mL	2 x 1 Pieces	EUR 112.00	MILL
8	REFRACTIVE INDEX STANDARD AT 20°C SOLVENT BASED R.I 1.38779nD,15mL	1 x 1 Pieces	EUR 56.00	MILL
10	POTASSIUM CHLORIDE KCL 3mol/L STANDARDIZED SOLUTION	1 x 250 ML	EUR 10.60	MED
11	SOFT DRINKING WATER ANIONS	1 x 250 ML	EUR 454.00	MILL
12	SOFT DRINKING WATER UK-METALS	1 x 250 ML	EUR 380.00	MILL
13	TOC & TIC STANDARDS 100 mg/L TOC	1 x 500 ML	EUR 55.30	KRI
14	DENSITY STANDARD ULTRA PURE WATER WITH WORKS CERTIFICATE	1 x 60 ML	EUR 135.00	VOU
15	WATERS ABS. DETECTOR, PQ CALIBRATION SLN	2 x 10 ML	EUR 480.00	MILL
16	WATERS ABS.DETECTOR, LINEARITY CAL KIT	1 x 1 Pieces	EUR 280.00	MILL
17	TUNING SOLUTION FOR ICP-MS 1PPB Li, Mg, Y, Ce, TL, Co (DELIVERY ACCORDING TO LAB NECESSITIES. EXPIRY DATE SHOULD NOT BE LESS THAN 5 MONTHS UPON DELIVERY)	2 x 500 ML	EUR 200.00	MILL
18	0.1 % GTS 40-3-2 SOYA BEAN POWDER CRM, TO BE SUPPLIED WITH QC CERTIFICATE AND TO BE DELIVERED ON REQUEST	1 x 1 G	EUR 79.50	MED
19	0.1 % NK603 MAIZE POWDER CRM, TO BE SUPPLIED WITH QC CERTIFICATE AND TO BE DELIVERED ON REQUEST	1 x 1 G	EUR 71.40	KRI
20	1% DAS 68416-4 SOYBEAN ERM-BF432C TO BE SUPPLIED WITH QC CERTIFICATE TO BE DELIVERED ON REQUEST	1 x 1 vial	EUR 70.80	MED
21	1% GTS-40-3-2 SOYBEAN TO BE SUPPLIED WITH QC CERTIFICATE TO BE DELIVERED ON REQUEST	1 x 1 G	EUR 79.50	MED
22	1.0 % NK603 MAIZE TO BE SUPPLIED WITH QC CERTIFICATE TO BE DELIVERED ON REQUEST	1 x 1 vial	EUR 71.40	KRI
23	10% MON810 MAIZE TO BE SUPPLIED WITH QC CERTIFICATE TO BE DELIVERD ON REQUEST	1 x 1 G	EUR 71.40	KRI
24	10% GTS-40-3-2 SOYBEAN TO BE DELIVERED ON REQUEST TO BE SUPPLIED WITH QC CERTIFICATE	1 x 1 G	EUR 79.50	MED
25	100% GA21 POWDER CRM, 10 g VIAL, TO BE SUPPLIED WITH QC CERTIFICATE AND TO BE DELIVERD ON REQUEST	1 x 10 G	EUR 220.60	MED
26	4.9 % NK603 MAIZE TO BE SUPPLIED WITH QC CERTIFICATE TO BE DELIVERED ON REQUEST	1 x 1 G	EUR 71.40	KRI

Γενικό Χημείο του Κράτους

ΚΑΤΑΚΥΡΩΣΗ ΠΡΟΣΦΟΡΑΣ

Πιστοποιημένα Υλικά Αναφοράς και Πρότυπα Αναφοράς

Αρ.προσφοράς: 13.25.12.2021.9

A/A	Περιγραφή είδους	Ποσότητα	Τιμή	Προσφοροδότης
27	5% Bt-11 MAIZE TO BE SUPPLIED WITH QC CERTIFICATE TO BE DELIVERED ON REQUEST	1 x 1 G	EUR 71.40	KRI
28	GT73/RT73 RAPESEED (MONSANTO COMPANY) TO BE SUPPLIED WITH QC CERTIFICATE TO BE DELIVERED ON REQUEST	1 x 10 G	EUR 220.60	MED
29	MON89788 SOYBEAN POWDER 10g (MONSANTO COMPANY) TO BE SUPPLIED WITH QC CERTIFICATE TO BE DELIVERED ON REQUEST	1 ML	EUR 194.50	MED
30	CERTIPUR CADMIUM ICP STANDARD TRACEABLE TO SRM FROM NIST (Cd(NO3)2 IN HNO3 2-3%) 1000 mg/L Cd, WITH CERTIFICATE OF ANALYSIS CAT. No: 1.70309.0100	1 x 100 ML	EUR 22.00	KRI
31	CERTIPUR LEAD ICP STANDARD TRACEABLE TO SRM FROM NIST (Pb(NO3)2 IN HNO3 2-3%)1000 mg/L Pb, WITH CERTIFICATE OF ANALYSIS CAT. No:1.70328.0100	1 x 100 ML	EUR 22.00	KRI
32	ICP MULTI-ELEMENT STANDARD SOLUTION IV CERTIPUR	2 x 100 ML	EUR 246.00	CEL
33	MULTIELEMENT STANDARD SOLUTION XIII CERTIPUR	3 x 100 ML	EUR 292.20	KRI
34	CONDUCTIVITY STANDARD 12.77 mS/cm	1 x 500 ML	EUR 54.00	KRI
35	CONDUCTIVITY STANDARD 84 µS/cm ΣΤΑΔΙΑΚΗ ΠΑΡΑΔΟΣΗ ΣΕ ΣΥΝΕΝΟΗΣΗ ΜΕ ΤΟ ΕΡΓΑΣΤΗΡΙΟ	1 x 500 ML	EUR 11.50	MILL
37	PH 4.01 +/- 0.02 TRACEABLE TO NIST WITH CERTIFICATE	5 x 500 ML	EUR 42.50	CEL
38	PH 7.00 +/- 0.02 TRACEABLE TO NIST WITH CERTIFICATE	5 x 500 ML	EUR 49.50	CEL
39	PH 9.21 +/- 0.02 TRACEABLE TO NIST WITH CERTIFICATE	5 x 500 ML	EUR 49.50	CEL
40	ERBIUM (III) PERCHLORATE 99,9% 40wt, SOLUTION IN WATER	1 x 2 G	EUR 49.50	VOU
41	PHTHALIC ACID, BIS-2-ETHYLHEXYL ESTER (DEHP) CAS 117-81-7	1 x 1 Pieces	EUR 28.30	MED
42	PHTHALIC ACID, BIS-2-ETHYLHEXYL ESTER D4, CERTIFIED	1 x 25 MG	EUR 138.80	KRI
43	PHTHALIC ACID, BIS-ISO-BUTYL ESTER CAS 84-69-5	1 x 0,25 G	EUR 37.45	KRI
44	SEAWATER REFERENCE MATERIAL FOR TRACE METALS. EXPIRY DATE SHOULD NOT BE LESS THAN 12 MONTHS UPON DELIVERY.	1 x 500 ML	EUR 133.50	CEL
45	WHEAT FLOUR FOR MAJOR NUTRIENTS	1 x 37 G	EUR 205.00	KRI
46	MULTIELEMENT STANDARD SOLUTION 4 FOR ICP TraceCERT 100mg/L in 10% nitric acid	2 x 100 ML	EUR 186.40	KRI
47	MULTIELEMENT STANDARD SOLUTION V FOR ICP TraceCERT in 2% nitric acid	2 x 100 ML	EUR 186.40	KRI
48	CANNED FISH TVB DETERMINATION	1 x 150 G	EUR 115.00	KRI
50	NUTRITIONAL COMPONENTS IN CHOCOLATE QUALITY CONTROL MATERIALS, WITH VALIDITY MINIMUM ONE YEAR AFTER DELIVERY	1 x 150 G	EUR 105.00	KRI
51	OVERALL MIGRATION NYLON FILM TEST MATERIAL	1 x 1 Pieces	EUR 108.00	KRI

Γενικό Χημείο του Κράτους

ΚΑΤΑΚΥΡΩΣΗ ΠΡΟΣΦΟΡΑΣ

Πιστοποιημένα Υλικά Αναφοράς και Πρότυπα Αναφοράς

Αρ.προσφοράς: 13.25.12.2021.9

A/A	Περιγραφή είδους	Ποσότητα	Τιμή	Προσφοροδότης
54	LENTICULE DISCS BACILLUS CEREUS, APPOX. CFU/LENTICULE:10 ⁴ 5 EXPIRY DATE SHOULD NOT BE LESS THAN 6 MONTHS UPON DELIVERY. DELIVERY ACCORDING TO LAB NECESSITIES.	4 x 10 Discs	EUR 380.00	VOU
55	LENTICULES LEGIONELLA PNEUMOPHILA COUNTS APPROXIMATELY 30-120CFU EXPIRY DATE SHOULD NOT BE LESS THAN SIX MONTHS UPON DELIVERY DELIVERY ACCORDING TO LAB REQUIREMENTS	2 x 10 Discs	EUR 190.00	VOU
56	LENTICULES CLOSTRIDIUM PERFRINGENS 100 CFU EXPIRY DATE SHOULD NOT BE LESS THAN SIX MONTHS UPON DELIVERY DELIVERY ACCORDING TO LAB REQUIREMENTS	6 x 10 Discs	EUR 570.00	VOU
57	LENTICULES DISCS CLOSTRIDIUM PERFRINGENS 500-5000 CFU EXPIRY DATE SHOULD NOT BE LESS THAN SIX MONTHS UPON DELIVERY DELIVERY ACCORDING TO LAB REQUIREMENTS	2 x 10 Discs	EUR 190.00	VOU
61	STAPHYLOCOCCUS AUREUS WDCM 00032.COUNTS BELOW 100CFU,EXPIRY DATE NOT LESS THAN 6 MONTHS UPON DELIVERY,DELIVERY ACCORDING TO LAB REQUIREMENTS	2 x 10 Discs	EUR 230.00	VOU
62	VITROIDS ENTEROBACTER AEROGENES COUNTS APPROXIMATELY 15-80CFU EXPIRY DATE SHOULD NOT BE LES THAN SIX MOUNTHS UPON DELIVERY DELIVERY ACCORDING TO LAB REQUIREMENTS	3 x 10 Discs	EUR 285.00	VOU
63	VITROIDS ESCHERICHIA COLI COUNTS APPROXIMATELY 600-1400CFU EXPIRY DATE SHOULD NOT BE LES THAN SIX MOUNTHS UPON DELIVERY DELIVERY ACCORDING TO LAB REQUIREMENTS	2 x 10 Discs	EUR 230.00	VOU
64	VITROIDS PSEUDOMONAS AERUGINOSA COUNTS APPROXIMATELY 15-80 CFU EXPIRY DATE SHOULD NOT BE LES THAN SIX MOUNTHS UPON DELIVERY DELIVERY ACCORDING TO LAB REQUIREMENTS	3 x 10 Discs	EUR 285.00	VOU
65	VITROIDS STAPHYLOCOCCUS AUREUS WDCM 00035 50000-150000 CFU EXPIRY DATE SHOULD NOT BE LESS THAN SIX MONTHS UPON DELIVERY DELIVERY ACCORDING TO LAB REQUIREMENTS	4 x 10 Discs	EUR 380.00	VOU
66	VTROIDS ESCHERICHIA COLI, MEAN COUNTS ON MLSB: BELOW 100 CFU EXPIRY DATE SHOULD NOT BE LESS THAN 6 MONTHS UPON DELIVERY. DELIVERY ACCORDING TO LAB REQUIREMENTS	6 x 10 Discs	EUR 570.00	VOU
67	VTROIDS ENTEROCOCCUS FAECALIS, MEAN COUNTS ON S&B: BELOW 100 CFU EXPIRY DATE SHOULD NOT BE LESS THAN 6 MONTHS UPON DELIVERY .DELIVERY ACCORDING TO LAB REQUIREMENTS	7 x 10 Discs	EUR 665.00	VOU
68	CERTIFIED REFERENCE WATER FOR TRACE ELEMENTS TM 26.4	2 x 250 ML	EUR 548.00	KRI

Γενικό Χημείο του Κράτους

ΚΑΤΑΚΥΡΩΣΗ ΠΡΟΣΦΟΡΑΣ

Πιστοποιημένα Υλικά Αναφοράς και Πρότυπα Αναφοράς

Αρ.προσφοράς: 13.25.12.2021.9

A/A	Περιγραφή είδους	Ποσότητα	Τιμή	Προσφοροδότης
69	MEDIDRUG ETHANOL VB-PLUS, WHOLE BLOOD CONTROL 0.5g/l Cat No 61052	2 ML	EUR 193.00	KRI
70	PV-1 CALIBRATION CHECK FLUID FOR TESTING THE ACCURACY OF NANODROP ONE SPECTROPHOTOMETER Η παράδοση να γίνει κατόπιν συνεννόησης με το εργαστήριο	2 x 1 Ampoules	EUR 198.00	MED

Γενικό Χημείο του Κράτους

ΚΑΤΑΚΥΡΩΣΗ ΠΡΟΣΦΟΡΑΣ

Πιστοποιημένα Υλικά Αναφοράς και Πρότυπα Αναφοράς

Αρ.προσφοράς: 13.25.12.2021.9

Προσφοροδότες

A.J.VOUROS LTD

VOU

C&V KRITIKOS SUPPLIERS LT

KRI

CELERA CHEMICALS

CEL

MEDISELL CO LTD

MED

MILLIQUEST LTD

MILL