REPUBLIC OF CYPRUS
MINISTRY OF HEALTH

DEPARTMENT OF MEDICAL AND PUBLIC HEALTH SERVICES
&
STATE GENERAL LABORATORY

Report to the European Commission on

National Monitoring Program of Pesticide Residues in Products of Plant Origin

Results 2008

Nicosia – Cyprus
August 2008

This Report has been prepared under the responsibility of Dr Popi Ziegler (SGL) in cooperation with Mr George Georgallas of the Department of MPHS and Mrs Despo Louca Christodoulou (SGL) who coordinated the preparation of this report and did also data retrieving and Tables compilation in cooperation with Mrs Agathi Anastasi (IT unit of SGL) .

Sampling was done by the Health Inspectors of the MPHS and the authorized Inspectors of the Depart. of Agriculture. The analysis and evaluation were carried by the scientific team of the Lab of Pesticides Residues of the SGL:

Dr. P.Ziegler, D.L.Christodoulou, O. Kourouzidou, P. Hadjiloizou,

M.Konstantinou , P. Konstantinou and A .Thoma. The contribution of Th. Zinonos (assistant) is also acknowledged.

Competent Authority Ministry of Health	**Contact Persons**	**Contact point**
• **Department of Medical and Public Health Services**	Mr George Georgallas	Tel: 35722605554 Fax 35722305345 Email:ggeorgallas@mphs.moh.gov.cy Tel 35722 809111 Fax 35722316434
• **State General Laboratory – Pesticide Residues Laboratory**	Dr Popi Ziegler	Email pziegler@sgl.moh.gov.cy Tel 35722 809140 Fax 35722316434
	Despo Louca Christodoulou	Email dchristodoulou@sgl.moh.gov.cy Tel 35722 809202 Fax 35722316434
	Olymbiada Kourouzidou	Email okourouzidou@sgl.moh.gov.cy Tel 35722 809202 Fax 35722316434

TABLE OF CONTENTS

1. **Two Page Summary**
2. **Copy of the Accreditation certificate**
3. **Tables A-G**

1. TWO-PAGE SUMMARY

COUNTRY: CYPRUS

1. SUMMARY OF RESULTS

In **2008** a total of **418** samples of fruits and vegetables (**273** vegetable samples and **145** fruit samples) were analyzed, **12** samples were of organic farming. Sampling rate was **56** samples /100 000 inhabitants. The main emphasis was on the local production including exports. **22.7%** of the tested samples were imported ones. In addition about **400** samples were analyzed for QC and method development/validation. In **57.9%** of fruits and vegetables no residues were detected (ND) and in **30.1%** of the samples the residues were at the level of or below the MRL. The percentage of samples above MRLs (national or EC) was **11.5%,** of which **8.4%** were considered as real legal violations. **5%** of the samples were classified as "critical". In §4 term definitions are provided. Out of **161** pesticides sought in fruit and vegetables samples **51** were found to be present. The most frequently found pesticides were **Cypermethrin** in **14%** and **Chlorpyrifos** in **13%** of the samples**.**

In 2008 **28** samples of cereals were also analyzed. Out of 156 pesticides sought in cereals only three pesticides were found **Carbendazim** (in 2**6.7%** of the samples), **Imidacloprid** (in **6.7%** of the samples) **and Malathion** (in **6.7%** of the samples).
In addition **68** baby food samples were analyzed, 48 samples based on fruit and vegetables were analyzed for up to 180 pesticides, 10 samples based on cereals were analyzed for up to 200 pesticides and 6 PCBs indicators and 10 samples of infant and follow on formulae were analyzed for 15 organochlorine pesticides and 6 PCBs indicators. In all baby food samples no pesticides have been detected above the reporting level.
8 processed samples other than baby food (6 olive oil samples and 2 samples of juices) have been analyzed. In four of the six samples of olive oil, up to four pesticides (Endosulfan, Cypermethrin, Chlorpyrifos and Bromopropylate) were detected. The results were expressed in olives using the processing factors (enrichment factor) of 3 and 6,67. One of the samples was found to be above MRL for Bromopropylate and it was classified as critical.

2. ORGANIZATION OF MONITORING PROGRAMS AND SAMPLING

Ministry of Health is the competent authority for the enforcement of the Pesticide Residues (PR) Legislation and the execution of the national monitoring and surveillance programs. The enforcement of Legislation and sampling is allocated to the Department of Medical and Public Health Services (MPHS). The Pesticide Residue Lab (PR-SGL) of the State General Laboratory is the Official Laboratory for the Monitoring & Surveillance of PR in Food of Plant and Animal Origin. The PR-SGL Lab and the MHPS design and implement a multisectoral program for local market, including imports and exports. The sampling regime is based on a combination of "at random" sampling and target oriented sampling focusing towards problematic pesticides/food combination. This combination is in a way bias towards problematic products and might end up with higher violation rates. Nevertheless it can provide higher degree of consumer protection and cost-effectiveness. Main criteria used in the sampling design are: violations from previous years, pattern of actual pesticide usage, info from RASFF, toxicological data, consumption data especially by children and the needs of exports control. Sampling is done by well qualified Health Inspectors (with BSc or at least 3 years of education in the Public Health inspectors School of Cyprus) of the MPHS. It is focused at the key points of food chain: producers, market, import, processing, primary storage etc. The MPHS exercise the regulatory functions. Enforcement actions are taken as

follows: a) for all critical and violating samples a notification is issued to the Dept. of Agriculture, b) "Violating**"** samples, for which adequate evidence be provided , are legally prosecuted by the Dept. of MPHS. Every effort is made to withdraw violating products from the market and prevent them from been exported/consumed. Imported products non complying with the EU harmonized MRLs are not permitted to enter Cyprus.

3. QUALITY ASSURANCE

The PR Lab of the SGL is accredited by the Greek Accreditation body ESYD since **2002** according to EN 45001, from June 2003 according to ISO/IEC 17025 and from July 2006 according to ISO/IEC 17025/2005. The following validated methods are mainly used: 1) "Multiresidue method for fruits, vegetables and milk including PCBs in milk": Ethyl acetate extraction, GPC-clean up, determination/confirmation by GCMS/ITD, GC/PFPD, GC/ECD and LC/MS/MS. It covers GC and LC amendable Pesticides within polarity ranging from Kow=-0,9 up to non polar. 2) GC/FPD-S determination of dithiocarbamates as CS2 extracted in isooctane after reaction with aqueous hydrochloric acid in the presence of tin (II) chloride 3)"Multiresidue method for the determination of organochlorine and PCBs in fish and meat products":Soxhlet extraction,GPC clean up,GC/ECD–dual column detection.. The analytical uncertainty has been estimated during validation process at different concentration levels and is taken into consideration for "decision-making" especially to discriminate between "real legal violations" and "above MRLs".
The validation of LC/MS/MS analytical system has been extended and the number of pesticides analyzed by LC/MS/MS in 2008 has been increased to 150.

The PR-Lab applies Quality Control procedures, which are in line with the provisions of "EU-Quality control procedures" concerning the determination, confirmation and method quality. The lab participated in the European Commissions Proficiency Test on Pesticide Residues EUPT-FV-10, EUPTSRM3, EUPTC2 and EUPT-AO-03 as well as in the EU fish oil 2008 for indicators PCBs. The Results of all the PTs were acceptable with z-scores < 2.

4. OTHER INFORMATION

Background on legislation: The main legal instrument for the protection of Public Health in Cyprus is the Harmonized Food (Control and Sale) Law of 1996-2006**,** and the EU Pesticide Residues and sampling Regulations.

The management of results: To increase the cost-effectiveness, the use of the term "critical" sample has been introduced since 2002. **Critical** are those samples which are either above the MRL but when the uncertainty is subtracted cannot be considered as legal violation or are at or below the MRL and when uncertainty is added MRL is exceeded. The samples are ranked in the following categories: **'without detectable residues", with residues below or at MRL", "above the MRLs" "critical" and "violating samples".** Therefore the % of above MRLs recorded in all Tables comprises the legal violations and part of the critical samples. Decision on actions are taken according to a standardized documented SOP process and in compliance with the legislation.

Risk Assesment : For samples containing pesticides, which exceeded MRL, the PSTI values were estimated according to Sanco Document SANCO/3346/2001rev7 .

Hellenic Accreditation System S.A.

ACCREDITATION CERTIFICATE
No. 82

The Hellenic Accreditation System S.A. (ESYD), as the national accreditation body of Greece, in accordance with the Law 3066/2002,

ACCREDITS

the
Laboratory for Pesticide Redidues
of the
State General Laboratory of Cyprus

in Nicosia, Cyprus

under the terms of the CYS EN ISO/IEC 17025:2005 Standard, to carry out tests, as specified in the attached Scope of the Accreditation, which may be revised by ESYD.
The initial accreditation was issued on June 10th, 2002. This certification renews the accreditation until June 9th, 2010 being subject to continuing compliance of the accredited body with the Regulations and the Criteria of the Hellenic Accreditation System.

Athens, July 27th 2006

C. Kagarakis
Chairman of ESYD

Pesticide Monitoring Report 2008

Reporting country:	Cyprus
Year of sampling:	2008

Please, before starting to complete Tables A to G, click on the green box and select your country from the drop-down list

Summary of numbers of samples, sample origins and results

(sum of samples of national and coordinated programme)
(pesticides covered by Directives 76/895, 86/362 and 90/642 and by national programmes)
(surveillance sampling only, no follow-up enforcement sampling, including organic produce)

Reporting country: Cyprus
Year of sampling: 2008

	Number of samples	Sample origin								Results							
	Total number of samples	**Number of domestic samples**	% domestic samples of total number of samples	**Number of samples from other EU MS**	% samples from other EU MS of the total number of samples	**Number of samples on imports from TC**	% samples from TC of the total number of samples	**Number of samples with unknown origin**	% samples from unknown origin of the total number of samples	**Number of samples without detectable residues**	% of total number of samples	**Number of samples with residues at or below MRL (national or EC) or for which no MRL is set**	% of total number of samples	**Number of samples with residues exceeding the MRL (national or EC)**	% of total number of samples	**Number of samples with residues exceeding EC-MRLs**	% of total number of samples
Sum (certain products of plant origin, incl. fruit, vegetables)	418	**305**	73,0	**19**	4,5	**76**	18,2	**18**	4,3	**242**	57,9	**126**	30,1	**48**	11,5	**47**	11,2
Cereals	28	**0**	0,0	**13**	46,4	**14**	50,0	**1**	3,6	**24**	85,7	**2**	7,1	**2**	7,1	**2**	7,1
Processed products (other than baby food)	8	**6**	75,0	**0**	0,0	**1**	12,5	**1**	12,5	**4**	50,0	**3**	37,5	**1**	12,5	**1**	12,5
Baby food	68	**0**	0,0	**64**	94,1	**4**	5,9	**0**	0,0	**68**	100,0	**0**	0,0	**0**	0,0	**0**	0,0

Fruit and Veg:Sum of results is not equal to sample size

Summary of numbers of samples, sample origins and results

(sum of samples of national and coordinated programme)
(pesticides covered by Directives 76/895, 86/362 and 90/642 and by the national programmes)
(follow-up enforcement sampling only, no surveillance sampling, including organic produce)

Reporting country: Cyprus
Year of sampling: 2008

	Number of samples	Sample origin								Results							
	Total number of samples	**Number of domestic samples**	% domestic samples of total number of samples	**Number of samples from other EU MS**	% samples from other EU MS of the total number of samples	**Number of samples on imports from TC**	% samples from TC of the total number of samples	**Number of samples with unknown origin**	% samples from unknown origin of the total number of samples	**Number of samples without detectable residues**	% of total number of samples	**Number of samples with residues at or below MRL (national or EC) or for which no MRL is set**	% of total number of samples	**Number of samples with residues exceeding the MRL (national or EC)**	% of total number of samples	**Number of samples with residues exceeding EC-MRLs**	% of total number of samples
Sum (certain products of plant origin, incl. fruit, vegetables)	0		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!
Cereals	0		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!
Processed products (other than baby food)	0		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!
Baby food	0		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!		#DIV/0!

Summary of numbers of organic samples and results

(sum of samples of national and coordinated programme)
(pesticides covered by Directives 76/895, 86/362 and 90/642 and by national programmes)

(surveillance sampling plus follow-up enforcement sampling)

Reporting country:	Cyprus
Year of sampling:	2008

	Number of samples	Results							
ORGANIC PRODUCE ONLY	**Total number of samples**	**Number of samples without detectable residues**	% of total number of samples	**Number of samples with residues at or below MRL (national or EC) or for which no MRL is set**	% of total number of samples	**Number of samples with residues exceeding the MRL (national or EC)**	% of total number of samples	**Number of samples with residues exceeding EC-MRLs**	% of total number of samples
Sum (certain products of plant origin, incl. fruit, vegetables)	12	**12**	100,0	**0**	0,0	**0**	0,0	**0**	0,0
Cereals	1	**1**	100,0	**0**	0,0	**0**	0,0	**0**	0,0
Processed products (other than baby food)	0	**0**	#DIV/0!	**0**	#DIV/0!	**0**	#DIV/0!	**0**	#DIV/0!
Baby food	5	**5**	100,0	**0**	0,0	**0**	0,0	**0**	0,0
TOTAL ORGANIC	18	18	360,0	0	0,0	0	0,0	0	0,0

If a breakdown between samples of fruit and vegetables, cereals, processed products and baby food is not available, please report in line 18 (cells D, F, H and J) the total number of samples.
The data in this table should be a sub-set of the data in Table A1 Part I and Part II.

If there are no data reported in this table, please indicate if that is because:	**Yes/No**
NO ORGANIC SAMPLES TAKEN	
ORGANIC SAMPLES TAKEN BUT UNABLE TO DISTINGUISH ORGANIC FROM CONVENTIONAL IN THE DATA.	

SUMMARY TABLE OF PESTICIDE SOUGHT AND FOUND
Surveillance sampling only

(fresh and frozen fruit, vegetables)
(pesticides covered by Directives 76/895, 90/642 and by the national programmes)
(sum of samples of national and coordinated programme)

Reporting country:	Cyprus
Year of sampling:	2008
Number of different pesticides* sought:	161
Number of different pesticides* found:	51
% pesticides found from pesticides sought:	31,7

Number of rows: Add

Delete Selected Rows

*report pesticides (isomers, metabolites) according to the residue definition in the EU Directives or national legislation

(1) SRM - single residue methods (contains less than 10 pesticides counted according to the residue definition) - Please indicate in Column 7 with an "x" if the residue is detected with a SRM (see Guidance Document for details).

(2) The residue definition for pome fruits, strawberries, blackberries, raspberries, currants, gooseberries, tomatoes and fresh beans (with or without pods) is Sum of Captan and Folpet

(3) The residue definition for potatoes is Chlorpropham only

Note:If you get the error message "!REP" in Column A, please complete the missing reporting level.

Column 1	*Column 2*	*Column 3*	*Column 4*	*Column 5*	*Column 6*	*Column 7*
Pesticide	**Pesticide (MS alternative residue definition)**	**Total number of samples analysed for specific**	**Number of samples with residues at or above reporting level**	**% samples with residues at or above reporting level**	**Reporting level (mg/Kg)**	**Residue Detected by SRM (1)**
1,1-dichloro-2,2-bis(4-ethylphenyl)ethane				#DIV/0!		
1,2-dibromoethane (ethylene dibromide)				#DIV/0!		
1,2-dichloroethane (ethylene dichloride)				#DIV/0!		
1,3-dichloropropene				#DIV/0!		
1-methylcyclopropene				#DIV/0!		
1-naphthylacetamide				#DIV/0!		
1-naphthylacetic acid				#DIV/0!		
2,4 DB				#DIV/0!		
2,4,5-T				#DIV/0!		
2,4-D (sum of 2,4-D and its esters expressed as 2,4-D)				#DIV/0!		
Abamectin (sum of Avermectin B1a, AvermectinB1b and delta-8,9 isomer of Avermectin B1a)				#DIV/0!		
Acephate		319	0	0,0	0,010	
Acequinocyl				#DIV/0!		
Acetamiprid		109	1	0,9	0,010	
Acetochlor				#DIV/0!		
Acibenzolar-S-methyl (sum of acybenzolar-S-methyl and acibenzolar acid (CGA 210007) expressed as acybenzolar-S-methyl)				#DIV/0!		
Aclonifen				#DIV/0!		
Acrinathrin		1	1	100,0	0,050	
Alachlor				#DIV/0!		
Aldicarb (sum of Aldicarb, its sulfoxide and its sulfone, expressed as Aldicarb)		109	0	0,0	0,010	
Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin)		3	0	0,0	0,020	
Allethrin				#DIV/0!		
Amidosulfuron				#DIV/0!		
Aminopyralid				#DIV/0!		
Amitraz (amitraz including the metabolites contyaining the 2,4 - dimethylaniline moity expressed as amitraz)		267	0	0,0	0,020	
Amitrole				#DIV/0!		
Anilazine				#DIV/0!		
Aramite				#DIV/0!		
Asulam				#DIV/0!		
Atrazine				#DIV/0!		
Azadirachtin				#DIV/0!		
Azimsulfuron				#DIV/0!		
Azinphos-ethyl		319	0	0,0	0,010	
Azinphos-methyl		309	1	0,3	0,010	
Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)				#DIV/0!		
Azoxystrobin		261	3	1,1	0,010	
Barban		230	0	0,0	0,500	
Beflubutamid				#DIV/0!		
Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers)		273	2	0,7	0,020	
Bendiocarb				#DIV/0!		
Benfluralin				#DIV/0!		
Benfuracarb				#DIV/0!		
Bentazone (sum of bentazone and the conjugates of 6-OH and 8-OH bentazone expressed as bentazone)				#DIV/0!		
Benthiavalicarb (Benthiavalicarb-isopropyl (KIF-230 R-L) and its enantiomer (KIF-230 S-D) and diastereomers (KIF-230 R-L and KIF-230 S-D)				#DIV/0!		
Bifenazate				#DIV/0!		
Bifenox				#DIV/0!		
Bifenthrin		283	3	1,1	0,050	
Binapacryl		273	0	0,0	0,500	
Biphenyl		273	0	0,0	0,020	
Bitertanol				#DIV/0!		
Boscalid		5	2	40,0	0,050	
Bromacil				#DIV/0!		
Bromide ion				#DIV/0!		
Bromophos-ethyl				#DIV/0!		
Bromopropylate		283	5	1,8	0,020	
Bromoxynil (bromoxynil including its esters expressed as bromoxynil)				#DIV/0!		

Bromuconazole (sum of diasteroisomers)				#DIV/0!		
Bupirimate		276	0	0,0	0,020	
Buprofezin		276	0	0,0	0,020	
Butralin				#DIV/0!		
Butylate				#DIV/0!		
Cadusafos				#DIV/0!		
Camphechlor (Toxaphene)				#DIV/0!		
Captafol		89	0	0,0	0,500	
Captan		161	1	0,6	0,200	
Captan (sum of Captan and Folpet)(2)		161	1	0,6	0,200	
Carbaryl		298	1	0,3	0,010	
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)		109	7	6,4	0,010	
Carbetamide				#DIV/0!		
Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed as carbofuran)		125	1	0,8	0,010	
Carbon tetrachloride				#DIV/0!		
Carbosulfan		252	0	0,0	0,050	
Carboxin				#DIV/0!		
Carfentrazone-ethyl (determined as Carfentrazone and expressed as Carfentrazone-ethyl)				#DIV/0!		
Cartap				#DIV/0!		
Chinomethionat		273	0	0,0	0,020	
Chlorantranilipole (DPX E-2Y45)				#DIV/0!		
Chlorbenside		252	0	0,0	0,020	
Chlorbromuron				#DIV/0!		
Chlorbufam				#DIV/0!		
Chlordane (sum of cis- and trans-chlrodane)				#DIV/0!		
Chlordecone				#DIV/0!		
Chlorfenapyr				#DIV/0!		
Chlorfenprop-Methyl				#DIV/0!		
Chlorfenson		271	0	0,0	0,020	
Chlorfenvinphos		320	0	0,0	0,010	
Chlorfluazuron				#DIV/0!		
Chloridazon				#DIV/0!		
Chlormequat				#DIV/0!		
Chlorobenzilate		277	0	0,0	0,010	
Chloropicrin				#DIV/0!		
Chloropropylate		273	0	0,0	0,020	
Chlorothalonil		283	8	2,8	0,010	
Chlorotoluron				#DIV/0!		
Chloroxuron				#DIV/0!		
Chlorpropham (Chlorpropham and 3-chloroaniline, expressed as Chlorpropham)		284	9	3,2	0,010	
Chlorpyrifos		321	41	12,8	0,010	
Chlorpyrifos-methyl		322	1	0,3	0,010	
Chlorsulfuron				#DIV/0!		
Chlorthal-dimethyl				#DIV/0!		
Chlorthiamid				#DIV/0!		
Chlozolinate				#DIV/0!		
Chromafenozide				#DIV/0!		
Cinidon-ethyl (sum of Cinidon-ethyl and its E-isomer)				#DIV/0!		
Clethodim (sum of Sethoxydim and Clethodim including degradation products calculated as Sethoxydim)				#DIV/0!		
Clodinafop and its S-isomers, expressed as clodinafop				#DIV/0!		
Clofentezine		109	0	0,0	0,010	
Clomazone				#DIV/0!		
Clopyralid				#DIV/0!		
Clothianidin				#DIV/0!		
Copper compounds (Copper)				#DIV/0!		
Cyanamide including salts expressed as cyanamide				#DIV/0!		
Cyazofamid				#DIV/0!		
Cyclanilide				#DIV/0!		
Cycloxydim (Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO2) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO2) or methyl esters thereof, calculate				#DIV/0!		
Cyflufenamid				#DIV/0!		
Cyfluthrin (Cyfluthrin including other mixtures of constituent isomers (sum of isomers))		302	0	0,0	0,050	
Cyhalofop-butyl (sum of Cyhalofop-butyl and its free acids)				#DIV/0!		
Cyhalothrin				#DIV/0!		
Cymoxanil				#DIV/0!		
Cypermethrin (Cypermethrin including other mixtures of constituent isomers (sum of isomers))		315	44	14,0	0,050	
Cyproconazole		73	2	2,7	0,010	
Cyprodinil		155	0	0,0	0,020	
Cyromazine				#DIV/0!		
Dalapon				#DIV/0!		
Daminozide (sum of Daminozide and 1,1-dimethyl-hydrazine, expressed as Daminazide)				#DIV/0!		
Dazomet (Methylisothiocyanate resulting from the use of dazomet and metam)				#DIV/0!		
DDT (sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT)		287	10	3,5	0,010	
Deltamethrin (cis-deltamethrin)		315	8	2,5	0,050	
Demeton-S-Methyl/Demeton-S-methyl sulfone/oxydemeton-methyl (individually or combined expressed as demeton-S-methyl)				#DIV/0!		
Desmedipham				#DIV/0!		
Diallate		273	0	0,0	0,020	
Diazinon		322	2	0,6	0,010	

Dicamba				#DIV/0!		
Dichlobenil				#DIV/0!		
Dichlofluanid		276	0	0,0	0,020	
Dichlorprop (Dichlorprop including Dichlorprop-p)				#DIV/0!		
Dichlorvos		320	1	0,3	0,010	
Diclofop (sum Diclofop-methyl and Diclofop acid expressed as Diclofop-methyl)				#DIV/0!		
Dicloran		273	0	0,0	0,020	
Dicofol (sum of p, p' and o,p' isomers)		232	1	0,4	0,020	
Dicrotophos		282	0	0,0	0,020	
Diethofencarb		109	0	0,0	0,010	
Difenoconazole		72	0	0,0	0,010	
Diflubenzuron				#DIV/0!		
Diflufenican				#DIV/0!		
Dimethachlor				#DIV/0!		
Dimethenamid–p (Dimethenamid-p including other mixtures of constituent isomers (sum of isomers))				#DIV/0!		
Dimethipin				#DIV/0!		
Dimethoate (sum of dimethoate and omethoate expressed as dimethoate)		320	6	1,9	0,010	
Dimethomorph		110	0	0,0	0,010	
Dimoxystrobin				#DIV/0!		
Diniconazole				#DIV/0!		
Dinobuton				#DIV/0!		
Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap)				#DIV/0!		
Dinoseb				#DIV/0!		
Dinoterb				#DIV/0!		
Dioxathion				#DIV/0!		
Diphenylamine		273	0	0,0	0,020	
Diquat				#DIV/0!		
Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)		273	0	0,0	0,020	
Dithianon				#DIV/0!		
Dithiocarbamates (Dithiocarbamates expressed as CS2, including Maneb, Mancozeb, Metiram, Propineb, Thiram and Ziram)		98	5	5,1	0,100	x
Diuron (Diuron including all components containing 3,4- dichloraniline moiety expressed as 3,4-dichloraniline)				#DIV/0!		
DNOC				#DIV/0!		
Dodemorph				#DIV/0!		
Dodine				#DIV/0!		
Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expressed as endosulfan)		283	4	1,4	0,050	
Endrin				#DIV/0!		
EPN				#DIV/0!		
Epoxiconazole		72	0	0,0	0,010	
Esfenvalerate				#DIV/0!		
Ethalfluralin				#DIV/0!		
Ethephon				#DIV/0!		
Ethiofencarb (sum)				#DIV/0!		
Ethion		322	1	0,3	0,010	
Ethirimol				#DIV/0!		
Ethofumesate (sum of ethofumesate and the metabolite 2,3-dihydro-3,3-dimethyl-2-oxo-benzofuran-5-yl methane sulphonate expressed as ethofumesate)				#DIV/0!		
Ethoprophos		319	0	0,0	0,010	
Ethoxyquin				#DIV/0!		
Ethoxysulfuron				#DIV/0!		
Ethylene oxide (sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide)				#DIV/0!		
Etofenprox				#DIV/0!		
Etoxazole				#DIV/0!		
Etridiazole				#DIV/0!		
Famoxadone				#DIV/0!		
Fenamidone				#DIV/0!		
Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)		320	0	0,0	0,010	
Fenarimol		276	0	0,0	0,020	
Fenazaquin				#DIV/0!		
Fenbuconazole				#DIV/0!		
Fenbutatin oxide				#DIV/0!		
Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)		320	0	0,0	0,010	
Fenfuram				#DIV/0!		
Fenhexamid		109	0	0,0	0,010	
Fenitrothion		320	0	0,0	0,010	
Fenoxaprop-P				#DIV/0!		
Fenoxycarb		127	0	0,0	0,010	
Fenpropathrin				#DIV/0!		
Fenpropidin				#DIV/0!		
Fenpropimorph		109	0	0,0	0,010	
Fenpyroximate				#DIV/0!		
Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)		320	0	0,0	0,010	
Fenthion (fenthion and its oxigen analogue, their sulfoxides and sulfone expressed as parent)		322	0	0,0	0,010	
Fentin acetate				#DIV/0!		
Fentin hydroxide				#DIV/0!		
Fentin, expressed as triphenlytin cation				#DIV/0!		
Fenvalerate and Esfenvalerate (Sum of RR & SS isomers)		302	0	0,0	0,050	
Fenvalerate and Esfenvalerate (Sum of RS & SR isomers)		302	0	0,0	0,050	

Fipronil (sum Fipronil and sulfone metabolite (MB46136) expressed as Fipronil)				#DIV/0!		
Flazasulfuron				#DIV/0!		
Flonicamid (sum of flonicamid, TNFG and TNFA)				#DIV/0!		
Florasulam				#DIV/0!		
Florchlorfenuron				#DIV/0!		
Fluazifop				#DIV/0!		
Fluazifop-P-butyl (Fluazifop acid (free and conjugate))				#DIV/0!		
Fluazinam				#DIV/0!		
Flubendiamide				#DIV/0!		
Flucycloxuron				#DIV/0!		
Flucythrinate				#DIV/0!		
Fludioxonil		245	0	0,0	0,050	
Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet equivalent)				#DIV/0!		
Flufenoxuron				#DIV/0!		
Flufenzin				#DIV/0!		
Flumioxazine				#DIV/0!		
Fluometuron				#DIV/0!		
Fluopicolide				#DIV/0!		
Fluoroglycofene				#DIV/0!		
Fluoxastrobin				#DIV/0!		
Flupyrsulfuron-methyl				#DIV/0!		
Fluquinconazole				#DIV/0!		
Flurochloridone				#DIV/0!		
Fluroxypyr (fluroxypyr including its esters expressed as fluroxypyr)				#DIV/0!		
Flurprimidole				#DIV/0!		
Flurtamone				#DIV/0!		
Flusilazole		109	0	0,0	0,010	
Flutolanil				#DIV/0!		
Flutriafol				#DIV/0!		
Fluvalinate		296	0	0,0	0,050	
Folpet		287	0	0,0	0,200	
Fomesafen				#DIV/0!		
Foramsulfuron				#DIV/0!		
Formetanate (sum of Formetanate and its salts, expressed as Formetanate(hydrochloride))				#DIV/0!		
Formothion		320	0	0,0	0,010	
Fosetyl-Al (sum of Fosetyl and Phosphorous acid and their salts, express as Fosetyl)				#DIV/0!		
Fosthiazate				#DIV/0!		
Fuberidazole				#DIV/0!		
Furalaxyl				#DIV/0!		
Furathiocarb		110	0	0,0	0,010	
Furfural				#DIV/0!		
Gibberellic acid				#DIV/0!		
Glufosinate-ammonium (sum of glufosinate, its salts, MPP and NAG expressed as glufosinate equivalents)				#DIV/0!		
Glyphosate				#DIV/0!		
Guazatine				#DIV/0!		
Halosulfuron methyl				#DIV/0!		
Haloxyfop (sum of haloxyfop, its salts and esters including conjugates expressed as haloxyfop)				#DIV/0!		
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)				#DIV/0!		
Heptenophos		320	0	0,0	0,010	
Hexachlorobenzene				#DIV/0!		
Hexachlorociclohexane (HCH) (alpha-isomer)				#DIV/0!		
Hexachlorociclohexane (HCH) (beta-isomer)				#DIV/0!		
Hexachlorociclohexane (HCH) (sum of isomers, except the gamma isomer)				#DIV/0!		
Hexaconazole		109	0	0,0	0,010	
Hexaflumuron				#DIV/0!		
Hexythiazox		109	0	0,0	0,010	
Hydrogen cyanide (cyanides expressed as hydrogen cyanide)				#DIV/0!		
Hydrogen phosphide (phosphides expressed as hydrogen phosphide)				#DIV/0!		
Hymexazol				#DIV/0!		
Imazalil		136	6	4,4	0,010	
Imazamox				#DIV/0!		
Imazaquin				#DIV/0!		
Imazosulfuron				#DIV/0!		
Imidacloprid		109	3	2,8	0,010	
Indoxacarb as sum of the isomers S and R		109	11	10,1	0,010	
Iodosulfuron-methyl (iodosulfuron-methyl including salts, expressed as Iodosulfuron-methyl)				#DIV/0!		
Ioxynil (Ioxynil including its esters expressed as Ioxynil)				#DIV/0!		
Ipconazole				#DIV/0!		
Iprodione		296	18	6,1	0,020	
Iprovalicarb		58	0	0,0	0,010	
Isocarbophos				#DIV/0!		
Isofenphos-Methyl		71	0	0,0	0,010	
Isoprocarb				#DIV/0!		
Isoproturon				#DIV/0!		
Isoxaben				#DIV/0!		
Isoxaflutole (sum of Isoxaflutole, RPA 202248 and RPA 203328, expressed as Isoxaflutole)				#DIV/0!		
Kresoxim-methyl		276	4	1,4	0,020	
Lactofen				#DIV/0!		
Lambda-Cyhalothrin		296	3	1,0	0,050	
Lenacil				#DIV/0!		
Lindane (Gamma-isomer of Hexachlorociclohexane (HCH))		286	0	0,0	0,010	

Linuron				#DIV/0!		
Lufenuron				#DIV/0!		
Malathion (sum of malathion and malaoxon expressed as malathion)		322	4	1,2	0,010	
Maleic hydrazide				#DIV/0!		
Mandipropamid				#DIV/0!		
MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)				#DIV/0!		
Mecarbam		320	0	0,0	0,010	
Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)				#DIV/0!		
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine), expressed as Mepanipyrim)		111	0	0,0	0,010	
Mepiquat				#DIV/0!		
Mepronil				#DIV/0!		
Meptyldinocap (sum of 2,4 DNOPC and 2,4 DNOP expressed as meptyldinocap)				#DIV/0!		
Mercury compounds (sum of mercury compounds expressed as mercury)				#DIV/0!		
Mesosulfuron-methyl (expresssed as Mesosulfuron)				#DIV/0!		
Mesotrione (Sum of Mesotrione and MNBA (4-methylsulfonyl-2-nitro benzoic acid), expressed as Mesotrione)				#DIV/0!		
Metaflumizone (sum of E- and Z- isomers)				#DIV/0!		
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))		276	9	3,3	0,010	
Metaldehyde				#DIV/0!		
Metamitron				#DIV/0!		
Metazachlor				#DIV/0!		
Metconazole				#DIV/0!		
Methabenzthiazuron				#DIV/0!		
Methacrifos		311	0	0,0	0,010	
Methamidophos		298	2	0,7	0,010	
Methidathion		322	5	1,6	0,010	
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)		109	1	0,9	0,050	
Metholachlor and metholachlor-S (Metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers))				#DIV/0!		
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)		109	10	9,2	0,010	
Methoprene				#DIV/0!		
Methoxychlor				#DIV/0!		
Methoxyfenozide				#DIV/0!		
Metobromuron				#DIV/0!		
Metolcarb				#DIV/0!		
Metosulam				#DIV/0!		
Metoxuron				#DIV/0!		
Metrafenone				#DIV/0!		
Metribuzin				#DIV/0!		
Metsulfuron-methyl				#DIV/0!		
Mevinphos (sum of E- and Z-isomers)		322	0	0,0	0,010	
Milbemectin (sum of MA4+8,9Z-MA4, expressed as Milbemectin)				#DIV/0!		
Molinate				#DIV/0!		
Monocrotophos		311	0	0,0	0,010	
Monolinuron				#DIV/0!		
Monuron				#DIV/0!		
Myclobutanil		276	0	0,0	0,050	
Napropamide				#DIV/0!		
Nicosulfuron				#DIV/0!		
Nitenpyram				#DIV/0!		
Nitrofen				#DIV/0!		
Nitrothal-Isopropyl				#DIV/0!		
Novaluron				#DIV/0!		
Nuarimol				#DIV/0!		
Ofurace				#DIV/0!		
Orthophenylphenol				#DIV/0!		
Orthosulfamuron				#DIV/0!		
Oryzalin				#DIV/0!		
Oxadiargyl				#DIV/0!		
Oxadiazon				#DIV/0!		
Oxadixyl		270	0	0,0	0,050	
Oxamyl		109	0	0,0	0,010	
Oxasulfuron				#DIV/0!		
Oxycarboxin				#DIV/0!		
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)		109	0	0,0	0,010	
Oxyfluorfen				#DIV/0!		
Paclobutrazol		273	0	0,0	0,020	
Paraquat				#DIV/0!		
Parathion		322	0	0,0	0,010	
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)		320	0	0,0	0,010	
Penconazole		286	0	0,0	0,010	
Pencycuron				#DIV/0!		
Pendimethalin		273	1	0,4	0,020	
Penoxsulam				#DIV/0!		
Pentachloroanisole				#DIV/0!		
Permethrin (sum of isomers)		302	0	0,0	0,050	
Pethoxamid				#DIV/0!		
Phenmedipham				#DIV/0!		
Phenothrin				#DIV/0!		
Phentoate				#DIV/0!		

Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)		320	0	0,0	0,010	
Phosalone		320	2	0,6	0,010	
Phosmet (phosmet and phosmet oxon expressed as phosmet)		312	3	1,0	0,010	
Phosphamidon		320	0	0,0	0,010	
Phosphines (sum of Aluminium phosphide, Aluminium phosphine, Magnesium phosphide, Magnesium phosphine, Zinc phosphide and Zinc phosphine)				#DIV/0!		
Phoxim				#DIV/0!		
Picloram				#DIV/0!		
Picolinafen				#DIV/0!		
Picoxystrobin				#DIV/0!		
Pinoxaden				#DIV/0!		
Piperonyl Butoxide				#DIV/0!		
Pirimicarb (sum of Pirimicarb and Desmethyl pirimicarb expressed as Pirimicarb)		278	0	0,0	0,010	
Pirimiphos-methyl		322	2	0,6	0,010	
Polychloroterpenes				#DIV/0!		
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)		110	2	1,8	0,010	
Procymidone		280	12	4,3	0,020	
Profenofos		322	0	0,0	0,010	
Profoxydim				#DIV/0!		
Prohexadione (prohexadione and its salts expressed as prohexadione)				#DIV/0!		
Promecarb				#DIV/0!		
Prometryn				#DIV/0!		
Propachlor (oxanilic derivate of Propachlor expressed as Propachlor)				#DIV/0!		
Propamocarb (Sum of propamocarb and its salt expressed as propamocarb)				#DIV/0!		
Propanil				#DIV/0!		
Propaquizafop				#DIV/0!		
Propargite		219	0	0,0	0,010	
Propham		273	0	0,0	0,020	
Propiconazole		276	0	0,0	0,050	
Propineb (expressed as Propilendiamine)				#DIV/0!		
Propisochlor				#DIV/0!		
Propoxur		109	0	0,0	0,020	
Propoxycarbazone (Propoxycarbazone, its salts and 2-hydroxy-propoxy-propoxycarbazone, calculated as Propoxycarbazone)				#DIV/0!		
Propyzamide		273	0	0,0	0,020	
Proquinazid				#DIV/0!		
Prosulfocarb				#DIV/0!		
Prosulfuron				#DIV/0!		
Prothioconazole (Prothioconazole-desthio)				#DIV/0!		
Prothiofos				#DIV/0!		
Pymetrozine				#DIV/0!		
Pyraclostrobin				#DIV/0!		
Pyraflufen-ethyl				#DIV/0!		
Pyrasulfotole				#DIV/0!		
Pyrazophos		322	0	0,0	0,010	
Pyrethrins				#DIV/0!		
Pyridaben				#DIV/0!		
Pyridate (sum of Pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as Pyridate)				#DIV/0!		
Pyrifenox				#DIV/0!		
Pyrimethanil		276	15	5,4	0,020	
Pyriproxyfen		109	0	0,0	0,010	
Pyroxsulam				#DIV/0!		
Quinalphos		310	0	0,0	0,010	
Quinclorac				#DIV/0!		
Quinmerac				#DIV/0!		
Quinoxyfen		109	0	0,0	0,010	
Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)		273	0	0,0	0,020	
Quizalofop (including Quizalfop-P)				#DIV/0!		
Resmethrin (Resmethrin including other mixtures of consituent isomers (sum of isomers))				#DIV/0!		
Rimsulfuron				#DIV/0!		
Rotenone				#DIV/0!		
Silthiofam				#DIV/0!		
Simazine				#DIV/0!		
Spinetoram (XDE-175)				#DIV/0!		
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)				#DIV/0!		
Spirodiclofen				#DIV/0!		
Spiromesifen				#DIV/0!		
Spirotetramat and its 4 metabolites BYI08330-enol, BYI08330-ketohydroxy, BYI08330-monohydroxy, and BYI08330 enol-glucoside, expressed as spirotetramat				#DIV/0!		
Spiroxamine		109	0	0,0	0,010	
Sulcotrione				#DIV/0!		
Sulfosulfuron				#DIV/0!		
Sulfuryl fluoride				#DIV/0!		
Sulphur				#DIV/0!		
tau-Fluvalinate				#DIV/0!		
Tebuconazole		273	0	0,0	0,050	
Tebufenozide		109	0	0,0	0,050	
Tebufenpyrad				#DIV/0!		
Tecnazene				#DIV/0!		
Teflubenzuron				#DIV/0!		

Tefluthrin				#DIV/0!		
Tembotrione				#DIV/0!		
TEPP				#DIV/0!		
Tepraloxydim				#DIV/0!		
Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)		273	0	0,0	0,020	
Terbuthylazine				#DIV/0!		
Terbuthylazine, Desethyl-				#DIV/0!		
Terbutryn		166	0	0,0	0,020	
Tetrachlorvinphos		271	0	0,0	0,020	
Tetraconazole		58	0	0,0	0,010	
Tetradifon		255	0	0,0	0,050	
Thiabendazole		180	4	2,2	0,010	
Thiacloprid				#DIV/0!		
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)				#DIV/0!		
Thifensulfuron-methyl				#DIV/0!		
Thiobencarb				#DIV/0!		
Thiofanox				#DIV/0!		
Thiophanate-methyl		113	0	0,0	0,010	
Thiram (expressed as Thiram)				#DIV/0!		
Tolclofos-methyl		305	0	0,0	0,010	
Tolylfluanid (Sum of Tolylfluanid and dimethylaminosulfotoluidide expressed as Tolylfluanid)		286	0	0,0	0,010	
Topramezone (BAS 670H)				#DIV/0!		
Tralkoxydim				#DIV/0!		
Triadimefon (sum of Triadimefon and Triadimenol)		276	4	1,4	0,050	
Tri-allate				#DIV/0!		
Triasulfuron				#DIV/0!		
Triazophos		322	0	0,0	0,010	
Tribenuron-methyl				#DIV/0!		
Trichlorfon				#DIV/0!		
Trichloronat				#DIV/0!		
Triclopyr				#DIV/0!		
Tricyclazole				#DIV/0!		
Tridemorph				#DIV/0!		
Trifloxystrobin		276	5	1,8	0,020	
Triflumizole (Triflumizole and metabolite FM-6-1(N-(4-chloro-2-trifluoromethylphenyl)-n-propoxyacetamidine) expressed as Triflumizole)				#DIV/0!		
Triflumuron				#DIV/0!		
Trifluralin		87	1	1,1	0,020	
Triflusulfuron				#DIV/0!		
Triforine				#DIV/0!		
Trimethyl-sulfonium cation (resulting from the use of Glyphosate)				#DIV/0!		
Trinexapac				#DIV/0!		
Triticonazole				#DIV/0!		
Tritosulfuron				#DIV/0!		
Valiphenal				#DIV/0!		
Vamidothion				#DIV/0!		
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)		283	0	0,0	0,010	
Ziram (espressed as Ziram)				#DIV/0!		
Zoxamide				#DIV/0!		
Azamethiphos		255	0	0,0	0,500	
Bromophos methyl		319	0	0,0	0,010	
Carbofenothion		322	0	0,0	0,010	
Chlorthiophos		273	0	0,0	0,050	
Coumaphos		313	0	0,0	0,010	
DMSA		109	0	0,0	0,050	
Dialifos		271	0	0,0	0,050	
Etrimfos		319	0	0,0	0,010	
Flumethrin		85	0	0,0	0,050	
Isofenphos		315	0	0,0	0,010	
Isomalathion		296	0	0,0	0,010	
Leptophos		273	0	0,0	0,020	
Paraoxon ethyl		320	0	0,0	0,010	
Pirimiphos ethyl		320	0	0,0	0,010	
Tetramethrin				#DIV/0!	0,050	
Add new pesticide if needed				#DIV/0!		
Add new pesticide if needed				#DIV/0!		

SUMMARY TABLE OF PESTICIDE SOUGHT AND FOUND
Surveillance sampling only

(cereals)
(pesticides covered by Directive 86/362 and by the national programmes)
(sum of samples of national and coordinated programme)

Reporting country:	Cyprus
Year of sampling:	2008
Number of different pesticides* sought:	156
Number of different pesticides* found:	3
% pesticides found from pesticides sought:	1,9

Number of rows: Add

Delete Selected Rows

*report pesticides (isomers, metabolites) according to the residue definition in the EU Directives or national legislation
(1) SRM - single residue methods (contains less than 10 pesticides counted according to the residue definition) - Please indicate in ***Column 7*** with an "x" if the residue is detected with a SRM (see Guidance Document for details).
Note:If you get the error message "!REF" in Column A, please complete the missing reporting level.

Column 1	*Column 2*	*Column 3*	*Column 4*	*Column 5*	*Column 6*	*Column 7*
Pesticide	**Pesticide (MS alternative residue definition)**	**Total number of samples analysed for specific pesticide**	**Number of samples with residues at or above reporting level**	**% samples with residues at or above reporting level**	**Reporting level (mg/Kg)**	**Residue detected by SRM (1)**
1,1-dichloro-2,2-bis(4-ethylphenyl)ethane				#DIV/0!		
1,2-dibromoethane (ethylene dibromide)				#DIV/0!		
1,2-dichloroethane (ethylene dichloride)				#DIV/0!		
1,3-dichloropropene				#DIV/0!		
1-methylcyclopropene				#DIV/0!		
1-naphthylacetamide				#DIV/0!		
1-naphthylacetic acid				#DIV/0!		
2,4 DB				#DIV/0!		
2,4,5-T				#DIV/0!		
2,4-D (sum of 2,4-D and its esters expressed as 2,4-D)				#DIV/0!		
Abamectin (sum of Avermectin B1a, AvermectinB1b and delta-8,9 isomer of Avermectin B1a)				#DIV/0!		
Acephate		15	0	0,0	0,010	
Acequinocyl				#DIV/0!		
Acetamiprid		15	0	0,0	0,010	
Acetochlor				#DIV/0!		
Acibenzolar-S-methyl (sum of acybenzolar-S-methyl and acibenzolar acid (CGA 210007) expressed as acybenzolar-S-methyl)				#DIV/0!		
Aclonifen				#DIV/0!		
Acrinathrin				#DIV/0!		
Alachlor				#DIV/0!		
Aldicarb (sum of Aldicarb, its sulfoxide and its sulfone, expressed as Aldicarb)		15	0	0,0	0,010	
Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin)		15	0	0,0	0,010	
Allethrin				#DIV/0!		
Amidosulfuron				#DIV/0!		
Aminopyralid				#DIV/0!		
Amitraz (amitraz including the metabolites contyaining the 2,4 - dimethylaniline moity expressed as amitraz)		15	0	0,0	0,050	
Amitrole				#DIV/0!		
Anilazine				#DIV/0!		
Aramite				#DIV/0!		
Asulam				#DIV/0!		
Atrazine				#DIV/0!		
Azadirachtin				#DIV/0!		
Azimsulfuron				#DIV/0!		
Azinphos-ethyl		15	0	0,0	0,050	
Azinphos-methyl		15	0	0,0	0,010	
Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)				#DIV/0!		
Azoxystrobin		15	0	0,0	0,010	
Barban				#DIV/0!		
Beflubutamid				#DIV/0!		
Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers)		15	0	0,0	0,050	
Bendiocarb				#DIV/0!		
Benfluralin				#DIV/0!		
Benfuracarb				#DIV/0!		
Bentazone (sum of bentazone and the conjugates of 6-OH and 8-OH bentazone expressed as bentazone)				#DIV/0!		
Benthiavalicarb (Benthiavalicarb-isopropyl (KIF-230 R-L) and its enantiomer (KIF-230 S-D) and diastereomers (KIF-230 R-L and KIF-230 S-D)				#DIV/0!		
Bifenazate				#DIV/0!		
Bifenox				#DIV/0!		
Bifenthrin		15	0	0,0	0,050	
Binapacryl		15	0	0,0	1,000	
Biphenyl		15	0	0,0	0,050	
Bitertanol				#DIV/0!		
Boscalid				#DIV/0!		
Bromacil				#DIV/0!		
Bromide ion				#DIV/0!		
Bromophos-ethyl				#DIV/0!		
Bromopropylate		15	0	0,0	0,050	
Bromoxynil (bromoxynil including its esters expressed as bromoxynil)				#DIV/0!		
Bromuconazole (sum of diasteroisomers)				#DIV/0!		
Bupirimate		15	0	0,0	0,010	
Buprofezin		15	0	0,0	0,010	
Butralin				#DIV/0!		
Butylate				#DIV/0!		
Cadusafos				#DIV/0!		
Camphechlor (Toxaphene)				#DIV/0!		
Captafol		15	0	0,0	1,000	
Captan				#DIV/0!		
Captan (sum of Captan and Folpet)(2)				#DIV/0!		
Carbaryl		15	0	0,0	0,010	
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)		15	4	26,7	0,010	
Carbetamide				#DIV/0!		
Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed as carbofuran)		15	0	0,0	0,010	
Carbon tetrachloride				#DIV/0!		
Carbosulfan		15	0	0,0	1,000	
Carboxin				#DIV/0!		
Carfentrazone-ethyl (determined as Carfentrazone and expressed as Carfentrazone-ethyl)				#DIV/0!		
Cartap				#DIV/0!		
Chinomethionat		15	0	0,0	0,050	
Chlorantranilipole (DPX E-2Y45)				#DIV/0!		
Chlorbenside		15	0	0,0	0,050	
Chlorbromuron				#DIV/0!		
Chlorbufam				#DIV/0!		
Chlordane (sum of cis- and trans-chlrodane)				#DIV/0!		
Chlordecone				#DIV/0!		
Chlorfenapyr				#DIV/0!		
Chlorfenprop-Methyl				#DIV/0!		
Chlorfenson		15	0	0,0	0,050	
Chlorfenvinphos		15	0	0,0	0,010	
Chlorfluazuron				#DIV/0!		
Chloridazon				#DIV/0!		
Chlormequat				#DIV/0!		
Chlorobenzilate		15	0	0,0	0,050	
Chloropicrin				#DIV/0!		
Chloropropylate		15	0	0,0	0,050	
Chlorothalonil		15	0	0,0	0,050	
Chlorotoluron				#DIV/0!		
Chloroxuron				#DIV/0!		
Chlorpropham (Chlorpropham and 3-chloroaniline, expressed as Chlorpropham)		15	0	0,0	0,050	
Chlorpyrifos		15	0	0,0	0,010	
Chlorpyrifos-methyl		15	0	0,0	0,010	
Chlorsulfuron				#DIV/0!		
Chlorthal-dimethyl				#DIV/0!		
Chlorthiamid				#DIV/0!		
Chlozolinate				#DIV/0!		
Chromafenozide				#DIV/0!		

Cinidon-ethyl (sum of Cinidon-ethyl and its E-isomer)				#DIV/0!		
Clethodim (sum of Sethoxydim and Clethodim including degradation products calculated as Sethoxydim)				#DIV/0!		
Clodinafop and its S-isomers, expressed as clodinafop				#DIV/0!		
Clofentezine		15	0	0,0	0,010	
Clomazone				#DIV/0!		
Clopyralid				#DIV/0!		
Clothianidin				#DIV/0!		
Copper compounds (Copper)				#DIV/0!		
Cyanamide including salts expressed as cyanamide				#DIV/0!		
Cyazofamid				#DIV/0!		
Cyclanilide				#DIV/0!		
Cycloxydim (Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO2) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO2) or methyl esters thereof, calculate				#DIV/0!		
Cyflufenamid				#DIV/0!		
Cyfluthrin (Cyfluthrin including other mixtures of constituent isomers (sum of isomers))		15	0	0,0	0,050	
Cyhalofop-butyl (sum of Cyhalofop-butyl and its free acids)				#DIV/0!		
Cyhalothrin				#DIV/0!		
Cymoxanil				#DIV/0!		
Cypermethrin (Cypermethrin including other mixtures of constituent isomers (sum of isomers))		15	0	0,0	0,050	
Cyproconazole		15	0	0,0	0,010	
Cyprodinil		15	0	0,0	0,010	
Cyromazine				#DIV/0!		
Dalapon				#DIV/0!		
Daminozide (sum of Daminozide and 1,1-dimethyl-hydrazine, expressed as Daminazide)				#DIV/0!		
Dazomet (Methylisothiocyanate resulting from the use of dazomet and metam)				#DIV/0!		
DDT (sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT)		15	0	0,0	0,010	
Deltamethrin (cis-deltamethrin)		15	0	0,0	0,050	
Demeton-S-Methyl/Demeton-S-methyl sulfone/oxydemeton-methyl (individually or combined expressed as demeton-S-methyl)				#DIV/0!		
Desmedipham				#DIV/0!		
Diallate		15	0	0,0	0,050	
Diazinon		15	0	0,0	0,010	
Dicamba				#DIV/0!		
Dichlobenil				#DIV/0!		
Dichlofluanid		15	0	0,0	0,010	
Dichlorprop (Dichlorprop including Dichlorprop-p)				#DIV/0!		
Dichlorvos		15	0	0,0	0,010	
Diclofop (sum Diclofop-methyl and Diclofop acid expressed as Diclofop-methyl)				#DIV/0!		
Dicloran				#DIV/0!		
Dicofol (sum of p, p' and o,p' isomers)				#DIV/0!		
Dicrotophos		15	0	0,0	0,050	
Diethofencarb		15	0	0,0	0,010	
Difenoconazole		15	0	0,0	0,010	
Diflubenzuron				#DIV/0!		
Diflufenican				#DIV/0!		
Dimethachlor				#DIV/0!		
Dimethenamid–p (Dimethenamid-p including other mixtures of constituent isomers (sum of isomers))				#DIV/0!		
Dimethipin				#DIV/0!		
Dimethoate (sum of dimethoate and omethoate expressed as dimethoate)		15	0	0,0	0,010	
Dimethomorph		15	0	0,0	0,010	
Dimoxystrobin				#DIV/0!		
Diniconazole				#DIV/0!		
Dinobuton				#DIV/0!		
Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap)				#DIV/0!		
Dinoseb				#DIV/0!		
Dinoterb				#DIV/0!		
Dioxathion				#DIV/0!		
Diphenylamine		15	0	0,0	0,050	
Diquat				#DIV/0!		
Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)		15	0	0,0	1,000	
Dithianon				#DIV/0!		
Dithiocarbamates (Dithiocarbamates expressed as CS2, including Maneb, Mancozeb, Metiram, Propineb, Thiram and Ziram)		13	0	0,0	0,100	
Diuron (Diuron including all components containing 3,4- dichloraniline moiety expressed as 3,4-dichloraniline)				#DIV/0!		
DNOC				#DIV/0!		
Dodemorph				#DIV/0!		
Dodine				#DIV/0!		
Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expressed as endosulfan)		15	0	0,0	0,050	
Endrin		15	0	0,0	0,010	
EPN				#DIV/0!		
Epoxiconazole		15	0	0,0	0,010	
Esfenvalerate				#DIV/0!		
Ethalfluralin				#DIV/0!		
Ethephon				#DIV/0!		
Ethiofencarb (sum)				#DIV/0!		
Ethion		15	0	0,0	0,010	
Ethirimol				#DIV/0!		
Ethofumesate (sum of ethofumesate and the metabolite 2,3-dihydro-3,3-dimethyl-2-oxo-benzofuran-5-yl methane sulphonate expressed as ethofumesate)				#DIV/0!		
Ethoprophos		15	0	0,0	0,050	
Ethoxyquin				#DIV/0!		
Ethoxysulfuron				#DIV/0!		
Ethylene oxide (sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide)				#DIV/0!		
Etofenprox				#DIV/0!		
Etoxazole				#DIV/0!		
Etridiazole				#DIV/0!		
Famoxadone				#DIV/0!		
Fenamidone				#DIV/0!		
Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)		15	0	0,0	0,010	
Fenarimol		15	0	0,0	0,100	
Fenazaquin				#DIV/0!		
Fenbuconazole				#DIV/0!		
Fenbutatin oxide				#DIV/0!		
Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)		15	0	0,0	0,050	
Fenfuram				#DIV/0!		
Fenhexamid		15	0	0,0	0,010	
Fenitrothion		15	0	0,0	0,050	
Fenoxaprop-P				#DIV/0!		
Fenoxycarb		15	0	0,0	0,010	
Fenpropathrin				#DIV/0!		
Fenpropidin				#DIV/0!		
Fenpropimorph		15	0	0,0	0,010	
Fenpyroximate				#DIV/0!		
Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)		15	0	0,0	0,050	
Fenthion (fenthion and its oxigen analogue, their sulfoxides and sulfone expressed as parent)		15	0	0,0	0,050	
Fentin acetate				#DIV/0!		
Fentin hydroxide				#DIV/0!		
Fentin, expressed as triphenlytin cation				#DIV/0!		
Fenvalerate and Esfenvalerate (Sum of RR & SS isomers)		15	0	0,0	0,050	
Fenvalerate and Esfenvalerate (Sum of RS & SR isomers)		15	0	0,0	0,050	
Fipronil (sum Fipronil and sulfone metabolite (MB46136) expressed as Fipronil)				#DIV/0!		
Flazasulfuron				#DIV/0!		
Flonicamid (sum of flonicamid, TNFG and TNFA)				#DIV/0!		
Florasulam				#DIV/0!		
Florchlorfenuron				#DIV/0!		
Fluazifop				#DIV/0!		
Fluazifop-P-butyl (Fluazifop acid (free and conjugate))				#DIV/0!		
Fluazinam				#DIV/0!		
Flubendiamide				#DIV/0!		
Flucycloxuron				#DIV/0!		
Flucythrinate				#DIV/0!		
Fludioxonil		15	0	0,0	0,010	

Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet equivalent)				#DIV/0!		
Flufenoxuron				#DIV/0!		
Flufenzin				#DIV/0!		
Flumioxazine				#DIV/0!		
Fluometuron				#DIV/0!		
Fluopicolide				#DIV/0!		
Fluoroglycofene				#DIV/0!		
Fluoxastrobin				#DIV/0!		
Flupyrsulfuron-methyl				#DIV/0!		
Fluquinconazole				#DIV/0!		
Flurochloridone				#DIV/0!		
Fluroxypyr (fluroxypyr including its esters expressed as fluroxypyr)				#DIV/0!		
Flurprimidole				#DIV/0!		
Flurtamone				#DIV/0!		
Flusilazole		15	0	0,0	0,010	
Flutolanil				#DIV/0!		
Flutriafol				#DIV/0!		
Fluvalinate		15	0	0,0	0,050	
Folpet				#DIV/0!		
Fomesafen				#DIV/0!		
Foramsulfuron				#DIV/0!		
Formetanate (sum of Formetanate and its salts, expressed as Formetanate(hydrochloride))				#DIV/0!		
Formothion		15	0	0,0	0,050	
Fosetyl-Al (sum of Fosetyl and Phosphorous acid and their salts, express as Fosetyl)				#DIV/0!		
Fosthiazate				#DIV/0!		
Fuberidazole				#DIV/0!		
Furalaxyl				#DIV/0!		
Furathiocarb		15	0	0,0	0,010	
Furfural				#DIV/0!		
Gibberellic acid				#DIV/0!		
Glufosinate-ammonium (sum of glufosinate, its salts, MPP and NAG expressed as glufosinate equivalents)				#DIV/0!		
Glyphosate				#DIV/0!		
Guazatine				#DIV/0!		
Halosulfuron methyl				#DIV/0!		
Haloxyfop (sum of haloxyfop, its salts and esters including conjugates expressed as haloxyfop)				#DIV/0!		
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)		15	0	0,0	0,010	
Heptenophos		15	0	0,0	0,050	
Hexachlorobenzene		15	0	0,0	0,010	
Hexachlorociclohexane (HCH) (alpha-isomer)		15	0	0,0	0,010	
Hexachlorociclohexane (HCH) (beta-isomer)		15	0	0,0	0,010	
Hexachlorociclohexane (HCH) (sum of isomers, except the gamma isomer)				#DIV/0!		
Hexaconazole		15	0	0,0	0,010	
Hexaflumuron				#DIV/0!		
Hexythiazox		15	0	0,0	0,010	
Hydrogen cyanide (cyanides expressed as hydrogen cyanide)				#DIV/0!		
Hydrogen phosphide (phosphides expressed as hydrogen phosphide)				#DIV/0!		
Hymexazol				#DIV/0!		
Imazalil		15	0	0,0	0,010	
Imazamox				#DIV/0!		
Imazaquin				#DIV/0!		
Imazosulfuron				#DIV/0!		
Imidacloprid		15	1	6,7	0,010	
Indoxacarb as sum of the isomers S and R		15	0	0,0	0,010	
Iodosulfuron-methyl (iodosulfuron-methyl including salts, expressed as Iodosulfuron-methyl)				#DIV/0!		
Ioxynil (Ioxynil including its esters expressed as Ioxynil)				#DIV/0!		
Ipconazole				#DIV/0!		
Iprodione		15	0	0,0	0,100	
Iprovalicarb		15	0	0,0	0,010	
Isocarbophos				#DIV/0!		
Isofenphos-Methyl				#DIV/0!		
Isoprocarb				#DIV/0!		
Isoproturon				#DIV/0!		
Isoxaben				#DIV/0!		
Isoxaflutole (sum of Isoxaflutole, RPA 202248 and RPA 203328, expressed as Isoxaflutole)				#DIV/0!		
Kresoxim-methyl		15	0	0,0	0,010	
Lactofen				#DIV/0!		
Lambda-Cyhalothrin		15	0	0,0	0,050	
Lenacil				#DIV/0!		
Lindane (Gamma-isomer of Hexachlorociclohexane (HCH))		15	0	0,0	0,010	
Linuron				#DIV/0!		
Lufenuron				#DIV/0!		
Malathion (sum of malathion and malaoxon expressed as malathion)		15	1	6,7	0,010	
Maleic hydrazide				#DIV/0!		
Mandipropamid				#DIV/0!		
MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)				#DIV/0!		
Mecarbam		15	0	0,0	0,050	
Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)				#DIV/0!		
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine), expressed as Mepanipyrim)		15	0	0,0	0,010	
Mepiquat				#DIV/0!		
Mepronil				#DIV/0!		
Meptyldinocap (sum of 2,4 DNOPC and 2,4 DNOP expressed as meptyldinocap)				#DIV/0!		
Mercury compounds (sum of mercury compounds expressed as mercury)				#DIV/0!		
Mesosulfuron-methyl (expresssed as Mesosulfuron)				#DIV/0!		
Mesotrione (Sum of Mesotrione and MNBA (4-methylsulfonyl-2-nitro benzoic acid), expressed as Mesotrione)				#DIV/0!		
Metaflumizone (sum of E- and Z- isomers)				#DIV/0!		
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))		15	0	0,0	0,010	
Metaldehyde				#DIV/0!		
Metamitron				#DIV/0!		
Metazachlor				#DIV/0!		
Metconazole				#DIV/0!		
Methabenzthiazuron				#DIV/0!		
Methacrifos		15	0	0,0	0,050	
Methamidophos		15	0	0,0	0,010	
Methidathion		15	0	0,0	0,010	
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)		15	0	0,0	0,010	
Metholachlor and metholachlor-S (Metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers))				#DIV/0!		
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)		15	0	0,0	0,010	
Methoprene				#DIV/0!		
Methoxychlor				#DIV/0!		
Methoxyfenozide				#DIV/0!		
Metobromuron				#DIV/0!		
Metolcarb				#DIV/0!		
Metosulam				#DIV/0!		
Metoxuron				#DIV/0!		
Metrafenone				#DIV/0!		
Metribuzin				#DIV/0!		
Metsulfuron-methyl				#DIV/0!		
Mevinphos (sum of E- and Z-isomers)		15	0	0,0	0,050	
Milbemectin (sum of MA4+8,9Z-MA4, expressed as Milbemectin)				#DIV/0!		
Molinate				#DIV/0!		
Monocrotophos		15	0	0,0	0,010	
Monolinuron				#DIV/0!		
Monuron				#DIV/0!		
Myclobutanil		15	0	0,0	0,010	
Napropamide				#DIV/0!		
Nicosulfuron				#DIV/0!		
Nitenpyram				#DIV/0!		
Nitrofen				#DIV/0!		
Nitrothal-Isopropyl				#DIV/0!		
Novaluron				#DIV/0!		
Nuarimol				#DIV/0!		
Ofurace				#DIV/0!		
Orthophenylphenol				#DIV/0!		
Orthosulfamuron				#DIV/0!		

Oryzalin				#DIV/0!		
Oxadiargyl				#DIV/0!		
Oxadiazon				#DIV/0!		
Oxadixyl		15	0	0,0	0,050	
Oxamyl		15	0	0,0	0,010	
Oxasulfuron				#DIV/0!		
Oxycarboxin				#DIV/0!		
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)		15	0	0,0	0,010	
Oxyfluorfen				#DIV/0!		
Paclobutrazol		15	0	0,0	0,050	
Paraquat				#DIV/0!		
Parathion		15	0	0,0	0,050	
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)		15	0	0,0	0,050	
Penconazole		15	0	0,0	0,010	
Pencycuron				#DIV/0!		
Pendimethalin		15	0	0,0	0,050	
Penoxsulam				#DIV/0!		
Pentachloroanisole				#DIV/0!		
Permethrin (sum of isomers)		15	0	0,0	0,050	
Pethoxamid				#DIV/0!		
Phenmedipham				#DIV/0!		
Phenothrin				#DIV/0!		
Phentoate				#DIV/0!		
Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)		15	0	0,0	0,050	
Phosalone		15	0	0,0	0,050	
Phosmet (phosmet and phosmet oxon expressed as phosmet)		15	0	0,0	0,050	
Phosphamidon		15	0	0,0	0,010	
Phosphines (sum of Aluminium phosphide, Aluminium phosphine, Magnesium phosphide, Magnesium phosphine, Zinc phosphide and Zinc phosphine)				#DIV/0!		
Phoxim				#DIV/0!		
Picloram				#DIV/0!		
Picolinafen				#DIV/0!		
Picoxystrobin				#DIV/0!		
Pinoxaden				#DIV/0!		
Piperonyl Butoxide				#DIV/0!		
Pirimicarb (sum of Pirimicarb and Desmethyl pirimicarb expressed as Pirimicarb)		15	0	0,0	0,010	
Pirimiphos-methyl		15	0	0,0	0,010	
Polychloroterpenes				#DIV/0!		
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)		15	0	0,0	0,010	
Procymidone		15	0	0,0	0,050	
Profenofos		15	0	0,0	0,010	
Profoxydim				#DIV/0!		
Prohexadione (prohexadione and its salts expressed as prohexadione)				#DIV/0!		
Promecarb				#DIV/0!		
Prometryn				#DIV/0!		
Propachlor (oxanilic derivate of Propachlor expressed as Propachlor)				#DIV/0!		
Propamocarb (Sum of propamocarb and its salt expressed as propamocarb)				#DIV/0!		
Propanil				#DIV/0!		
Propaquizafop				#DIV/0!		
Propargite		15	0	0,0	0,010	
Propham		15	0	0,0	0,050	
Propiconazole		15	0	0,0	0,010	
Propineb (expressed as Propilendiamine)				#DIV/0!		
Propisochlor				#DIV/0!		
Propoxur		15	0	0,0	0,010	
Propoxycarbazone (Propoxycarbazone, its salts and 2-hydroxy-propoxy-propoxycarbazone, calculated as Propoxycarbazone)				#DIV/0!		
Propyzamide		15	0	0,0	0,050	
Proquinazid				#DIV/0!		
Prosulfocarb				#DIV/0!		
Prosulfuron				#DIV/0!		
Prothioconazole (Prothioconazole-desthio)				#DIV/0!		
Prothiofos				#DIV/0!		
Pymetrozine				#DIV/0!		
Pyraclostrobin				#DIV/0!		
Pyraflufen-ethyl				#DIV/0!		
Pyrasulfotole				#DIV/0!		
Pyrazophos		15	0	0,0	0,050	
Pyrethrins				#DIV/0!		
Pyridaben				#DIV/0!		
Pyridate (sum of Pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as Pyridate)				#DIV/0!		
Pyrifenox				#DIV/0!		
Pyrimethanil		15	0	0,0	0,010	
Pyriproxyfen		15	0	0,0	0,010	
Pyroxsulam				#DIV/0!		
Quinalphos		15	0	0,0	0,050	
Quinclorac				#DIV/0!		
Quinmerac				#DIV/0!		
Quinoxyfen		15	0	0,0	0,010	
Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)		15	0	0,0	0,050	
Quizalofop (including Quizalfop-P)				#DIV/0!		
Resmethrin (Resmethrin including other mixtures of consituent isomers (sum of isomers))				#DIV/0!		
Rimsulfuron				#DIV/0!		
Rotenone				#DIV/0!		
Silthiofam				#DIV/0!		
Simazine				#DIV/0!		
Spinetoram (XDE-175)				#DIV/0!		
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)				#DIV/0!		
Spirodiclofen				#DIV/0!		
Spiromesifen				#DIV/0!		
Spirotetramat and its 4 metabolites BYI08330-enol, BYI08330-ketohydroxy, BYI08330-monohydroxy, and BYI08330 enol-glucoside, expressed as spirotetramat				#DIV/0!		
Spiroxamine		15	0	0,0	0,010	
Sulcotrione				#DIV/0!		
Sulfosulfuron				#DIV/0!		
Sulfuryl fluoride				#DIV/0!		
Sulphur				#DIV/0!		
tau-Fluvalinate				#DIV/0!		
Tebuconazole		15	0	0,0	1,000	
Tebufenozide		15	0	0,0	0,010	
Tebufenpyrad				#DIV/0!		
Tecnazene				#DIV/0!		
Teflubenzuron				#DIV/0!		
Tefluthrin				#DIV/0!		
Tembotrione				#DIV/0!		
TEPP				#DIV/0!		
Tepraloxydim				#DIV/0!		
Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)		15	0	0,0	0,050	
Terbuthylazine				#DIV/0!		
Terbuthylazine, Desethyl-				#DIV/0!		
Terbutryn		15	0	0,0	0,100	
Tetrachlorvinphos		15	0	0,0	0,050	
Tetraconazole		15	0	0,0	0,010	
Tetradifon		15	0	0,0	0,100	
Thiabendazole		15	0	0,0	0,010	
Thiacloprid				#DIV/0!		
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)				#DIV/0!		
Thifensulfuron-methyl				#DIV/0!		
Thiobencarb				#DIV/0!		
Thiofanox				#DIV/0!		
Thiophanate-methyl		15	0	0,0	0,010	
Thiram (expressed as Thiram)				#DIV/0!		
Tolclofos-methyl		15	0	0,0	0,050	
Tolylfluanid (Sum of Tolylfluanid and dimethylaminosulfotoluidide expressed as Tolylfluanid)		15	0	0,0	0,010	
Topramezone (BAS 670H)				#DIV/0!		

Tralkoxydim				#DIV/0!		
Triadimefon (sum of Triadimefon and Triadimenol)		15	0	0,0	0,010	
Tri-allate				#DIV/0!		
Triasulfuron				#DIV/0!		
Triazophos		15	0	0,0	0,010	
Tribenuron-methyl				#DIV/0!		
Trichlorfon				#DIV/0!		
Trichloronat				#DIV/0!		
Triclopyr				#DIV/0!		
Tricyclazole				#DIV/0!		
Tridemorph				#DIV/0!		
Trifloxystrobin		15	0	0,0	0,010	
Triflumizole (Triflumizole and metabolite FM-6-1(N-(4-chloro-2-trifluoromethylphenyl)-n-propoxyacetamidine) expressed as Triflumizole)				#DIV/0!		
Triflumuron				#DIV/0!		
Trifluralin				#DIV/0!		
Triflusulfuron				#DIV/0!		
Triforine				#DIV/0!		
Trimethyl-sulfonium cation (resulting from the use of Glyphosate)				#DIV/0!		
Trinexapac				#DIV/0!		
Triticonazole				#DIV/0!		
Tritosulfuron				#DIV/0!		
Valiphenal				#DIV/0!		
Vamidothion				#DIV/0!		
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)		15	0	0,0	0,050	
Ziram (espressed as Ziram)				#DIV/0!		
Zoxamide				#DIV/0!		
Azamethiphos		15	0	0,0	0,010	
Bromophos-methyl		15	0	0,0	0,050	
Carbofenothion		15	0	0,0	0,050	
Chlorthiophos		15	0	0,0	0,050	
Coumaphos		15	0	0,0	0,050	
DMSA		15	0	0,0	0,010	
Dialifos		15	0	0,0	0,050	
Etrinfos		15	0	0,0	0,050	
Isofenphos		15	0	0,0	0,050	
Isomalathion		15	0	0,0	0,050	
Leptophos		15	0	0,0	0,050	
Paraoxon-ethyl		15	0	0,0	0,050	
Pyrimiphos-ethyl		15	0	0,0	0,050	
Tetramethrin		15	0	0,0	0,050	
Add new pesticide if needed				#DIV/0!		

Notifications of the results of the 2008 EU coordinated programme

Product group: Legume vegetables (fresh) | **Food item: Beans (without pods)** | **Note, if any:** samples of beans **with pods** have been analysed as they are most consumed by the Cypriots

Reporting country: **Cyprus** | **Year of sampling:** **2008**

Total number of samples analysed:	37	With residues above MRL (EC+national):	4
Without detectable residues:	29	With residues above EC MRL:	4
With detectable residues at or below MRL or without MRL:	4	With residues above national MRL:	4

Note:If you get in Column A the error **"! Rep"**: please complete the missing reporting level; **"! MRL"** please check the number of samples above the MRL; **"! MAX"**: the max residue level is above the MRL, please report the number of samples above the MRL.

Pesticide (residue definition according to Regulation 396/2005 on EU MRLs)	Pesticide (MS alternative residue definition)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*) 0.01	0.02	0.05	0.1	0.2	0.5	1,0	2,0	5,0	10,0	20,0	50,0	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL(**)
Acephate		24	24	0,010																0,02	EC MRL
Acetamiprid		16	15	0,010				1										0,100	1	0,01	EC MRL
Aldicarb (sum of Aldicarb, its sulfoxide and its sulfone, expressed as Aldicarb)		16	16	0,010																0,02	EC MRL
Azinphos-methyl		24	24	0,050																0,50	EC MRL
Azoxystrobin		24	24	0,010																0,20	EC MRL
Benomyl (see carbendazim)		0																			
Bifenthrin		24	24	0,050																0,05	EC MRL
Bromopropylate		24	24	0,020																1	EC MRL
Bupirimate		24	24	0,020																	
Buprofezin		24	24	0,020																	
Captan (sum of Captan and Folpet)		24	24	0,200																2,00	EC MRL
Carbaryl		24	24	0,010																0,05	EC MRL
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)		16	15	0,010	1													0,010	0	0,10	EC MRL
Clofentezine		16	16	0,020																0,02	EC MRL
Chlormequat		0																			
Chlorothalonil		24	22	0,010					1		1							1,000	0	2,00	EC MRL
Chlorpropham (Chlorpropham and 3-chloroaniline, expressed as Chlorpropham)		24	24	0,020																0,05	EC MRL
Chlorpyrifos		24	24	0,010																0,05	EC MRL
Chlorpyrifos-methyl		24	24	0,010																0,05	EC MRL
Cypermethrin (Cypermethrin including other mixtures of constituent isomers (sum of isomers))		24	22	0,050			1	1										0,073		0,50	EC MRL
Cyprodinil		24	24	0,020																	
Deltamethrin (cis-deltamethrin)		24	24	0,050																0,20	EC MRL
Diazinon		24	24	0,010																0,01	EC MRL
Dichlofluanid		24	24	0,020																5,00	EC MRL
Dichlorvos		24	24	0,010																0,01	EC MRL
Dicofol (sum of p, p' and o,p' isomers)		24	24	0,020																0,02	EC MRL
Dimethoate (sum of Dimethoate and Omethoate, expressed as Dimethoate)		24	23	0,010							1							0,700	1	0,02	EC MRL
Diphenylamine		24	24	0,020																0,05	EC MRL
Dithiocarbamates (expressed as CS_2) (1)		13	13	0,100																0,10	EC MRL
Endosulfan (sum of alpha- and beta-isomers and Endosulfan-sulphate, expressed as Endosulfan)		24	24	0,050																0,05	EC MRL
Fenarimol		24	24	0,020																0,02	EC MRL
Fenhexamid		16	16	0,020																0,05	EC MRL
Fenitrothion		24	24	0,010																0,01	EC MRL
Fludioxonil		24	24	0,050																	
Flusilazole		16	16	0,010																	
Folpet (see Captan)		0																			
Hexaconazole		16	16	0,020																0,02	EC MRL
Hexythiazox		16	16	0,010																	
Imazalil		19	19	0,020																0,02	EC MRL
Imidacloprid		16	16	0,010																	
Indoxacarb (sum of the isomers S and R)		16	15	0,010				1										0,100	1	0,02	EC MRL
Iprodione		24	24	0,020																0,02	EC MRL
Iprovalicarb		0																		0,05	EC MRL
Kresoxim-methyl		24	24	0,020																0,05	EC MRL
Lambda-Cyhalothrin		24	24	0,050																0,02	EC MRL
Malathion (sum of malathion and malaoxon expressed as malathion)		24	24	0,010																3,00	EC MRL
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine,) expressed as Mepanipyrim)		16	16	0,020																0,01	EC MRL
Mepiquat		0																			
Metalaxyl (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))		24	23	0,010		1												0,013		0,05	EC MRL
Methamidophos		24	24	0,010																0,01	EC MRL
Methidathion		24	24	0,010																0,02	EC MRL
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)		16	15	0,050						1								0,350	1	0,20	EC MRL
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)		16	15	0,010					1									0,150	1	0,05	EC MRL
Myclobutanil		24	24	0,050																0,02	EC MRL
Omethoate (see Dimethoate)		0																			
Oxamyl		16	16	0,010																0,01	EC MRL
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)		16	16	0,010																0,02	EC MRL
Parathion		24	24	0,010																0,05	EC MRL
Penconazole		24	24	0,010																0,05	EC MRL
Phosalone		24	24	0,010																1,00	EC MRL
Pirimicarb (sum of Pirimicarb and Desmethyl pirimicarb expressed as Pirimicarb)		24	24	0,010																	
Pirimiphos-methyl		24	24	0,010																0,05	EC MRL
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)		16	16	0,020																0,05	EC MRL
Procymidone		24	23	0,020				1										0,054	0	2,00	EC MRL
Profenofos		24	24	0,010																0,05	EC MRL
Propargite		19	19	0,010																	
Pyrethrins		0																		1,00	EC MRL
Pyrimethanil		24	24	0,020																0,05	EC MRL
Pyriproxyfen		16	16	0,010																	
Quinoxyfen		16	16	0,010																0,02	EC MRL
Spiroxamine		16	16	0,010																0,05	EC MRL
Tebuconazole		24	24	0,050																	
Tebufenozide		16	16	0,050																	
Thiabendazole		19	19	0,010																0,05	EC MRL
Thiodicarb (see Methomyl)		0																			
Thiophanate-methyl		16	16	0,010																0,10	EC MRL
Tolclofos-methyl		24	24	0,010																	
Tolylfluanid (Sum of Tolylfluanid and dimethylaminosulfotoluidide expressed as Tolylfluanid)		24	24	0,010																0,05	EC MRL
Triadimefon (sum of Triadimefon and Triadimenol)		24	23	0,050						1								0,250	1	0,10	EC MRL
Triadimenol (see Triadimefon)		0																			
Trifloxystrobin		24	24	0,020																0,02	EC MRL
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniniline moiety, expressed as Vinclozolin)		24	24	0,010																0,50	EC MRL

(*) i.e column "0.02" includes the range from 0.011 mg/kg up to 0.020 mg/kg

(**) Please use the following abbreviations for the Source of MRLs: E = EC MRL, N = National MRL, W = Without MRL

(1) Dithiocarbamates, expressed as CS_2, including mancozeb, maneb, metiram and zineb.

Notifications of the results of the 2008 EU coordinated programme

Product group: Root and tuber vegetables | **Food item: Carrots** | **Note, if any:**

Reporting country: **Cyprus** | **Year of sampling: 2008**

Total number of samples analysed:	33	With residues above MRL (EC+national):	9
Without detectable residues:	21	With residues above EC-MRL:	9
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	9

Note:If you get in Column A the error **"! Reg"**: please complete the missing reporting level; **"! MRL"** please check the number of samples above the MRL; **"! MAX"**: the max residue level is above the MRL, please report the number of samples above the MRL

Pesticide (residue definition according to Regulation 396/2005 on EU MRLs)	Pesticide (MS alternative residue definition)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*) 0.01	0.02	0.05	0.1	0.2	0.5	1,0	2,0	5,0	10,0	20,0	50,0	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL(**)
Acephate		21	21	0,010																0,02	EC MRL
Acetamiprid		15	15	0,010																0,01	EC MRL
Aldicarb (sum of Aldicarb, its sulfoxide and its sulfone, expressed as Aldicarb)		15	15	0,010																0,02	EC MRL
Azinphos-methyl		21	21	0,010																0,50	EC MRL
Azoxystrobin		18	18	0,010																0,05	EC MRL
Benomyl (see carbendazim)		0																			
Bifenthrin		17	17	0,050																0,05	EC MRL
Bromopropylate		18	18	0,020																0,05	EC MRL
Bupirimate		18	18	0,020																	
Buprofezin		18	18	0,020																	
Captan		4	4	0,200																0,10	EC MRL
Carbaryl		21	21	0,010																0,05	EC MRL
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)		15	15	0,010																0,10	EC MRL
Clofentezine		15	15	0,010																0,02	EC MRL
Chlormequat		0	0																	0,05	EC MRL
Chlorothalonil		18	18	0,010																1,00	EC MRL
Chlorpropham (Chlorpropham and 3-chloroaniline, expressed as Chlorpropham)		18	18	0,010																0,05	EC MRL
Chlorpyrifos		21	18	0,010			1	1	1									0,180	1	0,10	EC MRL
Chlorpyrifos-methyl		21	21	0,010																0,05	EC MRL
Cypermethrin (Cypermethrin including other mixtures of constituent isomers (sum of isomers))		21	21	0,050																0,05	EC MRL
Cyprodinil		15	15	0,020																	
Deltamethrin (cis-deltamethrin)		21	21	0,050																0,05	EC MRL
Diazinon		21	21	0,010																0,01	EC MRL
Dichlofluanid		18	18	0,020																5,00	EC MRL
Dichlorvos		21	21	0,010																0,01	EC MRL
Dicofol (sum of p, p' and o,p' isomers)		18	18	0,050																0,02	EC MRL
Dimethoate (sum of Dimethoate and Omethoate, expressed as Dimethoate)		21	21	0,010																0,02	EC MRL
Diphenylamine		18	18	0,020																0,05	EC MRL
Dithiocarbamates (expressed as CS_2) (1)		12	12	0,100																0,20	EC MRL
Endosulfan (sum of alpha- and beta-isomers and Endosulfan-sulphate, expressed as Endosulfan)		18	18	0,050																0,05	EC MRL
Fenarimol		18	18	0,050																0,02	EC MRL
Fenhexamid		15	15	0,010																0,05	EC MRL
Fenitrothion		21	21	0,010																0,01	EC MRL
Fludioxonil		18	18	0,050																	
Flusilazole		15	15	0,010																	
Folpet		18	18	0,200																0,02	EC MRL
Hexaconazole		15	15	0,010																0,02	EC MRL
Hexythiazox		15	15	0,010																	
Imazalil		15	15	0,010																0,02	EC MRL
Imidacloprid		15	15	0,010																	
Indoxacarb (sum of the isomers S and R)		15	15	0,010																0,02	EC MRL
Iprodione		21	13	0,020							1	5	2					4,800	8	0,50	EC MRL
Iprovalicarb		15	15	0,010																0,05	EC MRL
Kresoxim-methyl		18	18	0,020																0,05	EC MRL
Lambda-Cyhalothrin		18	18	0,050																0,02	EC MRL
Malathion (sum of malathion and malaoxon expressed as malathion)		21	21	0,010																0,50	EC MRL
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine,) expressed as Mepanipyrim)		15	15	0,010																0,01	EC MRL
Mepiquat		0	0																		
Metalaxyl (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))		18	18	0,010																0,10	EC MRL
Methamidophos		18	18	0,010																0,01	EC MRL
Methidathion		21	21	0,010																0,02	EC MRL
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)		15	15	0,050																	
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)		15	15	0,010																0,05	EC MRL
Myclobutanil		18	18	0,050																0,20	EC MRL
Omethoate (see Dimethoate)		0																			
Oxamyl		15	15	0,010																0,01	EC MRL
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)		15	15	0,010																0,02	EC MRL
Parathion		21	21	0,010																0,05	EC MRL
Penconazole		18	18	0,010																0,05	EC MRL
Phosalone		21	21	0,010																0,10	EC MRL
Pirimicarb (sum of Pirimicarb and Desmethyl pirimicarb expressed as Pirimicarb)		18	18	0,010																	
Pirimiphos-methyl		21	21	0,010																1,00	EC MRL
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)		15	15	0,010																0,05	EC MRL
Procymidone		18	18	0,020																0,02	EC MRL
Profenofos		21	21	0,010																0,05	EC MRL
Propargite		16	16	0,010																	
Pyrethrins		0	0																	1,00	EC MRL
Pyrimethanil		18	16	0,020		1	1											0,026		1,00	EC MRL
Pyriproxyfen		15	15	0,010																	
Quinoxyfen		15	15	0,010																0,02	EC MRL
Spiroxamine		15	15	0,010																0,05	EC MRL
Tebuconazole		18	18	0,050																	
Tebufenozide		15	15	0,050																	
Thiabendazole		15	15	0,010																0,05	EC MRL
Thiodicarb (see Methomyl)		0																			
Thiophanate-methyl		15	15	0,010																0,10	EC MRL
Tolclofos-methyl		21	21	0,010																	
Tolylfluanid (Sum of Tolylfluanid and dimethylaminosulfotoluidide expressed as Tolylfluanid)		18	18	0,010																0,05	EC MRL
Triadimefon (sum of Triadimefon and Triadimenol)		18	17	0,050			1											0,029		0,10	EC MRL
Triadimenol (see Triadimefon)		0																			
Trifloxystrobin		18	18	0,020																0,05	EC MRL
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniniline moiety, expressed as Vinclozolin)		18	18	0,010																0,50	EC MRL

(*) i.e column "0.02" includes the range from 0.011 mg/kg up to 0.020 mg/kg

(**) Please use the following abbreviations for the Source of MRLs: E = EC MRL, N = National MRL, W = Without MRL

(1) Dithiocarbamates, expressed as CS2, including maneb, mancozeb, metiram, propineb and zineb.

Notifications of the results of the 2008 EU cordinated programme

Product group: Fruiting vegetables **Food item: Cucumbers** **Note, if any:**

Reporting country: **Cyprus** **Year of sampling:** **2008**

Total number of samples analysed:	30	With residues above MRL (EC+national):	2
Without detectable residues:	21	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	7	With residues above national MRL:	2

Note:If you get in Column A the error **"! Reg"**: please complete the missing reporting level; **"! MRL"** please check the number of samples above the MRL; **"! MAX"**: the max residue level is above the MRL, please report the number of samples above the MRL.

Pesticide (residue definition according to Regulation 396/2005 on EU MRLs)	Pesticide (MS alternative residue definition)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*) 0.01	0.02	0.05	0.1	0.2	0.5	1,0	2,0	5,0	10,0	20,0	50,0	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL(**)
Acephate		17	17	0,010																0,02	EC MRL
Acetamiprid		0	0																	0,30	EC MRL
Aldicarb (sum of Aldicarb, its sulfoxide and its sulfone, expressed as Aldicarb)		0	0																	0,02	EC MRL
Azinphos-methyl		17	17	0,010																0,50	EC MRL
Azoxystrobin		17	17	0,010																1,00	EC MRL
Benomyl (see carbendazim)		0																			
Bifenthrin		17	17	0,050																0,10	EC MRL
Bromopropylate		17	17	0,020																0,05	EC MRL
Bupirimate		17	17	0,020																	
Buprofezin		17	17	0,020																	
Captan		1	1	0,050																0,02	EC MRL
Carbaryl		17	17	0,010																0,05	EC MRL
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)		0	0																	0,10	EC MRL
Clofentezine		0	0																	0,02	EC MRL
Chlormequat		0	0																	0,05	EC MRL
Chlorothalonil		17	13	0,010	2	2												0,019		1,00	EC MRL
Chlorpropham (Chlorpropham and 3-chloroaniline, expressed as Chlorpropham)		17	17	0,010																0,05	EC MRL
Chlorpyrifos		17	17	0,010																0,05	EC MRL
Chlorpyrifos-methyl		17	17	0,010																0,05	EC MRL
Cypermethrin (Cypermethrin including other mixtures of constituent isomers (sum of isomers))		17	17	0,050																0,20	EC MRL
Cyprodinil		1	1	0,020																	
Deltamethrin (cis-deltamethrin)		17	17	0,050																0,20	EC MRL
Diazinon		17	17	0,010																0,01	EC MRL
Dichlofluanid		17	17	0,020																5,00	EC MRL
Dichlorvos		17	17	0,010																0,01	EC MRL
Dicofol (sum of p, p' and o,p' isomers)		1	1	0,050																0,20	EC MRL
Dimethoate (sum of Dimethoate and Omethoate, expressed as Dimethoate)		17	17	0,010																0,02	EC MRL
Diphenylamine		17	17	0,020																0,05	EC MRL
Dithiocarbamates (expressed as CS_2) (1)		13	13	0,100																0,50	EC MRL
Endosulfan (sum of alpha- and beta-isomers and Endosulfan-sulphate, expressed as Endosulfan)		17	16	0,050				1										0,078	1	0,05	EC MRL
Fenarimol		17	17	0,050																0,20	EC MRL
Fenhexamid		0	0																	1,00	EC MRL
Fenitrothion		17	17	0,010																0,01	EC MRL
Fludioxonil		17	17	0,050																	
Flusilazole		0	0																		
Folpet		17	17	0,020																0,02	EC MRL
Hexaconazole		0	0																	0,02	EC MRL
Hexythiazox		0	0																		
Imazalil		0	0																	0,20	EC MRL
Imidacloprid		0	0																		
Indoxacarb (sum of the isomers S and R)		0	0																	0,20	EC MRL
Iprodione		17	15	0,020		1		1										0,056		2,00	EC MRL
Iprovalicarb		0	0																	0,10	EC MRL
Kresoxim-methyl		17	17	0,020																0,05	EC MRL
Lambda-Cyhalothrin		17	17	0,050																0,10	EC MRL
Malathion (sum of malathion and malaoxon expressed as malathion)		17	17	0,010																3,00	EC MRL
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine,) expressed as Mepanipyrim)		0	0																	0,01	EC MRL
Mepiquat		0	0																		
Metalaxyl (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))		17	16	0,020		1												0,020		0,50	EC MRL
Methamidophos		17	17	0,010																0,01	EC MRL
Methidathion		17	17	0,010																0,02	EC MRL
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)		0	0																		
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)		0	0																	0,05	EC MRL
Myclobutanil		17	17	0,050																0,10	EC MRL
Omethoate (see Dimethoate)		0																			
Oxamyl		0	0																	0,02	EC MRL
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)		0	0																	0,02	EC MRL
Parathion		17	17	0,010																0,05	EC MRL
Penconazole		17	17	0,010																0,10	EC MRL
Phosalone		17	17	0,010																1,00	EC MRL
Pirimicarb (sum of Pirimicarb and Desmethyl pirimicarb expressed as Pirimicarb)		17	17	0,010																	
Pirimiphos-methyl		17	17	0,010																0,10	EC MRL
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)		0	0																	0,05	EC MRL
Procymidone		17	13	0,020		1	2	1										0,062		1,00	EC MRL
Profenofos		17	17	0,010																0,05	EC MRL
Propargite		16	16	0,200																	
Pyrethrins		0	0																	1,00	EC MRL
Pyrimethanil		17	11	0,020		2	1	1	1		1							0,610	1	0,50	N MRL
Pyriproxyfen		0	0																		
Quinoxyfen		0	0																	0,02	EC MRL
Spiroxamine		0	0																	0,05	EC MRL
Tebuconazole		17	17	0,050																	
Tebufenozide		0	0																		
Thiabendazole		16	16	0,200																0,05	EC MRL
Thiodicarb (see Methomyl)		0																			
Thiophanate-methyl		0	0																	0,10	EC MRL
Tolclofos-methyl		17	17	0,010																	
Tolylfluanid (Sum of Tolylfluanid and dimethylaminosulfotoluidide expressed as Tolylfluanid)		17	17	0,010																2,00	EC MRL
Triadimefon (sum of Triadimefon and Triadimenol)		17	17	0,050																0,10	EC MRL
Triadimenol (see Triadimefon)		0																			
Trifloxystrobin		17	17	0,020																0,20	EC MRL
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniniline moiety, expressed as Vinclozolin)		17	17	0,010																0,05	EC MRL

(*) i.e column "0.02" includes the range from 0.011 mg/kg up to 0.020 mg/kg

(**) Please use the following abbreviations for the Source of MRLs: E = EC MRL, N = National MRL, W = Without MRL

(1) Dithiocarbamates, expressed as CS2, including maneb, mancozeb, metiram, propineb and zineb.

Notifications of the results of the 2008 EU coordinated programme

Product group: Citrus fruit | **Food item: Oranges** | **Note, if any:**

Reporting country: Cyprus | **Year of sampling: 2008**

Total number of samples analysed:	18	With residues above MRL (EC+national):	2
Without detectable residues:	11	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	5	With residues above national MRL:	2

Note:If you get in Column A the error **"! Rep"**: please complete the missing reporting level; **"! MRL"** please check the number of samples above the MRL; **"! MAX"**: the max residue level is above the MRL, please report the number of samples above the MRL.

Pesticide (residue definition according to Regulation 396/2005 on EU MRLs)	Pesticide (MS alternative residue definition)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*) 0.01	0.02	0.05	0.1	0.2	0.5	1,0	2,0	5,0	10,0	20,0	50,0	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL(**)
Acephate		10	10	0,010																0,02	EC MRL
Acetamiprid		1	1	0,010																1,00	EC MRL
Aldicarb (sum of Aldicarb, its sulfoxide and its sulfone, expressed as Aldicarb)		1	1	0,010																0,02	EC MRL
Azinphos-methyl		10	10	0,010																1,00	EC MRL
Azoxystrobin		10	10	0,050																1,00	EC MRL
Benomyl (see carbendazim)		0																			
Bifenthrin		10	10	0,050																0,10	EC MRL
Bromopropylate		9	7	0,020					1	1								0,250		2	EC MRL
Bupirimate		10	10	0,020																	
Buprofezin		10	10	0,020																	
Captan		1	1	0,200																0,02	EC MRL
Carbaryl		10	10	0,010																0,05	EC MRL
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)		1	1	0,010																0,50	EC MRL
Clofentezine		1	1	0,010																0,50	EC MRL
Chlormequat		0																			
Chlorothalonil		9	9	0,010																0,01	EC MRL
Chlorpropham (Chlorpropham and 3-chloroaniline, expressed as Chlorpropham)		9	9	0,010																0,05	EC MRL
Chlorpyrifos		10	8	0,010		1	1											0,034		0,30	EC MRL
Chlorpyrifos-methyl		10	10	0,010																0,50	EC MRL
Cypermethrin (Cypermethrin including other mixtures of constituent isomers (sum of isomers))		10	10	0,050																2,00	EC MRL
Cyprodinil		1	1	0,020																	
Deltamethrin (cis-deltamethrin)		10	10	0,050																0,05	EC MRL
Diazinon		10	10	0,010																0,01	EC MRL
Dichlofluanid		10	10	0,020																5,00	EC MRL
Dichlorvos		10	10	0,010																0,01	EC MRL
Dicofol (sum of p, p' and o,p' isomers)		10	10	0,050																2,00	EC MRL
Dimethoate (sum of Dimethoate and Omethoate, expressed as Dimethoate)		10	9	0,010					1									0,140	1	0,02	EC MRL
Diphenylamine		9	9	0,020																0,05	EC MRL
Dithiocarbamates (expressed as CS_2) (1)		8	8	0,100																5,00	EC MRL
Endosulfan (sum of alpha- and beta-isomers and Endosulfan-sulphate, expressed as Endosulfan)		9	9	0,050																0,05	EC MRL
Fenarimol		10	10	0,020																0,02	EC MRL
Fenhexamid		1	1	0,010																0,05	EC MRL
Fenitrothion		10	10	0,010																0,01	EC MRL
Fludioxonil		1	1	0,050																	
Flusilazole		1	1	0,010																	
Folpet		10	10	0,200																0,02	EC MRL
Hexaconazole		1	1	0,010																0,02	EC MRL
Hexythiazox		1	1	0,010																	
Imazalil		1	0	0,010										1				6,600	1	5,00	EC MRL
Imidacloprid		1	1	0,010																	
Indoxacarb (sum of the isomers S and R)		1	1	0,010																0,02	EC MRL
Iprodione		9	9	0,020																0,02	EC MRL
Iprovalicarb		1	1	0,010																0,05	EC MRL
Kresoxim-methyl		10	10	0,020																0,05	EC MRL
Lambda-Cyhalothrin		10	10	0,050																0,10	EC MRL
Malathion (sum of malathion and malaoxon expressed as malathion)		10	7	0,010					1	2								0,460		2,00	EC MRL
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine,) expressed as Mepanipyrim)		1	1	0,010																0,01	EC MRL
Mepiquat		0																			
Metalaxyl (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))		10	10	0,010																0,50	EC MRL
Methamidophos		10	10	0,010																0,01	EC MRL
Methidathion		10	8	0,010			1		1									0,140		2,00	EC MRL
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)		1	1	0,050																	
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)		1	1	0,010																0,50	EC MRL
Myclobutanil		10	10	0,050																3,00	EC MRL
Omethoate (see Dimethoate)		0																			
Oxamyl		1	1	0,010																0,01	EC MRL
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)		1	1	0,010																0,02	EC MRL
Parathion		10	10	0,010																0,05	EC MRL
Penconazole		10	10	0,010																0,05	EC MRL
Phosalone		10	10	0,010																1,00	EC MRL
Pirimicarb (sum of Pirimicarb and Desmethyl pirimicarb expressed as Pirimicarb)		10	10	0,010																	
Pirimiphos-methyl		10	10	0,010																1,00	EC MRL
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)		1	0	0,010					1									0,190		10,00	EC MRL
Procymidone		9	9	0,020																0,02	EC MRL
Profenofos		10	10	0,010																0,05	EC MRL
Propargite		1	1	0,010																	
Pyrethrins		0	0																	1,00	EC MRL
Pyrimethanil		10	10	0,020																10,00	EC MRL
Pyriproxyfen		1	1	0,010																	
Quinoxyfen		1	1	0,010																0,02	EC MRL
Spiroxamine		1	1	0,010																0,05	EC MRL
Tebuconazole		9	9	0,050																	
Tebufenozide		1	1	0,050																	
Thiabendazole		1	1	0,010																5,00	EC MRL
Thiodicarb (see Methomyl)		0																			
Thiophanate-methyl		3	3	0,010																0,10	EC MRL
Tolclofos-methyl		10	10	0,010																	
Tolylfluanid (Sum of Tolylfluanid and dimethylaminosulfotoluidide expressed as Tolylfluanid)		10	10	0,010																0,05	EC MRL
Triadimefon (sum of Triadimefon and Triadimenol)		10	10	0,050																0,10	EC MRL
Triadimenol (see Triadimefon)		0																			
Trifloxystrobin		10	10	0,020																0,30	EC MRL
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniniline moiety, expressed as Vinclozolin)		9	9	0,010																0,05	EC MRL

(*) i.e column "0.02" includes the range from 0.011 mg/kg up to 0.020 mg/kg

(**) Please use the following abbreviations for the Source of MRLs: E = EC MRL, N = National MRL, W = Without MRL

(1) Dithiocarbamates, expressed as CS2, including maneb, mancozeb, metiram, propineb and zineb.

Notifications of the results of the 2008 EU coordinated programme

Product group: Citrus fruit **Food item: Mandarins** **Note, if any:**

Reporting country: **Cyprus** **Year of sampling:** **2008**

Total number of samples analysed:	13	With residues above MRL (EC+national):	0
Without detectable residues:	10	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0

Note:If you get in Column A the error **"! Reg"**: please complete the missing reporting level; **"! MRL"** please check the number of samples above the MRL; **"! MAX"**: the max residue level is above the MRL, please report the number of samples above the MRL

Pesticide (residue definition according to Regulation 396/2005 on EU MRLs)	Pesticide (MS alternative residue definition)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*) 0.01	0.02	0.05	0.1	0.2	0.5	1,0	2,0	5,0	10,0	20,0	50,0	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL(**)
Acephate		7	7	0,010																0,02	EC MRL
Acetamiprid		0	0																	1,00	EC MRL
Aldicarb (sum of Aldicarb, its sulfoxide and its sulfone, expressed as Aldicarb)		0	0																	0,02	EC MRL
Azinphos-methyl		7	7	0,010																1,00	EC MRL
Azoxystrobin		7	7	0,200																1,00	EC MRL
Benomyl (see carbendazim)		0																			
Bifenthrin		7	7	0,050																0,10	EC MRL
Bromopropylate		7	7	0,020																2	EC MRL
Bupirimate		7	7	0,020																	
Buprofezin		7	7	0,020																	
Captan		0	0																	0,02	EC MRL
Carbaryl		7	7	0,010																0,05	EC MRL
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)		0	0																	0,50	EC MRL
Clofentezine		0	0																	0,50	EC MRL
Chlormequat		0																			
Chlorothalonil		7	7	0,010																0,01	EC MRL
Chlorpropham (Chlorpropham and 3-chloroaniline, expressed as Chlorpropham)		7	7	0,010																0,05	EC MRL
Chlorpyrifos		7	7	0,010																2,00	EC MRL
Chlorpyrifos-methyl		7	7	0,010																1,00	EC MRL
Cypermethrin (Cypermethrin including other mixtures of constituent isomers (sum of isomers))		7	5	0,050			1		1									0,150		2,00	EC MRL
Cyprodinil		0	0																		
Deltamethrin (cis-deltamethrin)		7	7	0,050																0,05	EC MRL
Diazinon		7	7	0,010																0,01	EC MRL
Dichlofluanid		7	7	0,020																5,00	EC MRL
Dichlorvos		7	7	0,010																0,01	EC MRL
Dicofol (sum of p, p' and o,p' isomers)		7	7	0,200																2,00	EC MRL
Dimethoate (sum of Dimethoate and Omethoate, expressed as Dimethoate)		7	7	0,010																0,02	EC MRL
Diphenylamine		7	7	0,020																0,05	EC MRL
Dithiocarbamates (expressed as CS_2) (1)		6	6	0,100																5,00	EC MRL
Endosulfan (sum of alpha- and beta-isomers and Endosulfan-sulphate, expressed as Endosulfan)		7	7	0,050																0,05	EC MRL
Fenarimol		7	7	0,020																0,02	EC MRL
Fenhexamid		0	0																	0,05	EC MRL
Fenitrothion		7	7	0,010																0,01	EC MRL
Fludioxonil		0	0																		
Flusilazole		0	0																		
Folpet		7	7	0,020																0,02	EC MRL
Hexaconazole		0	0																	0,02	EC MRL
Hexythiazox		0	0																		
Imazalil		0	0																	5,00	EC MRL
Imidacloprid		0	0																		
Indoxacarb (sum of the isomers S and R)		0	0																	0,02	EC MRL
Iprodione		7	7	0,020																1,00	EC MRL
Iprovalicarb		0	0																	0,05	EC MRL
Kresoxim-methyl		7	7	0,020																0,05	EC MRL
Lambda-Cyhalothrin		7	7	0,050																0,20	EC MRL
Malathion (sum of malathion and malaoxon expressed as malathion)		7	6	0,010						1								0,220		2,00	EC MRL
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine,) expressed as Mepanipyrim)		0	0																	0,01	EC MRL
Mepiquat		0																			
Metalaxyl (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))		7	7	0,020																0,50	EC MRL
Methamidophos		7	7	0,010																0,01	EC MRL
Methidathion		7	6	0,010		1												0,016		2,00	EC MRL
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)		0	0																		
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)		0	0																	1,00	EC MRL
Myclobutanil		7	7	0,050																3,00	EC MRL
Omethoate (see Dimethoate)		0																			
Oxamyl		0	0																	0,02	EC MRL
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)		0	0																	0,02	EC MRL
Parathion		7	7	0,010																0,05	EC MRL
Penconazole		7	7	0,010																0,05	EC MRL
Phosalone		7	7	0,010																1,00	EC MRL
Pirimicarb (sum of Pirimicarb and Desmethyl pirimicarb expressed as Pirimicarb)		7	7	0,010																	
Pirimiphos-methyl		7	7	0,010																2,00	EC MRL
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)		0	0																	10,00	EC MRL
Procymidone		7	7	0,020																0,02	EC MRL
Profenofos		7	7	0,010																0,05	EC MRL
Propargite		0	0																		
Pyrethrins		0	0																	1,00	EC MRL
Pyrimethanil		7	7	0,020																10,00	EC MRL
Pyriproxyfen		0	0																		
Quinoxyfen		0	0																	0,02	EC MRL
Spiroxamine		0	0																	0,05	EC MRL
Tebuconazole		7	7	0,050																	
Tebufenozide		0	0																		
Thiabendazole		0	0																	5,00	EC MRL
Thiodicarb (see Methomyl)		0																			
Thiophanate-methyl		2	2	0,010																0,10	EC MRL
Tolclofos-methyl		7	7	0,010																	
Tolylfluanid (Sum of Tolylfluanid and dimethylaminosulfotoluidide expressed as Tolylfluanid)		7	7	0,010																0,05	EC MRL
Triadimefon (sum of Triadimefon and Triadimenol)		7	7	0,050																0,10	EC MRL
Triadimenol (see Triadimefon)		0																			
Trifloxystrobin		7	7	0,020																0,30	EC MRL
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniniline moiety, expressed as Vinclozolin)		7	7	0,010																0,05	EC MRL

(*) i.e column "0.02" includes the range from 0.011 mg/kg up to 0.020 mg/kg

(**) Please use the following abbreviations for the Source of MRLs: E = EC MRL, N = National MRL, W = Without MRL

(1) Dithiocarbamates, expressed as CS2, including maneb, mancozeb, metiram, propineb and zineb.

Notifications of the results of the 2008 EU coordinated programme

Product group: Pome fruit | **Food item: Pears** | **Note, if any:**

Reporting country: Cyprus | **Year of sampling: 2008**

Total number of samples analysed:	29	With residues above MRL (EC+national):	1
Without detectable residues:	14	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	14	With residues above national MRL:	1

Note:If you get in Column A the error **"! Reg"**: please complete the missing reporting level; **"! MRL"** please check the number of samples above the MRL; **"! MAX"**: the max residue level is above the MRL, please report the number of samples above the MRL

Pesticide (residue definition according to Regulation 396/2005 on EU MRLs)	Pesticide (MS alternative residue definition)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*) 0.01	0.02	0.05	0.1	0.2	0.5	1,0	2,0	5,0	10,0	20,0	50,0	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL(**)
Acephate		16	16	0,010																0,02	EC MRL
Acetamiprid		15	15	0,010																0,10	EC MRL
Aldicarb (sum of Aldicarb, its sulfoxide and its sulfone, expressed as Aldicarb)		15	15	0,010																0,02	EC MRL
Azinphos-methyl		16	15	0,010	1													0,010		0,50	EC MRL
Azoxystrobin		16	16	0,010																0,05	EC MRL
Benomyl (see carbendazim)		0																			
Bifenthrin		3	1	0,050			2											0,028		0,30	EC MRL
Bromopropylate		16	16	0,020																2	EC MRL
Bupirimate		16	16	0,020																	
Buprofezin		16	16	0,020																	
Captan (sum of Captan and Folpet)		16	16	0,200																3,00	EC MRL
Carbaryl		16	16	0,010																0,05	EC MRL
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)		15	9	0,010		1		1	3	1								0,210	1	0,20	EC MRL
Clofentezine		15	15	0,010																0,50	EC MRL
Chlormequat		0	0																	0,20	EC MRL
Chlorothalonil		16	15	0,010			1											0,030		1,00	EC MRL
Chlorpropham (Chlorpropham and 3-chloroaniline, expressed as Chlorpropham)		16	16	0,010																0,05	EC MRL
Chlorpyrifos		16	10	0,010	2	1	2	1										0,068		0,50	EC MRL
Chlorpyrifos-methyl		16	15	0,010	1													0,010		0,50	EC MRL
Cypermethrin (Cypermethrin including other mixtures of constituent isomers (sum of isomers))		16	9	0,050			2	3		2								0,500		1,00	EC MRL
Cyprodinil		16	16	0,020																	
Deltamethrin (cis-deltamethrin)		16	13	0,050			3											0,050		0,10	EC MRL
Diazinon		16	16	0,010																0,01	EC MRL
Dichlofluanid		16	16	0,020																5,00	EC MRL
Dichlorvos		16	16	0,010																0,01	EC MRL
Dicofol (sum of p, p' and o,p' isomers)		15	15	0,200																0,02	EC MRL
Dimethoate (sum of Dimethoate and Omethoate, expressed as Dimethoate)		16	16	0,010																0,02	EC MRL
Diphenylamine		16	16	0,020																10,00	EC MRL
Dithiocarbamates (expressed as CS_2) (1)		14	11	0,100				2		1								0,430		3,00	EC MRL
Endosulfan (sum of alpha- and beta-isomers and Endosulfan-sulphate, expressed as Endosulfan)		16	16	0,050																0,30	EC MRL
Fenarimol		16	16	0,020																0,30	EC MRL
Fenhexamid		15	15	0,010																0,05	EC MRL
Fenitrothion		16	16	0,010																0,01	EC MRL
Fludioxonil		16	16	0,050																	
Flusilazole		15	15	0,010																	
Folpet (see Captan)		0																			
Hexaconazole		15	15	0,010																0,10	EC MRL
Hexythiazox		15	15	0,010																	
Imazalil		16	16	0,010																5,00	EC MRL
Imidacloprid		15	12	0,010	1	1		1										0,074		0,50	EC MRL
Indoxacarb (sum of the isomers S and R)		15	15	0,010																0,30	EC MRL
Iprodione		16	16	0,050																5,00	EC MRL
Iprovalicarb		15	15	0,010																0,05	EC MRL
Kresoxim-methyl		16	16	0,020																0,20	EC MRL
Lambda-Cyhalothrin		16	14	0,050			2											0,050		0,10	EC MRL
Malathion (sum of malathion and malaoxon expressed as malathion)		16	16	0,010																0,50	EC MRL
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine,) expressed as Mepanipyrim)		15	15	0,010																0,01	EC MRL
Mepiquat		0	0																		
Metalaxyl (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))		16	16	0,010																1,00	EC MRL
Methamidophos		16	16	0,010																0,01	EC MRL
Methidathion		16	16	0,010																0,02	EC MRL
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)		15	15	0,050																	
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)		15	12	0,010	1	2												0,014		0,20	EC MRL
Myclobutanil		16	16	0,050																0,50	EC MRL
Omethoate (see Dimethoate)		0																			
Oxamyl		15	15	0,010																0,01	EC MRL
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)		15	15	0,010																0,02	EC MRL
Parathion		16	16	0,010																0,05	EC MRL
Penconazole		16	16	0,010																0,20	EC MRL
Phosalone		16	14	0,010	1	1												0,020		2,00	EC MRL
Pirimicarb (sum of Pirimicarb and Desmethyl pirimicarb expressed as Pirimicarb)		16	16	0,010																	
Pirimiphos-methyl		16	16	0,010																0,05	EC MRL
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)		15	15	0,010																0,05	EC MRL
Procymidone		16	16	0,020																1,00	EC MRL
Profenofos		16	16	0,010																0,05	EC MRL
Propargite		16	16	0,010																	
Pyrethrins		0	0																	1,00	EC MRL
Pyrimethanil		16	16	0,020																5,00	EC MRL
Pyriproxyfen		15	15	0,010																	
Quinoxyfen		15	15	0,010																0,02	EC MRL
Spiroxamine		15	15	0,010																0,05	EC MRL
Tebuconazole		16	16	0,050																	
Tebufenozide		15	15	0,050																	
Thiabendazole		16	16	0,010																5,00	EC MRL
Thiodicarb (see Methomyl)		0																			
Thiophanate-methyl		15	15	0,010																0,50	EC MRL
Tolclofos-methyl		16	16	0,010																	
Tolylfluanid (Sum of Tolylfluanid and dimethylaminosulfotoluidide expressed as Tolylfluanid)		16	16	0,010																3,00	EC MRL
Triadimefon (sum of Triadimefon and Triadimenol)		16	15	0,020		1												0,020		0,10	EC MRL
Triadimenol (see Triadimefon)		0																			
Trifloxystrobin		16	15	0,010	1													0,010		0,50	EC MRL
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniniline moiety, expressed as Vinclozolin)		16	16	0,010																0,05	EC MRL

(*) i.e column "0.02" includes the range from 0.011 mg/kg up to 0.020 mg/kg

(**) Please use the following abbreviations for the Source of MRLs: E = EC MRL, N = National MRL, W = Without MRL

(1) Dithiocarbamates, expressed as CS2, including maneb, mancozeb, metiram, propineb and zineb.

Notifications of the results of the 2008 EU coordinated programme

Product group: Root and tuber vegetables | **Food item: Potatoes** | **Note, if any:**

Reporting country: **Cyprus** | **Year of sampling: 2008**

Total number of samples analysed:	79	With residues above MRL (EC+national):	0
Without detectable residues:	61	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	18	With residues above national MRL:	0

Note:If you get in Column A the error **"! Rep"**: please complete the missing reporting level; **"! MRL"** please check the number of samples above the MRL; **"! MAX"**: the max residue level is above the MRL, please report the number of samples above the MRL

Pesticide (residue definition according to Regulation 396/2005 on EU MRLs)	Pesticide (MS alternative residue definition)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*) 0.01	0.02	0.05	0.1	0.2	0.5	1,0	2,0	5,0	10,0	20,0	50,0	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL(**)
Acephate		66	66	0,010																0,02	EC MRL
Acetamiprid		28	28	0,010																0,01	EC MRL
Aldicarb (sum of Aldicarb, its sulfoxide and its sulfone, expressed as Aldicarb)		28	28	0,010																0,02	EC MRL
Azinphos-methyl		61	61	0,010																0,05	EC MRL
Azoxystrobin		54	54	0,010																0,50	EC MRL
Benomyl (see carbendazim)		0																			
Bifenthrin		62	62	0,050																0,10	EC MRL
Bromopropylate		58	58	0,020																0,05	EC MRL
Bupirimate		57	57	0,020																0,05	EC MRL
Buprofezin		57	57	0,020																	
Captan		30	30	0,200																	
Carbaryl		57	57	0,010																0,05	EC MRL
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)		28	28	0,010																0,05	EC MRL
Clofentezine		28	28	0,010																0,02	EC MRL
Chlormequat		0																			
Chlorothalonil		58	58	0,010																0,01	EC MRL
Chlorpropham (1)		58	49	0,010			2	1	1		5							0,970		10,00	EC MRL
Chlorpyrifos		66	65	0,010	1													0,010		0,05	EC MRL
Chlorpyrifos-methyl		66	66	0,010																0,05	EC MRL
Cypermethrin (Cypermethrin including other mixtures of constituent isomers (sum of isomers))		66	66	0,050																0,05	EC MRL
Cyprodinil		43	43	0,020																	
Deltamethrin (cis-deltamethrin)		66	66	0,050																0,05	EC MRL
Diazinon		66	66	0,010																0,01	EC MRL
Dichlofluanid		57	57	0,020																5,00	EC MRL
Dichlorvos		66	66	0,010																0,01	EC MRL
Dicofol (sum of p, p' and o,p' isomers)		53	53	0,020																0,02	EC MRL
Dimethoate (sum of Dimethoate and Omethoate, expressed as Dimethoate)		66	66	0,010																0,02	EC MRL
Diphenylamine		57	57	0,020																0,05	EC MRL
Dithiocarbamates (expressed as CS_2) (2)		13	12	0,050			1											0,050		0,30	EC MRL
Endosulfan (sum of alpha- and beta-isomers and Endosulfan-sulphate, expressed as Endosulfan)		58	58	0,050																0,05	EC MRL
Fenarimol		57	57	0,020																0,02	EC MRL
Fenhexamid		28	28	0,010																0,05	EC MRL
Fenitrothion		66	66	0,010																0,01	EC MRL
Fludioxonil		55	55	0,050																	
Flusilazole		28	28	0,010																	
Folpet		60	60	0,200																0,10	EC MRL
Hexaconazole		28	28	0,010																0,02	EC MRL
Hexythiazox		28	28	0,010																	
Imazalil (3)		34	34	0,010																5,00	EC MRL
Imidacloprid		28	28	0,010																	
Indoxacarb (sum of the isomers S and R)		28	28	0,010																0,02	EC MRL
Iprodione		58	58	0,020																0,02	EC MRL
Iprovalicarb		1	1	0,010																0,05	EC MRL
Kresoxim-methyl		57	57	0,020																0,05	EC MRL
Lambda-Cyhalothrin		66	66	0,050																0,02	EC MRL
Malathion (sum of malathion and malaoxon expressed as malathion)		66	66	0,010																0,50	EC MRL
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine,) expressed as Mepanipyrim)		28	28	0,010																0,01	EC MRL
Mepiquat		0																			
Metalaxyl (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))		57	51	0,010	1	5												0,020		0,05	EC MRL
Methamidophos		63	62	0,010	1													0,010		0,01	EC MRL
Methidathion		66	66	0,010																0,02	EC MRL
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)		28	28	0,050																	
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)		28	28	0,010																0,05	EC MRL
Myclobutanil		57	57	0,050																0,02	EC MRL
Omethoate (see Dimethoate)		0																			
Oxamyl		28	28	0,010																0,01	EC MRL
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)		28	28	0,010																0,02	EC MRL
Parathion		66	66	0,010																0,05	EC MRL
Penconazole		58	58	0,010																0,05	EC MRL
Phosalone		66	66	0,010																1,00	EC MRL
Pirimicarb (sum of Pirimicarb and Desmethyl pirimicarb expressed as Pirimicarb)		56	56	0,010																	
Pirimiphos-methyl		66	66	0,010																0,05	EC MRL
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)		28	28	0,010																0,05	EC MRL
Procymidone		58	58	0,020																0,02	EC MRL
Profenofos		66	66	0,020																0,05	EC MRL
Propargite		49	49	0,010																	
Pyrethrins		0	0																	1,00	EC MRL
Pyrimethanil		57	57	0,020																0,05	EC MRL
Pyriproxyfen		28	28	0,010																	
Quinoxyfen		28	28	0,010																0,02	EC MRL
Spiroxamine		28	28	0,010																0,05	EC MRL
Tebuconazole		57	57	0,050																	
Tebufenozide		28	28	0,050																	
Thiabendazole (4)		45	43	0,010		1	1											0,029		15,00	EC MRL
Thiodicarb (see Methomyl)		0																			
Thiophanate-methyl		28	28	0,010																0,10	EC MRL
Tolclofos-methyl		51	51	0,010																	
Tolylfluanid (Sum of Tolylfluanid and dimethylaminosulfotoluidide expressed as Tolylfluanid)		58	58	0,010																0,05	EC MRL
Triadimefon (sum of Triadimefon and Triadimenol)		57	57	0,050																0,10	EC MRL
Triadimenol (see Triadimefon)		0																			
Trifloxystrobin		57	57	0,020																0,02	EC MRL
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniniline moiety, expressed as Vinclozolin)		58	58	0,010																0,05	EC MRL

(*) i.e column "0.02" includes the range from 0.011 mg/kg up to 0.020 mg/kg

(**) Please use the following abbreviations for the Source of MRLs: E = EC MRL, N = National MRL, W = Without MRL

(1) Chlorpropham only, not expressed as sum

(2) Dithiocarbamates, expressed as CS2, including maneb, mancozeb, metiram, propineb and zineb.

Notifications of the results of the 2008 EU coordinated programme

Product group: Cereals **Food item: Rice** **Note, if any:**

Reporting country: **Cyprus** **Year of sampling:** **2008**

Total number of samples analysed:	28	With residues above MRL (EC+national):	3
Without detectable residues:	24	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	3

Note:If you get in Column A the error **"! Rep"**: please complete the missing reporting level; **"! MRL"** please check the number of samples above the MRL; **"! MAX"**: the max residue level is above the MRL, please report the number of samples above the MRL.

Pesticide (residue definition according to Regulation 396/2005 on EU MRLs)	Pesticide (MS alternative residue definition)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*) 0.01	0.02	0.05	0.1	0.2	0.5	1,0	2,0	5,0	10,0	20,0	50,0	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL(**)
Acephate		15	15	0,010																0,02	EC MRL
Acetamiprid		15	15	0,010																0,01	EC MRL
Aldicarb (sum of Aldicarb, its sulfoxide and its sulfone, expressed as Aldicarb)		15	15	0,010																0,05	EC MRL
Azinphos-methyl		15	15	0,010																	
Azoxystrobin		15	15	0,010																0,30	EC MRL
Benomyl (see carbendazim)		0																			
Bifenthrin		15	15	0,050																0,05	EC MRL
Bromopropylate		15	15	0,050																0,05	EC MRL
Bupirimate		15	15	0,010																	
Buprofezin		15	15	0,010																	
Captan		0	0																	0,02	EC MRL
Carbaryl		15	15	0,010																1,00	EC MRL
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)		15	11	0,010	2	2												0,013	2	0,01	EC MRL
Clofentezine (sum of all compounds containing the 2-chlorobenzoyl 0,02 (*) moiety expressed as clofentezine)		15	15	0,010																0,02	EC MRL
Chlormequat		0																			
Chlorothalonil		15	15	0,050																0,01	EC MRL
Chlorpropham (Chlorpropham and 3-chloroaniline, expressed as Chlorpropham)		15	15	0,050																0,02	EC MRL
Chlorpyrifos		15	15	0,010																0,05	EC MRL
Chlorpyrifos-methyl		15	15	0,010																3,00	EC MRL
Cypermethrin (Cypermethrin including other mixtures of constituent isomers (sum of isomers))		15	15	0,050																0,05	EC MRL
Cyprodinil		15	15	0,010																	
Deltamethrin (cis-deltamethrin)		15	15	0,050																2,00	EC MRL
Diazinon		15	15	0,010																0,02	EC MRL
Dichlofluanid		15	15	0,010																	
Dichlorvos		15	15	0,010																0,01	EC MRL
Dicofol (sum of p, p' and o,p' isomers)		0	0																	0,02	EC MRL
Dimethoate (sum of Dimethoate and Omethoate, expressed as Dimethoate)		15	15	0,010																0,02	EC MRL
Diphenylamine		15	15	0,050																	
Dithiocarbamates (expressed as CS_2) (1)		13	13	0,100																0,05	EC MRL
Endosulfan (sum of alpha- and beta-isomers and Endosulfan-sulphate, expressed as Endosulfan)		15	15	0,050																0,05	EC MRL
Fenarimol		15	15	0,100																0,02	EC MRL
Fenhexamid		15	15	0,010																0,05	EC MRL
Fenitrothion		15	15	0,050																	
Fludioxonil		15	15	0,010																	
Flusilazole		15	15	0,010																	
Folpet		0	0																	0,02	EC MRL
Hexaconazole		15	15	0,010																0,02	EC MRL
Hexythiazox		15	15	0,010																	
Imazalil		15	15	0,010																0,02	EC MRL
Imidacloprid		15	14	0,010		1												0,013	1	0,01	N MRL
Indoxacarb (sum of the isomers S and R)		15	15	0,010																0,02	EC MRL
Iprodione		15	15	0,100																3,00	EC MRL
Iprovalicarb		15	15	0,010																0,05	EC MRL
Kresoxim-methyl		15	15	0,010																0,05	EC MRL
Lambda-Cyhalothrin		15	15	0,050																0,02	EC MRL
Malathion (sum of malathion and malaoxon expressed as malathion)		15	14	0,010	1													0,010		8,00	EC MRL
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine,) expressed as Mepanipyrim)		15	15	0,010																0,01	EC MRL
Mepiquat		0																			
Metalaxyl (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))		15	15	0,010																0,05	EC MRL
Methamidophos		15	15	0,010																0,01	EC MRL
Methidathion		15	15	0,010																0,02	EC MRL
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)		15	15	0,010																	
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)		15	15	0,010																0,05	EC MRL
Myclobutanil		15	15	0,010																0,02	EC MRL
Omethoate (see Dimethoate)		0																			
Oxamyl		15	15	0,010																0,01	EC MRL
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)		15	15	0,010																0,02	EC MRL
Parathion		15	15	0,050																0,05	EC MRL
Penconazole		15	15	0,010																0,05	EC MRL
Phosalone		15	15	0,050																	
Pirimicarb (sum of Pirimicarb and Desmethyl pirimicarb expressed as Pirimicarb)		15	15	0,010																	
Pirimiphos-methyl		15	15	0,010																5,00	EC MRL
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)		15	15	0,010																1,00	EC MRL
Procymidone		15	15	0,050																0,02	EC MRL
Profenofos		15	15	0,010																0,05	EC MRL
Propargite		15	15	0,010																	
Pyrethrins		0	0																	3,00	EC MRL
Pyrimethanil		15	15	0,010																0,05	EC MRL
Pyriproxyfen		15	15	0,010																	
Quinoxyfen		15	15	0,010																0,02	EC MRL
Spiroxamine		15	15	0,010																0,05	EC MRL
Tebuconazole		15	15	1,000																	
Tebufenozide		15	15	0,010																	
Thiabendazole		15	15	0,010																0,05	EC MRL
Thiodicarb (see Methomyl)		0																			
Thiophanate-methyl		15	15	0,010																0,01	EC MRL
Tolclofos-methyl		15	15	0,050																0,05	EC MRL
Tolylfluanid (Sum of Tolylfluanid and dimethylaminosulfotoluidide expressed as Tolylfluanid)		15	15	0,010																0,05	EC MRL
Triadimefon (sum of Triadimefon and Triadimenol)		15	15	0,010																0,10	EC MRL
Triadimenol (see Triadimefon)		0																			
Trifloxystrobin		15	15	0,010																0,02	EC MRL
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniniline moiety, expressed as Vinclozolin)		15	15	0,050																0,05	EC MRL

(*) i.e column "0.02" includes the range from 0.011 mg/kg up to 0.020 mg/kg

(**) Please use the following abbreviations for the Source of MRLs: E = EC MRL, N = National MRL, W = Without MRL

(1) Dithiocarbamates, expressed as CS2, including maneb, mancozeb, metiram, propineb and zineb.

Notifications of the results of the 2008 EU coordinated programme

Product group: Leaf vegetables and fresh herbs | **Food item: Spinach** | **Note, if any:**

Reporting country: Cyprus | **Year of sampling: 2008**

Total number of samples analysed:	32	With residues above MRL (EC+national):	15
Without detectable residues:	7	With residues above EC-MRL:	15
With detectable residues at or below MRL or without MRL:	10	With residues above national MRL:	15

Note:If you get in Column A the error **"! Req"**: please complete the missing reporting level; **"! MRL"** please check the number of samples above the MRL; **"! MAX"**: the max residue level is above the MRL, please report the number of samples above the MRL

Pesticide (residue definition according to Regulation 396/2005 on EU MRLs)	Pesticide (MS alternative residue definition)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*) 0.01	0.02	0.05	0.1	0.2	0.5	1,0	2,0	5,0	10,0	20,0	50,0	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL(**)
Acephate		21	21	0,010																0,02	EC MRL
Acetamiprid		16	16	0,010																0,01	EC MRL
Aldicarb (sum of Aldicarb, its sulfoxide and its sulfone, expressed as Aldicarb)		16	16	0,010																0,02	EC MRL
Azinphos-methyl		21	21	0,010																0,50	EC MRL
Azoxystrobin		21	18	0,010		1	1			1								0,250	1	0,05	EC MRL
Benomyl (see carbendazim)		0																			EC MRL
Bifenthrin		21	16	0,050			2		2	1								0,340	3	0,05	EC MRL
Bromopropylate		21	21	0,020																0,05	EC MRL
Bupirimate		21	21	0,020																	
Buprofezin		21	21	0,020																	
Captan		18	18	0,200																0,10	EC MRL
Carbaryl		21	21	0,010																0,05	EC MRL
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)		16	16	0,010																0,10	EC MRL
Clofentezine		16	16	0,010																0,02	EC MRL
Chlormequat		0																			
Chlorothalonil		21	21	0,010																0,01	EC MRL
Chlorpropham (Chlorpropham and 3-chloroaniline, expressed as Chlorpropham)		21	21	0,010																0,05	EC MRL
Chlorpyrifos		21	16	0,010	1	1					2	1						1,800	3	0,05	EC MRL
Chlorpyrifos-methyl		21	21	0,010																0,05	EC MRL
Cypermethrin (Cypermethrin including other mixtures of constituent isomers (sum of isomers))		21	11	0,050			1	2		5	1	1						1,200	2	0,50	EC MRL
Cyprodinil		16	16	0,010																	
Deltamethrin (cis-deltamethrin)		21	21	0,050																0,50	EC MRL
Diazinon		21	21	0,010																0,01	EC MRL
Dichlofluanid		21	21	0,020																5,00	EC MRL
Dichlorvos		21	21	0,010																0,01	EC MRL
Dicofol (sum of p, p' and o,p' isomers)		18	18	0,050																0,02	EC MRL
Dimethoate (sum of Dimethoate and Omethoate, expressed as Dimethoate)		21	20	0,010									1					2,600	1	0,02	EC MRL
Diphenylamine		21	21	0,020																0,05	EC MRL
Dithiocarbamates (expressed as CS_2) (1)		11	4	0,100			3			1	1	2						2,000	4	0,05	EC MRL
Endosulfan (sum of alpha- and beta-isomers and Endosulfan-sulphate, expressed as Endosulfan)		21	19	0,050					1	1								0,250	2	0,05	EC MRL
Fenarimol		21	21	0,020																0,02	EC MRL
Fenhexamid		16	16	0,010																0,05	EC MRL
Fenitrothion		21	21	0,010																0,01	EC MRL
Fludioxonil		18	18	0,050																	
Flusilazole		16	16	0,010																	
Folpet		21	21	0,200																0,02	EC MRL
Hexaconazole		16	16	0,010																0,02	EC MRL
Hexythiazox		16	16	0,010																	
Imazalil		16	16	0,010																0,02	EC MRL
Imidacloprid		16	16	0,010																	
Indoxacarb (sum of the isomers S and R)		16	7	0,010	1	1	2	2	2	1								0,430		2,00	EC MRL
Iprodione		21	21	0,020																0,02	EC MRL
Iprovalicarb		16	16	0,010																0,05	EC MRL
Kresoxim-methyl		21	21	0,020																0,05	EC MRL
Lambda-Cyhalothrin		21	21	0,050																0,50	EC MRL
Malathion (sum of malathion and malaoxon expressed as malathion)		21	21	0,010																3,00	EC MRL
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine,) expressed as Mepanipyrim)		16	16	0,010																0,01	EC MRL
Mepiquat		0																			
Metalaxyl (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))		21	21	0,010																0,05	EC MRL
Methamidophos		21	21	0,010																0,01	EC MRL
Methidathion		21	21	0,010																0,02	EC MRL
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)		16	16	0,050																	
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)		16	10	0,010		1	4		1									0,130	6	0,01	EC MRL
Myclobutanil		21	21	0,050																0,02	EC MRL
Omethoate (see Dimethoate)		0																			
Oxamyl		16	16	0,010																0,01	EC MRL
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)		16	16	0,010																0,02	EC MRL
Parathion		21	21	0,010																0,05	EC MRL
Penconazole		21	21	0,010																0,05	EC MRL
Phosalone		21	21	0,010																1,00	EC MRL
Pirimicarb (sum of Pirimicarb and Desmethyl pirimicarb expressed as Pirimicarb)		21	21	0,010																	
Pirimiphos-methyl		21	21	0,010																0,05	EC MRL
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)		16	16	0,010																0,05	EC MRL
Procymidone		21	21	0,020																0,05	EC MRL
Profenofos		21	21	0,010																0,05	EC MRL
Propargite		19	19	0,010																	
Pyrethrins		0	0																	1,00	EC MRL
Pyrimethanil		21	20	0,020						1								0,220	1	0,05	EC MRL
Pyriproxyfen		16	16	0,010																0,02	EC MRL
Quinoxyfen		16	16	0,010																0,05	EC MRL
Spiroxamine		16	16	0,010																0,05	EC MRL
Tebuconazole		21	21	0,050																	
Tebufenozide		16	16	0,050																	
Thiabendazole		16	16	0,010																0,05	EC MRL
Thiodicarb (see Methomyl)		0																			
Thiophanate-methyl		16	16	0,010																0,10	EC MRL
Tolclofos-methyl		21	21	0,010																	
Tolylfluanid (Sum of Tolylfluanid and dimethylaminosulfotoluidide expressed as Tolylfluanid)		21	21	0,010																0,05	EC MRL
Triadimefon (sum of Triadimefon and Triadimenol)		21	21	0,050																0,10	EC MRL
Triadimenol (see Triadimefon)		0																			
Trifloxystrobin		21	21	0,020																0,02	EC MRL
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniniline moiety, expressed as Vinclozolin)		21	21	0,010																0,05	EC MRL

(*) i.e column "0.02" includes the range from 0.011 mg/kg up to 0.020 mg/kg

(**) Please use the following abbreviations for the Source of MRLs: E = EC MRL, N = National MRL, W = Without MRL

(1) Dithiocarbamates, expressed as CS2, including maneb, mancozeb, metiram, propineb and zineb.

Processed cereal-based foods for infants and young childern: notifications of the results of surveillance sampling of the National Programme

Product group: Infant and young children food

Food item: **Cereal-based** baby foods

Other:

Reporting country: **Cyprus**

Year of sampling: **2008**

Total number of samples analysed:	**10**	With residues above MRL (EC+national):	
Without detectable residues:	10	With residues above EC MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

(*) EC MRLs are set by Directive 96/5/EC. For other pesticides than those listed the EC MRL of 0.01 mg/kg applies.

Note:If you get in Column A the error **"! Rep":** please complete the missing reporting level; **"! MRL"** please check the number of samples above the MRL; **"! MAX"**: the max residue level is above the MRL, please report the number of samples above the MRL.

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (*)
				0,003	0,004	0,006	0,01	0,01	0,02	0,05	0,1	0,2	0,5	1,0	2,0	>2				
Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin)	10	10	0,010																0,003	EC MRL
Cadusafos	0	0																	0,006	EC MRL
Demeton-S-Methyl/Demeton-S-methyl sulfone/oxydemeton-methyl (individually or co	0	0																	0,006	EC MRL
Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed a	0	0																	0,003	EC MRL
Endrin	10	10	0,010																0,003	EC MRL
Ethoprophos	10	10	0,100																0,008	EC MRL
Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expresse	10	10	0,100																0,003	EC MRL
Fentin, expressed as triphenyltin cation	0	0																	0,003	EC MRL
Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0	0																	0,004	EC MRL
Haloxyfop (sum of haloxyfop, its salts and esters including conjugates expressed as h	0	0																	0,003	EC MRL
Heptachlor and trans-heptachlor epoxide, expressed as heptachlor	10	10	0,010																0,003	EC MRL
Hexachlorobenzene	10	10	0,010																0,003	EC MRL
Nitrofen	0	0																	0,003	EC MRL
Omethoate	10	10	0,010																0,003	EC MRL
Propineb/propylenethiourea (sum of propineb and propylenethiourea	0	0																	0,006	EC MRL
Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0																	0,003	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
Add new row if necessary	0																		0,01	EC MRL

Infant formulae and follow-on formulae: notifications of the results of surveillance sampling of the National Programme

Product group: Infant and baby foods

Food item: Infant/follow-on formulae

Other:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	16	With residues above MRL (EC+national):	
Without detectable residues:	16	With residues above EC MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

(*) EC MRLs are set by Directive 91/321/EEC. For other pesticides than those listed the EC MRL of 0.01 mg/kg applies.

Note:If you get in Column A the error **"! Rep"**: please complete the missing reporting level; **"! MRL"** please check the number of samples above the MRL; **"! MAX"**: the max residue level is above the MRL, please report the number of samples above the MRL.

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL(*)
				0,003	0,004	0,006	0,01	0,01	0,02	0,1	0,1	0,2	0,5	1,0	2,0	>2				
Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin)	16	16	0,004																0,003	EC MRL
Cadusafos	0	0																	0,006	EC MRL
Demeton-S-Methyl/Demeton-S-methyl sulfone/oxydemeton-methyl (individually or co	0	0																	0,006	EC MRL
Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed a	0	0																	0,003	EC MRL
Endrin	16	16	0,004																0,003	EC MRL
Ethoprophos	0	0																	0,008	EC MRL
Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, express	0	0																	0,003	EC MRL
Fentin, expressed as triphenyltin cation	0	0																	0,003	EC MRL
Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0	0																	0,004	EC MRL
Haloxyfop (sum of haloxyfop, its salts and esters including conjugates expressed as	0	0																	0,003	EC MRL
Heptachlor and trans-heptachlor epoxide, expressed as heptachlor	16	16	0,004																0,003	EC MRL
Hexachlorobenzene	16	16	0,004																0,003	EC MRL
Nitrofen	0	0																	0,003	EC MRL
Omethoate	0	0																	0,003	EC MRL
Propineb/propylenethiourea (sum of propineb and propylenethiourea)	0	0																	0,006	EC MRL
Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0																	0,003	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
Add new row if necessary	0																		0,01	EC MRL

Baby foods (non-cereal based) for infants and young childern: notifications of the results of surveillance sampling of the National Programme

Product group: Infant and young children food | **Food item:** **Non-cereal** based baby foods | **Other:**

Reporting country: Cyprus | **Year of sampling:** 2008

Total number of samples analysed:	42	With residues above MRL (EC+national):	
Without detectable residues:	42	With residues above EC MRL:	
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	

(*) EC MRLs are set by Directive 96/5/EC. For other pesticides than those listed the EC MRL of 0.01 mg/kg applies.

Note:If you get in Column A the error **"! Rep":** please complete the missing reporting level; **"! MRL"** please check the number of samples above the MRL; **"! MAX"**: the max residue level is above the MRL, please report the number of samples above the MRL.

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (*)
				0,003	0,004	0,006	0,01	0,01	0,02	0,1	0,1	0,2	0,5	1,0	2,0	>2				
Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin)	15	15	0,010																0,003	EC MRL
Cadusafos	0	0																	0,006	EC MRL
Demeton-S-Methyl/Demeton-S-methyl sulfone/oxydemeton-methyl (individually or	0	0																	0,006	EC MRL
Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expresse	15	15	0,020																0,003	EC MRL
Endrin	15	15	0,010																0,003	EC MRL
Ethoprophos	15	15	0,010																0,008	EC MRL
Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expre	15	15	0,010																0,003	EC MRL
Fentin, expressed as triphenyltin cation	0	0																	0,003	EC MRL
Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0	0																	0,004	EC MRL
Haloxyfop (sum of haloxyfop, its salts and esters including conjugates expressed	0	0																	0,003	EC MRL
Heptachlor and trans-heptachlor epoxide, expressed as heptachlor	15	15	0,010																0,003	EC MRL
Hexachlorobenzene	15	15	0,010																0,003	EC MRL
Nitrofen	0	0																	0,003	EC MRL
Omethoate	42	42	0,010																0,003	EC MRL
Propineb/propylenethiourea (sum of propineb and propylenethiourea	0	0																	0,006	EC MRL
Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	15	15	0,020																0,003	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
	0																		0,01	EC MRL
Add new row if necessary	0																		0,01	EC MRL

Notifications of the results of surveillance sampling of the National Programme

Product group: Legume vegetables

Food item: Beans (with

Other:

Processed:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	37	With residues above MRL (EC+national):	4
Without detectable residues:	29	With residues above EC MRL:	4
With detectable residues at or below MRL or without MRL:	4	With residues above national MRL:	4

Number of Table C to Create:

Create Named Tables **Create Tables**

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (*)
				0.01	0.02	0.05	0.1	0.2	0.5	1,0	2,0	5,0	10	20	50,0	>50				
Acetamiprid	16	15	0,010				1										0,100	1	0,01	EC MRL
Carbendazim and benomyl (sum of benomyl and car	16	15	0,010	1													0,010	0	0,20	EC MRL
Chlorothalonil	24	22	0,010					1		1							1,000	0	5,00	EC MRL
Cypermethrin	24	22	0,050			1	1										0,073	0	0,50	EC MRL
Dimethoate (sum of Dimethoate and Omethoate, exp	24	23	0,010							1							0,700	1	0,02	EC MRL
Indoxacarb	16	15	0,010				1										0,100	1	0,02	EC MRL
Metalaxyl	24	23	0,010		1												0,013	0	0,05	EC MRL
Methiocarb (sum of methiocarb and methiocarb sulfo	16	15	0,050						1								0,350	1	0,20	EC MRL
Methomyl	16	15	0,010					1									0,150	1	0,05	EC MRL
Procymidone	24	23	0,050				1										0,054	0	2,00	EC MRL
Triadimefon (sum of Triadimefon and Triadimenol)	24	23	0,050						1								0,250	1	0,10	EC MRL
	0																			
	0																			
	0																			
	0																			
	0																			
	0																			
	0																			
	0																			
	0																			

Notifications of the results of surveillance sampling of the National Programme

Product group: Root and tuber vegetables

Food item: Carrots

Other:

Processed:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	33	With residues above MRL (EC+national):	9
Without detectable residues:	20	With residues above EC MRL:	9
With detectable residues at or below MRL or without MRL:	4	With residues above national MRL:	9

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Boscalid	4	1	0,050					3									0,140	0	1,00
Chlorpyrifos	21	18	0,010			1	1	1									0,180	1	0,10
DDT	19	17	0,010	2													0,010	0	0,05
Iprodione	21	13	0,020							1	5	2					4,800	8	0,50
Pyrimethanil	18	16	0,020		1	1											0,026	0	1,00
Triadimenol	18	17	0,050			1											0,029	0	0,10
Trifluralin	3	2	0,020			1											0,025	0	1,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Fruiting vegetables	**Food item:**	Cucumbers	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**30**	With residues above MRL (EC+national):	2		
Without detectable residues:	21	With residues above EC MRL:	1		
With detectable residues at or below MRL or without MRL:	7	With residues above national MRL:	2		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Chlorothalonil	17	13	0,010	2	2												0,019	0	1,00
Endosulfan (sum of alpha- and beta-isomers ar	17	16	0,050				1										0,078	1	0,05
Iprodione	17	15	0,020		1		1										0,056	0	2,00
Metalaxyl	17	16	0,020		1												0,020	0	0,50
Procymidone	17	13	0,020		1	2	1										0,062	0	1,00
Pyrimethanil	17	11	0,020		2	1	1	1		1							0,610	1	0,50
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Pome fruits	**Food item:**	Pears	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**29**	With residues above MRL (EC+national):	1		
Without detectable residues:	14	With residues above EC MRL:	1		
With detectable residues at or below MRL or without MRL:	14	With residues above national MRL:	1		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Azinphos methyl	16	15	0,010	1													0,010	0	0,50
Bifethrin	3	1	0,050			2											0,028	0	0,30
Carbendazim and benomyl (sum of benomyl ar	15	9	0,010		1		1	3	1								0,210	1	0,20
Chlorothalonil	16	15	0,010			1											0,030	0	1,00
Chlorpyrifos	16	10	0,010	2	1	2	1										0,068	0	0,50
Chlorpyrifos Methyl	16	15	0,010	1													0,010	0	0,50
Cypermethrin	16	9	0,050			2	3		2								0,500	0	1,00
Cyproconazole	15	13	0,010		2												0,018	0	0,10
Deltamethrin	16	13	0,050			3											0,050	0	0,10
Dithiocarbamates (expressed as CS2) (1)	14	11	0,100				2		1								0,430	0	3,00
Imidacloprid	15	12	0,010	1	1		1										0,074	0	0,50
L-Cyhalothrin	16	14	0,050			2											0,050	0	0,10
Methomyl and Thiodicarb (sum of methomyl an	15	12	0,010	1	2												0,014	0	0,20
Phosalone	16	14	0,010	1	1												0,020	0	2,00
Phosmet	16	14	0,010			1		1									0,120	0	0,20
Triadimenol	16	15	0,020		1												0,020	0	0,10
Trifloxystrobin	16	15	0,010	1													0,010	0	0,50
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Root and tuber vegetables	**Food item:**	Potatoes	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**79**	With residues above MRL (EC+national):	0		
Without detectable residues:	56	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	23	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Chlorpropham	58	49	0,010			2	1	1		5							0,970	0	10,00
Chlorpyrifos	66	65	0,010	1													0,010	0	0,05
DDT	58	51	0,010	7													0,010	0	0,05
Dithiocarbamates (expressed as CS2) (1)	13	12	0,050			1											0,050	0	0,30
Metalaxyl	57	51	0,010	1	5												0,020	0	0,05
Methamidophos	63	62	0,010	1													0,010	0	0,01
Thiabentazole	45	43	0,010		1	1											0,029	0	15,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group: Citrus fruits

Food item: Oranges

Other:

Processed:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	18	With residues above MRL (EC+national):	2
Without detectable residues:	11	With residues above EC MRL:	2
With detectable residues at or below MRL or without MRL:	5	With residues above national MRL:	2

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Bromopropylate	9	7	0,020					1	1								0,250	0	2,00
Carbofuran	10	9	0,020			1											0,050	0	0,30
Chlorpyrifos	10	8	0,010		1	1											0,034	0	0,30
Dimethoate (sum of Dimethoate and Omethoat	10	9	0,010					1									0,140	1	0,02
Imazalil	1	0	0,010										1				6,600	1	5,00
Malathion (sum of malathion and malaoxon exp	10	7	0,010					1	2								0,460	0	2,00
Methidathion	10	8	0,010			1		1									0,140	0	2,00
Prochloraz	1	0	0,010					1									0,190	0	10,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group: Citrus fruits

Food item: Mandarins

Other:

Processed:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	13	With residues above MRL (EC+national):	0
Without detectable residues:	10	With residues above EC MRL:	0
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Cypermethrin	7	5	0,050			1		1									0,150	0	2,00
Malathion (sum of malathion and malaoxon exp	7	6	0,010						1								0,220	0	2,00
Methidathion	7	6	0,010		1												0,016	0	2,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Leafy vegetables	**Food item:**	Spinach	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**32**	With residues above MRL (EC+national):	15		
Without detectable residues:	7	With residues above EC MRL:	15		
With detectable residues at or below MRL or without MRL:	10	With residues above national MRL:	15		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Azoxystrobin	21	18	0,010		1	1			1								0,250	1	0,05
Benalaxyl	21	20	0,020		1												0,020	0	0,05
Bifethrin	21	16	0,050			2		2	1								0,340	3	0,05
Chlorpyrifos	21	16	0,010	1	1					2	1						1,800	3	0,05
Cypermethrin	21	11	0,050			1	2		5	1	1						1,200	2	0,50
Dimethoate (sum of Dimethoate and Omethoat	21	20	0,010									1					2,600	1	0,02
Dithiocarbamates (expressed as CS2) (1)	11	4	0,100			3			1	1	2						2,000	4	0,05
Endosulfan (sum of alpha- and beta-isomers ar	21	19	0,050					1	1								0,250	2	0,05
Indoxacarb	16	7	0,010	1	1	2	2	2	1								0,430	0	2,00
Methomyl and Thiodicarb (sum of methomyl an	16	10	0,010		1	4		1									0,130	6	0,01
Pyrimethanil	21	20	0,020						1								0,220	1	0,05
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Stem vegetables	**Food item:**	Globe artichc	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**1**	With residues above MRL (EC+national):	0		
Without detectable residues:	1	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Leafy vegetables	**Food item:**	Other	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**2**	With residues above MRL (EC+national):	0		
Without detectable residues:	1	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Cypermethrin	2	1	0,050			1											0,050	0	2,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Leafy vegetables	**Food item:**	Celery leaves	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**8**	With residues above MRL (EC+national):	1		
Without detectable residues:	5	With residues above EC MRL:	1		
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	1		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Benalaxyl	8	7	0,020						1								0,370	1	0,05
Chlorpyrifos	8	7	0,010	1													0,010	0	0,05
Cypermethrin	8	7	0,100							1							0,800	0	2,00
Pendimethalin	8	7	0,020		1												0,020	0	0,05
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Leafy vegetables	**Food item:**	Basil	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**1**	With residues above MRL (EC+national):	0		
Without detectable residues:	1	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Fruiting vegetables	**Food item:**	Courgettes	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**5**	With residues above MRL (EC+national):	0		
Without detectable residues:	5	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Bulb vegetables	**Food item:**	Spring onions	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**1**	With residues above MRL (EC+national):	0		
Without detectable residues:	1	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Leafy vegetables	**Food item:**	Lettuce	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**8**	With residues above MRL (EC+national):	0		
Without detectable residues:	7	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Iprodione	8	7	0,020			1											0,038	0	10,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Legume vegetables	**Food item:**	Beans (with p	**Other:**	Black eye beans
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**6**	With residues above MRL (EC+national):	0		
Without detectable residues:	3	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Cypermethrin	6	3	0,050					1	2								0,470	0	0,50
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Leafy vegetables	**Food item:**	Parsley	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**3**	With residues above MRL (EC+national):	0		
Without detectable residues:	2	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Cypermethrin	3	2	0,050					1									0,140	0	2,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Fruiting vegetables	**Food item:**	Tomatoes	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**4**	With residues above MRL (EC+national):	0		
Without detectable residues:	2	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Chlorothalonil	4	3	0,010	1													0,010	0	2,00
Metalaxyl	4	3	0,010			1											0,023	0	0,20
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Fruiting vegetables	**Food item:**	Peppers	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**2**	With residues above MRL (EC+national):	0		
Without detectable residues:	2	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Leafy vegetables	**Food item:**	Rocket, Ruc	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**2**	With residues above MRL (EC+national):	0		
Without detectable residues:	2	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Pulses (dry)	**Food item:**	Beans (dry)	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**5**	With residues above MRL (EC+national):	0		
Without detectable residues:	5	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:

Food item:

Other: JUICES
Processed: X

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	**2**	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group: Stone fruits

Food item: Apricots

Other:

Processed:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Cypermethrin	2	1	0,050					1									0,150	0	2,00
Phosmet	2	1	0,020			1											0,046	0	0,05
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group: Citrus fruits

Food item: Grapefruit

Other:

Processed:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Bromopropylate	2	1	0,050						1								0,210	0	2,00
Chlorpyrifos	2	0	0,010		1		1										0,079	0	0,30
Imazalil	2	0	1,000							1	1						1,300	0	5,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Stone fruits	**Food item:**	Plums	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**4**	With residues above MRL (EC+national):	1		
Without detectable residues:	2	With residues above EC MRL:	1		
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	1		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Chlorpyrifos	4	3	0,010		1												0,013	0	0,20
Cypermethrin	4	3	0,050						1								0,220	0	1,00
Endosulfan (sum of alpha- and beta-isomers ar	4	3	0,050					1									0,130	1	0,05
Iprodione	4	3	0,050						1								0,380	0	3,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group: Stone fruits

Food item: Cherries

Other:

Processed:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	8	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC MRL:	0
With detectable residues at or below MRL or without MRL:	6	With residues above national MRL:	0

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Cypermethrin	8	6	0,050			1	1										0,054	0	1,00
Dimethoate (sum of Dimethoate and Omethoat	8	7	0,010		1												0,013	0	1,00
Iprodione	8	5	0,050				2		1								0,240	0	3,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Citrus fruits	**Food item:**	Lemons	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**3**	With residues above MRL (EC+national):	0		
Without detectable residues:	0	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Bromopropylate	3	2	0,020						1								0,220	0	2,00
Cypermethrin	3	2	0,020			1											0,034	0	2,00
Imazalil	3	2	0,200									1					3,200	0	5,00
Methidathion	3	1	0,010			1		1									0,170	0	5,00
Thiabendazole	3	2	0,100					1									0,150	0	5,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group: Citrus fruits

Food item: Other

Other: MANDORES

Processed:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Bromopropylate	4	3	0,020							1							0,520	0	2,00
Imazalil	4	2	0,200							1	1						2,000	0	5,00
Thiabendazole	4	2	0,200							1	1						1,100	0	5,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Pome fruits	**Food item:**	Loquat	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**1**	With residues above MRL (EC+national):	0		
Without detectable residues:	1	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group: Pome fruits

Food item: Apples

Other:

Processed:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Chlorpyrifos	4	3	0,010		1												0,012	0	0,50
Cypermethrin	4	3	0,050			1											0,050	0	1,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Miscellaneous fruits	**Food item:**	Bananas	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**1**	With residues above MRL (EC+national):	0		
Without detectable residues:	0	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Chlorpyrifos	1	0	0,010	1													0,010	0	3,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group: Stone fruits

Food item: Peaches

Other:

Processed:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	4	With residues above MRL (EC+national):	1
Without detectable residues:	1	With residues above EC MRL:	1
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	1

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Chlorpyrifos	4	3	0,010	1													0,010	0	0,20
Dichlorvos	4	3	0,010	1													0,010	0	0,01
Dimethoate (sum of Dimethoate and Omethoat	4	2	0,010		1			1									0,190	1	0,02
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Miscellaneous fruits	**Food item:**	Pomegranate	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**2**	With residues above MRL (EC+national):	1		
Without detectable residues:	0	With residues above EC MRL:	1		
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	1		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Chlorpyrifos	2	1	0,010			1											0,037	0	0,05
Cypermethrin	2	1	0,020		1												0,017	0	0,05
Fenvalerate/Esfenvalerate	2	1	0,020			1											0,040	1	0,02
Lamda Cyhalothrin	2	1	0,020		1												0,020	0	0,02
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group: Small fruits and berries

Food item: Table grapes

Other:

Processed:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	30	With residues above MRL (EC+national):	7
Without detectable residues:	11	With residues above EC MRL:	7
With detectable residues at or below MRL or without MRL:	12	With residues above national MRL:	7

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Captan	18	17	0,200												1		35,000	1	0,02
Carbaryl	22	21	0,020		1												0,020	0	0,05
Chlorpyrifos	22	9	0,010	3	1	1	1	3	3			1					2,400	1	0,50
Cypermethrin	22	9	0,050				1	2	4	1	3	1	1				8,400	6	0,50
Deltamethrin	22	18	0,050			2		1		1							0,570	1	0,20
Indoxacarb	2	1	0,010						1								0,240	0	2,00
Iprodione	22	19	0,200					1		1	1						1,200	0	10,00
Kresoxim methyl	13	12	0,020			1											0,022	0	1,00
L-Cyhalothrin	13	12	0,050			1											0,050	0	0,20
Methamidophos	13	12	0,010	1													0,010	0	0,01
Procymidone	13	11	0,020					1	1								0,300	0	5,00
Triadimenol	11	10	0,050					1									0,140	0	2,00
Trifloxystrobin	13	9	0,020		1	1	1		1								0,210	0	5,00
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group: Small fruits and berries

Food item: Strawberries

Other:

Processed:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	19	With residues above MRL (EC+national):	2
Without detectable residues:	6	With residues above EC MRL:	2
With detectable residues at or below MRL or without MRL:	11	With residues above national MRL:	2

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Chlorpyrifos	19	18	0,010				1										0,080	0	0,20
Deltamethrin	19	18	0,050						1								0,230	1	0,20
Dicofol	19	18	0,020			1											0,026	1	0,02
Ethion	19	18	0,010		1												0,012	1	0,01
Kresoxim methyl	19	16	0,020		1	1		1									0,150	0	1,00
Procymidone	19	14	0,050			2	1	1		1							0,830	0	5,00
Pyrimethanil	19	13	0,020		1	1	1	2	1								0,500	0	3,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Fruiting vegetables	**Food item:**	Melons	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**1**	With residues above MRL (EC+national):	0		
Without detectable residues:	1	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Miscellaneous fruits	**Food item:**	Table olives	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**2**	With residues above MRL (EC+national):	0		
Without detectable residues:	2	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Leafy vegetables	**Food item:**	Thyme	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**1**	With residues above MRL (EC+national):	0		
Without detectable residues:	1	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Beverage crops	**Food item:**	Herbal infusi	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**2**	With residues above MRL (EC+national):	0		
Without detectable residues:	1	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
DDT	2	1	0,010		1												0,013	0	0,05
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Beverage crops	**Food item:**	Herbal infusi	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**5**	With residues above MRL (EC+national):	2		
Without detectable residues:	2	With residues above EC MRL:	2		
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	2		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Chlorpyrifos	5	3	0,010	2													0,010	0	0,05
Diazinon	5	3	0,010	0	1	1											0,035	2	0,01
Pirimiphos methyl	5	3	0,010			1			1								0,300	1	0,05
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group: Spices

Food item: Spices (seed

Other:

Processed:

Reporting country: Cyprus

Year of sampling: 2008

Total number of samples analysed:	3	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:		**Food item:**		**Other:**	OLIVE OIL
				Processed:	X
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**6**	With residues above MRL (EC+national):	1		
Without detectable residues:	2	With residues above EC MRL:	1		
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	1		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Bromopropylate	6	3	0,010		1	1	1										0,084	1	0,05
Chlorpyrifos	6	2	0,010	1	2	1											0,031	0	0,05
Cypermethrin	6	3	0,010		2	1											0,028	0	0,05
Endosulfan (sum of alpha- and beta-isomers ar	6	3	0,010	1	2												0,018	0	0,05
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Cereals	**Food item:**	Rice	**Other:**	
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**28**	With residues above MRL (EC+national):	2		
Without detectable residues:	24	With residues above EC MRL:	2		
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	2		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Carbendazim and benomyl (sum of benomyl ar	15	11	0,010	2	2												0,013	2	0,01
Imidacloprid	15	14	0,010		1												0,013	1	0,01
Malathion (sum of malathion and malaoxon exp	15	14	0,010	1													0,010	0	8,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Notifications of the results of surveillance sampling of the National Programme

Product group:	Leafy vegetables	**Food item:**	Other	**Other:**	HERB
				Processed:	
Reporting country:	**Cyprus**	**Year of sampling:**	**2008**		
Total number of samples analysed:	**1**	With residues above MRL (EC+national):	0		
Without detectable residues:	0	With residues above EC MRL:	0		
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0		

Delete Sheet

Note:If you get in Column A the error "! Rep": please complete the missing reporting level; "! MRL" please check the number of samples above the MRL; "! MAX": the max residue level is above the MRL, please report the number of samples above the MRL.

(*) Source of MRL:
E = EC MRL, N = National MRL, W = Without MRL

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Cypermethrin	1	0	0,050			1											0,050	0	2,00
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		
	0																		

Details of residues exceeding EC MRLs

Surveillance sampling only
(Samples of national and coordinated programme)
(Fresh and frozen fruit, vegetables and cereals)
(Pesticides covered by Directives 76/895, 86/362 and 90/642)

(*)Point of Sampling: F=Farmgate,R=Retail,W=Wholesale,O=Other
(**)Country of Origin: please insert the ISO code of the country (see Guidance document)
(***)Follow-up: W=Warnings, WA=Warnings and Administrative consequences,R=Rapid Alert,O=Other, NR=not released onto the market (not available for counsumption)

Reporting country: Cyprus **Year of sampling:** 2008

Please make one entry in the list for each exceeded MRL. The same samples should have the same sample reference.

Pesticide	Food item	Point of sampling(*)	Country of origin(**)	Residue in mg/kg	EC-MRL (mg/kg)	Follow-up(***)	Possible reason for MRL exceedence	Sample reference
Acetamiprid	BEANS WITH PODS	R	CY	0,10	0,01	A		05805/2008
Azoxystrobin	SPINACH	R	CY	0,25	0,05	A		13693/2008
Benalaxyl	CORRIANDER	W	CY	0,37	0,05	A		01582/2008
Bifethrin	SPINACH	R	CY	0,20	0,05	A		13467/2008
Bifethrin	SPINACH	R	CY	0,34	0,05	A		13693/2008
Bifethrin	SPINACH	R	CY	0,12	0,05	A		13695/2008
Captan	TABLE GRAPES	R	CY	35,00	0,02	A		12063/2008
expressed as carbendazim)	PEARS	R	CY	0,21	0,2	W		12408/2008
expressed as carbendazim)	RICE	R	DE	0,013	0,01	W		08607/2009
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)	RICE	R	IN	0,013	0,01	W		08680/2009
Chlorpyrifos	CARROTS	R	CY	0,18	0,1	W		10792/2008
Chlorpyrifos	TABLE GRAPES	R	CY	2,40	0,5	A		11996/2008
Chlorpyrifos	SPINACH	R	CY	0,68	0,05	A		13477/2008
Chlorpyrifos	SPINACH	R	CY	1,80	0,05	A		13479/2008
Chlorpyrifos	SPINACH	R	CY	0,56	0,05	A		13846/2008
Cypermethrin	TABLE GRAPES	R	CY	1,20	0,5	A		08214/2008
Cypermethrin	TABLE GRAPES	R	CY	1,40	0,5	A		11994/2008
Cypermethrin	TABLE GRAPES	R	CY	2,40	0,5	A		11995/2008
Cypermethrin	TABLE GRAPES	R	CY	1,50	0,5	A		11996/2008
Cypermethrin	TABLE GRAPES	R	CY	0,87	0,5	W		12061/2008
Cypermethrin	TABLE GRAPES	R	CY	8,40	0,5	A		12063/2008
Cypermethrin	SPINACH	R	CY	1,20	0,5	A		13458/2008
Cypermethrin	SPINACH	R	CY	0,52	0,5	W		13465/2008
Deltamethrin	STRAWBERRIES	R	CY	0,23	0,2	W		02489/2008
Deltamethrin	TABLE GRAPES	R	CY	0,57	0,2	A		12074/2008
Diazinon	HERBAL INFUSION (leaves)	W	SY	0,02	0,01	W		03759/2008
Diazinon	HERBAL INFUSION (leaves)	W	CY	0,04	0,01	A		03761/2008
Dicofol	STRAWBERRIES	W	EG	0,03	0,02	W		15246/2008
Dimethoate	ORANGES	R	CY	0,14	0,02	A		00689/2008
Dimethoate	PEACHES	W	IL	0,19	0,02	RA		04775/2008
Dimethoate	BEANS WITH PODS	R	CY	0,70	0,02	A		05849/2008
Dimethoate	SPINACH	R	CY	2,60	0,02	A		13477/2008
Endosulfan	PLUMS	R	CY	0,13	0,05	A		07183/2008
Endosulfan	SPINACH	R	CY	0,25	0,05	A		13464/2008
Endosulfan	SPINACH	R	CY	0,12	0,05	A		15104/2008
Endosulfan	CUCUMBERS	R	CY	0,08	0,05	W		01868/2008
Ethion	STRAWBERRIES	W	EG	0,01	0,01	W		15246/2008
Fenvalerate/Esfenvalerate	POMEGRANATE	W	IN	0,04	0,02	W		07432/2008
Imazalil	ORANGES	W	ZA	6,60	5	W		12078/2008
Indoxacarb	BEANS WITH PODS	R	CY	0,10	0,002	A		05778/2008
Iprodione	CARROTS	R	IL	0,76	0,5	W		10785/2008
Iprodione	CARROTS	R	IL	4,80	0,5	A		10789/2008
Iprodione	CARROTS	W	IL	2,20	0,5	RA		10791/2008
Iprodione	CARROTS	R	IL	1,60	0,5	A		10843/2008
Iprodione	CARROTS	W	IL	1,80	0,5	RA		10846/2008
Iprodione	CARROTS	W	IL	1,20	0,5	A		12076/2008
Iprodione	CARROTS	W	IL	1,10	0,5	RA		12077/2008
Iprodione	CARROTS	W	IL	2,00	0,5	RA		12473/2008
Maneb Group	SPINACH	R	CY	1,20	0,05	A		14054/2008
Maneb Group	SPINACH	R	CY	2,00	0,05	A		14058/2008
Maneb Group	SPINACH	R	CY	0,39	0,05	A		14061/2008
Maneb Group	SPINACH	R	CY	0,66	0,05	A		14063/2008
Methiocarb	BEANS WITH PODS	R	CY	0,35	0,2	W		05777/2008
Methomyl	BEANS WITH PODS	R	CY	0,15	0,05	A		05805/2008
Methomyl	SPINACH	R	CY	0,04	0,01	W		13458/2008
Methomyl	SPINACH	R	CY	0,03	0,01	W		13465/2008
Methomyl	SPINACH	R	CY	0,04	0,01	W		13466/2008
Methomyl	SPINACH	R	CY	0,02	0,01	W		13467/2008
Methomyl	SPINACH	R	CY	0,05	0,01	W		13693/2008
Methomyl	SPINACH	R	CY	0,13	0,01	W		13695/2008
Pirimiphos methyl	HERBAL INFUSION (leaves)	W	SY	0,30	0,05	A		03759/2008
Pyrimethanil	SPINACH	R	CY	0,22	0,05	A		13477/2008
Triadimenol	BEANS WITH PODS	R	CY	0,25	0,1	A		05778/2008

Details of residues exceeding non-harmonised (national) MRLs

Surveillance sampling only
(Samples of national and coordinated programme)
(Fresh and frozen fruit, vegetables and cereals)

(*)Point of Sampling: F=Farmgate,R=Retail,W=Wholesale,O=Other
(**)Country of Origin: please insert the ISO code of the country (see Guidance document)
(***)Follow-up: W=Warnings, WA=Warnings and Administrative consequences,R=Rapid Alert,O=Other, NR=Not released onto the market (not available for consumption)

Reporting country: Cyprus **Year of sampling:** 2008

Please make one entry in the list for each exceeded MRL. The same samples should have the same sample reference.

Pesticide	Food item	Point of sampling(*)	Country of origin(**)	Residue in mg/kg	National MRL (mg/kg)	Follow-up(***)	Possible reason for MRL exceedence	Sample reference
Pyrimethanil	CUCUMBERS	R	CY	0,61	0,5	W		01885/2009
Imidacloprid	RICE	R	IN	0,013	0,01	W		08680/2009
Add new row if necessary								

Details of samples with Multiple Residues (>=2) in Single Samples

(Samples of national and coordinated programme)
(Fresh and frozen fruit, vegetables and cereals)
(Sum of surveillance and follow-up enforcement sampling)
(Pesticides covered by Directives 76/895, 86/362 and 90/642 and by the national programmes)

First please enter the "Maximum Number of Compounds found" in the green cell in column M11. Then the correct number of columns will be automatically created.

Reporting country: Cyprus **Year of sampling: 2008**

Total number of samples with multiple residues (>=2)	83
Number of samples with 2 pesticide residues:	47
Number of samples with 3 pesticide residues:	21
Number of samples with 4 pesticide residues:	10
Number of samples with 5 pesticide residues:	4
Maximum Number of Compounds found	6
Number of samples with 6 pesticide residues:	1

(*) Country of Origin: please insert the ISO code of the country (see Guidance document)

Food item	Origin(*)	Sample reference	Number of compounds	Compound 1 name	Residue Level (mg/Kg)	Compound 2 name	Residue Level (mg/Kg)	Compound 3 name	Residue Level (mg/Kg)	Compound 4 name	Residue Level (mg/Kg)	Compound 5 name	Residue Level (mg/Kg)	Compound 6 name
APPLES	LB	13083/2008	2	Chlorpyrifos	0,012	Cypermethrin	0,05		0		0		0	
BEANS WITH PODS	CY	05778/2008	3	Chlorothalonil	1	Indoxacarb	0,1	Triadimenol	0,25		0		0	
BEANS WITH PODS	CY	05805/2008	3	Acetamiprid	0,1	Carbentazim	0,01	Methomyl	0,15		0		0	
BEANS WITH PODS	CY	05806/2008	2	Chlorothalonil	0,17	Cypermethrin	0,073		0		0		0	
CARROTS	CY	10783/2008	3	ppDDE	0,01	Pyrimethanil	0,016	Triadimenol	0,029		0		0	
CARROTS	IL	10785/2008	2	Iprodione	0,76	Boscalid	0,12		0		0		0	
CARROTS	IL	10789/2008	2	Iprodione	4,8	Boscalid	0,11		0		0		0	
CARROTS	IL	10791/2008	2	Iprodione	2,2	Boscalid	0,14		0		0		0	
CARROTS	CY	10844/2008	2	Pyrimethanil	0,026	DDT	0,01		0		0		0	
CARROTS	CY	12232/2008	2	Chlorpyrifos	0,09	Trifluralin	0,025		0		0		0	
CITRUS (others)	CY	01587/2008	3	Bromopropylate	0,52	Imazalil	1	TBZ	1		0		0	
CITRUS (others)	CY	01588/2008	2	Imazalil	2	TBZ	1,1		0		0		0	
COLLIANDER	CY	14626/2008	2	Chlorpyrifos	0,01	Cypermethrin	0,8		0		0		0	
CUCUMBERS	CY	01728/2008	4	Chlorothalonil	0,019	Metalaxyl	0,02	Procymidone	0,02	Pyrimethanil	0,093		0	
CUCUMBERS	CY	01885/2008	2	Iprodione	0,056	Pyrimethanil	0,61		0		0		0	
CUCUMBERS	CY	01886/2008	2	Procymidone	0,038	Pyrimethanil	0,02		0		0		0	
CUCUMBERS	CY	01892/2008	2	Iprodione	0,02	Pyrimethanil	0,11		0		0		0	

CUCUMBERS	CY	01894/2008	3	Chlorothalonil	0,01	Procymidone	0,062	Pyrimethanil	0,026		0		0	
CUCUMBERS	CY	01914/2008	2	Chlorothalonil	0,015	Pyrimethanil	0,02		0		0		0	
GRAPEFRUIT	CY	01586/2008	3	Bromopropylate	0,21	Chlorpyrifos	0,079	Imazalil	1,3		0		0	
GRAPEFRUIT	CY	01590/2008	2	Chlorpyrifos	0,02	Imazalil	1		0		0		0	
HERBAL INFUSION (le	SY	03759/2008	3	Chlorpyrifos	0,01	Diazinon	0,018	Pirimiphos methy	0,3		0		0	
LEMONS	AR	08428/2008	2	Imazalil	3,2	TBZ	0,15		0		0		0	
LEMONS	CY	14281/2008	3	Bromopropylate	0,22	Cypermethrin	0,034	Methidathion	0,17		0		0	
MANDARINS	CY	00827/2008	2	Malathion	0,22	Methidathion	0,016		0		0		0	
MINT	CY	03761/2008	2	Diazinon	0,035	Pirimiphos methy	0,024		0		0		0	
ORANGES	CY	00689/2008	2	Chlorpyrifos	0,034	Dimethoate	0,14		0		0		0	
ORANGES	CY	00693/2008	2	Bromopropylate	0,25	Chlorpyrifos	0,016		0		0		0	
ORANGES	CY	00731/2008	2	Carbofuran	0,05	Malathion	0,11		0		0		0	
ORANGES	CY	00732/2008	2	Malathion	0,46	Methidathion	0,14		0		0		0	
ORANGES	CY	00828/2008	2	Malathion	0,26	Methidathion	0,027		0		0		0	
ORANGES	ZA	12078/2008	2	Imazalil	6,6	Prochloraz	0,19		0		0		0	
PEACHES	IL	04775/2008	2	Chlorpyrifos	0,01	Dimethoate	0,19		0		0		0	
PEARS	GR	12346/2008	5	Carbentazim	0,015	Chlorpyrifos	0,015	Cypermethrin	0,05	Phosalone	0,01	Phosmet	0,12	
PEARS	CY	12347/2008	5	Bifethrin	0,025	Carbentazim	0,11	Cypermethrin	0,06	Methomyl	0,014	Triadimenol	0,02	
PEARS	CY	12348/2008	2	Cypermethrin	0,5	Cyproconazole	0,018		0		0		0	
PEARS	CY	12349/2008	2	Carbentazim	0,12	Deltamethrin	0,05		0		0		0	
PEARS	CY	12408/2008	2	Carbentazim	0,21	Chlorpyrifos	0,035		0		0		0	
PEARS	GR	12409/2008	6	Bifethrin	0,028	Chlorpyrifos	0,01	L-Cyhalothrin	0,05	Methomyl	0,01	Phosalone	0,02	Phosmet
PEARS	ES	12410/2008	2	Cypermethrin	0,05	L-Cyhalothrin	0,05		0		0		0	
PEARS	CY	12412/2008	4	Azinphos methyl	0,01	Carbentazim	0,11	Cypermethrin	0,1	Deltamethrin	0,05		0	
PEARS	CY	12467/2008	4	Deltamethrin	0,05	Imidacloprid	0,014	Methomyl	0,013	Cyproconazole	0,012		0	
PEARS	CY	12469/2008	4	Carbentazim	0,054	Chlorpyrifos	0,01	Cypermethrin	0,38	Imidacloprid	0,01		0	
PEARS	ES	12470/2008	4	Chlorothalonil	0,03	Chlorpyrifos	0,068	Cypermethrin	0,052	Imidacloprid	0,074		0	
PEARS	IT	12471/2008	3	Chlorpyrifos	0,036	Chlorpyrifos Meth	0,01	Trifloxystrobin	0,01		0		0	
PLUMS	CY	07183/2008	3	Chlorpyrifos	0,013	Cypermethrin	0,22	a-Endosulfan	0,13		0		0	
POMEGRANATES	EG	13006/2008	3	Chlorpyrifos	0,037	Cypermethrin	0,017	L-Cyhalothrin	0,02		0		0	
POTATOES	CY	04886/2008	2	Metalaxyl	0,01	TBZ	0,029		0		0		0	
POTATOES	CY	04887/2008	2	ppDDE	0,01	TBZ	0,013		0		0		0	
POTATOES	CY	13469/2008	2	Chlorpropham	0,56	Metalaxyl	0,02		0		0		0	
POTATOES	CY	14282/2008	2	Chlorpropham	0,64	ppDDE	0,01		0		0		0	
RICE	IN	08680/2008	3	Carbentazim	0,013	Imidacloprid	0,013	Malathion	0,01		0		0	
SPINACH	CY	13458/2008	4	Bifethrin	0,046	Cypermethrin	1,2	Indoxacarb	0,054	Methomyl	0,035		0	
SPINACH	CY	13464/2008	3	Cypermethrin	0,22	a-Endosulfan	0,25	Indoxacarb	0,43		0		0	
SPINACH	CY	13465/2008	2	Cypermethrin	0,52	Methomyl	0,028		0		0		0	
SPINACH	CY	13466/2008	3	Benalaxyl	0,02	Cypermethrin	0,23	Methomyl	0,036		0		0	

SPINACH	CY	13467/2008	4	Azoxystrobin	0,034	Bifethrin	0,2	Indoxacarb	0,031	Methomyl	0,019		0	
SPINACH	CY	13477/2008	4	Chlorpyrifos	0,68	Dimethoate	2,6	Indoxacarb	0,017	Pyrimethanil	0,22		0	
SPINACH	CY	13479/2008	2	Chlorpyrifos	1,8	Cypermethrin	0,25		0		0		0	
SPINACH	CY	13693/2008	4	Azoxystrobin	0,25	Bifethrin	0,34	Indoxacarb	0,16	Methomyl	0,047		0	
SPINACH	CY	13695/2008	4	Azoxystrobin	0,011	Bifethrin	0,12	Indoxacarb	0,14	Methomyl	0,13		0	
SPINACH	CY	13739/2008	2	Chlorpyrifos	0,01	Cypermethrin	0,05		0		0		0	
SPINACH	CY	13845/2008	2	Bifethrin	0,031	Indoxacarb	0,01		0		0		0	
SPINACH	CY	13846/2008	2	Chlorpyrifos	0,56	Cypermethrin	0,26		0		0		0	
SPINACH	CY	15104/2008	2	Cypermethrin	0,23	a-Endosulfan	0,12		0		0		0	
STRAWBERRIES	CY	02470/2008	2	Chlorpyrifos	0,08	Procymidone	0,1		0		0		0	
STRAWBERRIES	CY	02487/2008	2	Procymidone	0,83	Pyrimethanil	0,037		0		0		0	
STRAWBERRIES	CY	02502/2008	2	Kresoxim methyl	0,02	Pyrimethanil	0,13		0		0		0	
STRAWBERRIES	CY	02566/2008	2	Procymidone	0,05	Pyrimethanil	0,056		0		0		0	
STRAWBERRIES	EG	15246/2008	2	Dicofol	0,026	Ethion	0,012		0		0		0	
TABLE GRAPES	CY	08215/2008	2	Chlorpyrifos	0,2	Cypermethrin	0,11		0		0		0	
TABLE GRAPES	CY	08216/2008	2	Chlorpyrifos	0,01	L-Cyhalothrin	0,05		0		0		0	
TABLE GRAPES	CY	08217/2008	2	Chlorpyrifos	0,01	Cypermethrin	0,13		0		0		0	
TABLE GRAPES	CY	11994/2008	3	Chlorpyrifos	0,03	Cypermethrin	1,4	Iprodione	0,94		0		0	
TABLE GRAPES	CY	11995/2008	3	Chlorpyrifos	0,34	Cypermethrin	2,4	Deltamethrin	0,15		0		0	
TABLE GRAPES	CY	11996/2008	3	Chlorpyrifos	2,4	Cypermethrin	1,5	Iprodione	1,2		0		0	
TABLE GRAPES	CY	12061/2008	3	Carbaryl	0,02	Chlorpyrifos	0,081	Cypermethrin	0,87		0		0	
TABLE GRAPES	CY	12063/2008	3	Captan	35	Chlorpyrifos	0,2	Cypermethrin	8,4		0		0	
TABLE GRAPES	CY	12074/2008	2	Cypermethrin	0,33	Deltamethrin	0,57		0		0		0	
TABLE GRAPES	LB	12787/2008	5	Cypermethrin	0,3	Indoxacarb	0,24	Methamidophos	0,01	Triadimenol	0,14	Trifloxystrobin	0,21	
TABLE GRAPES	LB	13347/2008	3	Cypermethrin	0,36	Kresoxim methy	0,022	Trifloxystrobin	0,052		0		0	
TABLE GRAPES	LB	14118/2008	3	Deltamethrin	0,05	Procymidone	0,17	Trifloxystrobin	0,045		0		0	
TABLE GRAPES	LB	15186/2008	5	Chlorpyrifos	0,01	Cypermethrin	0,067	Deltamethrin	0,029	Procymidone	0,3	Trifloxystrobin	0,02	

Laboratories

Reporting country:	Cyprus	**Year of sampling:**	**2008**

Column 1	*Column 2*	*Column 3*	*Column 4*	*Column 5*	*Column 6*	*Column 7*	*Column 8*	*Column 9*
	Workload with regard to the monitoring exercise	**Accreditation status**			**Participation in proficiency tests or interlaboratory tests**		**Implementation of EU Quality control procedures** [please refer to each part of the procedures specified in the below green cells and explained at the bottom of the sheet]	
Name of the laboratory/ laboratories carrying out the monitoring exercise	Percentage of monitoring samples analysed	Accreditation achieved (Yes/No) [Please provide accr. certificates]	Date of accreditation	Accreditation body	Which? Scope?	Year (2006/2007)	Parts	Implemented Parts
Pesticide Residues Laboratory of the State General Laboratory	*100*	*yes*	*10.06.2002*	*ESYD*	*EU-PT FV-10,EU-PT-SRM3, EU-PT C2,EU PTAO3, EU PT Fish oil*		*1*	
							2	
							3	
							4	
							5	
							6	
							7	
							8	
							9	
							10	
							All	*Yes*
							None	*No*
							1	

							2	
							3	
							4	
							5	
							6	
							7	
							8	
							9	
							10	
							All	
							None	
							1	
							2	
							3	
							4	
							5	
							6	
							7	
							8	
							9	
							10	
							All	
							None	
							1	
							2	
							3	
							4	
							5	
							6	
							7	
							8	
							9	
							10	

							All	
							None	
							1	
							2	
							3	
							4	
							5	
							6	
							7	
							8	
							9	
							10	
							All	
							None	
							1	
							2	
							3	
							4	
							5	
							6	
							7	
							8	
							9	
							10	
							All	
							None	
							1	
							2	
							3	
							4	
							5	
							6	
							7	

							8	
							9	
							10	
							All	
							None	
							1	
							2	
							3	
							4	
							5	
							6	
							7	
							8	
							9	
							10	
							All	
							None	
							1	
							2	
							3	
							4	
							5	
							6	
							7	
							8	
							9	
							10	
							All	
							None	
							1	
							2	
							3	
							4	

							5	
							6	
							7	
							8	
							9	
							10	
							All	
							None	

Please delete the examples above in the table submitted to the Commission.

EU Quality control procedures (ref. Doc.SANCO/10232/2006)

Element number	Content
1	Accreditation
2	Sampling, transport, processing and storage of samples
3	Pesticide standards, calibration, solutions, etc.
4	Extraction and concentration
5	Contamination and interference
6	Analytical calibration and chromatographic integratíon
7	Analytical methods and analytical performance
8	Proficiency testing and analysis of reference materials
9	Confirmation of results
10	Reporting of results