


**Mortality rates for the most common male and female cancers,
2004-2010**

**Health Monitoring Unit
Ministry of Health**

**Prepared by
Maria Athanasiadou**

**Age specific, Crude and Age Standardised Mortality Rates for Prostate Cancer (ICD10: C61), 2004-2010**


Age group	2004	2005	2006	2007	2008	2009	2010	Age specific mortality rate, 2004-2010
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
40-44	0,0	3,8	0,0	0,0	0,0	0,0	0,0	0,5
45-49	0,0	0,0	0,0	3,7	0,0	0,0	0,0	0,5
50-54	4,4	0,0	0,0	4,2	0,0	0,0	3,7	1,8
55-59	0,0	14,1	9,1	4,4	4,3	4,3	4,2	5,8
60-64	6,2	18,2	17,6	0,0	10,2	28,7	31,6	16,9
65-69	80,5	42,1	68,0	73,0	32,5	69,8	30,8	56,2
70-74	97,6	132,5	82,6	96,2	66,3	70,6	66,9	86,0
75-79	264,1	207,8	164,7	172,4	202,6	137,6	221,3	195,0
80-84	210,6	408,8	331,1	341,0	311,7	305,3	384,2	328,8
85+	889,6	1085,3	768,8	638,0	779,4	503,8	434,2	711,7
Crude rate	22,8	26,9	22,1	21,3	20,5	19,0	20,3	21,8
WSMR	13,0	15,0	11,9	11,3	10,4	10,2	10,2	11,6





Age specific, Crude and Age Standardised Mortality Rates for Breast Cancer (ICD10: C50), 2004-2010


Age group	2004			2005			2006			2007			2008			2009			2010			2004-2010			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate-Male	Age specific mortality rate-Female	Total	
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	3,7	1,9	3,5	1,8	0,0	3,4	1,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,4	0,7	0,7
30-34	0,0	7,2	3,8	3,6	1,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	6,6	3,5	0,0	3,1	1,7	0,0	0,0	0,0	0,0	0,0	2,9	1,5	1,5
35-39	0,0	7,3	3,9	7,3	3,9	0,0	3,6	1,9	0,0	0,0	0,0	0,0	6,6	3,5	0,0	12,7	6,8	6,2	3,4	0,0	0,0	6,3	3,4	3,4	3,4
40-44	0,0	14,2	7,3	0,0	0,0	0,0	17,7	9,2	0,0	10,5	5,5	0,0	20,7	10,9	0,0	6,8	3,6	13,3	7,1	0,0	0,0	11,9	6,2	6,2	6,2
45-49	0,0	15,3	7,8	22,2	11,3	0,0	14,4	7,3	0,0	28,2	14,4	0,0	20,7	10,6	0,0	13,6	7,0	10,1	5,2	0,0	0,0	17,7	9,1	9,1	9,1
50-54	4,4	35,1	19,9	17,3	8,7	0,0	38,1	19,2	0,0	40,9	20,6	0,0	43,1	21,7	0,0	37,4	18,9	25,1	12,8	0,6	0,6	33,9	17,4	17,4	17,4
55-59	0,0	33,5	17,0	54,9	27,9	0,0	48,7	24,7	0,0	17,3	8,7	4,3	55,4	30,1	0,0	42,1	21,2	33,1	16,7	0,6	0,6	40,7	20,9	20,9	20,9
60-64	0,0	53,0	27,2	57,5	29,6	0,0	61,3	31,4	0,0	89,4	45,7	5,1	39,3	22,6	4,8	78,2	42,2	52,3	26,6	1,5	1,5	61,6	32,2	32,2	32,2
65-69	0,0	107,1	55,9	91,0	47,2	0,0	95,3	49,3	6,6	49,7	28,9	0,0	48,6	25,1	6,3	59,1	33,7	51,6	26,7	1,9	1,9	70,8	37,6	37,6	37,6
70-74	0,0	56,0	30,8	102,1	55,8	0,0	77,9	42,1	0,0	90,9	48,7	0,0	109,9	58,4	0,0	56,3	29,7	94,5	49,5	0,0	0,0	84,1	45,1	45,1	45,1
75-79	0,0	120,6	68,5	107,9	61,5	0,0	87,4	49,5	12,3	76,1	48,3	11,9	148,2	88,6	11,5	117,1	70,6	122,6	68,4	5,2	5,2	111,7	65,3	65,3	65,3
80-84	0,0	139,5	80,3	118,8	68,8	0,0	186,8	107,5	0,0	111,6	64,3	0,0	94,0	54,3	0,0	156,9	90,8	200,3	116,7	0,0	0,0	144,8	83,7	83,7	83,7
85+	0,0	139,9	84,7	100,8	61,1	54,9	107,2	86,6	0,0	209,1	126,3	0,0	153,3	92,6	0,0	180,3	109,2	191,5	115,2	7,7	7,7	156,8	97,9	97,9	97,9
Crude rate	0,3	23,5	12,1	22,9	11,7	0,5	24,6	12,8	0,5	22,7	11,9	0,8	25,3	13,3	0,8	24,3	12,8	23,4	12,0	0,4	0,4	23,8	12,4	12,4	12,4
WSMR	0,2	15,1	8,1	14,6	7,7	0,3	15,5	8,2	0,3	14,3	7,7	0,5	15,6	8,4	0,5	14,6	7,9	13,1	6,9	0,3	0,3	14,7	7,9	7,9	7,9





Age specific, Crude and Age Standardised Mortality Rates for Colorectal Cancer (ICD10: C18-C20), 2004-2010


Age group	2004			2005			2006			2007			2008			2009			2010			2004-2010			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate-Male	Age specific mortality rate-Female	Total	
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	3,7	1,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,7	1,4	0,0	0,9	0,5	
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,9	1,5	0,0	0,5	0,3		
35-39	0,0	0,0	0,0	0,0	0,0	0,0	4,1	0,0	1,9	0,0	3,5	1,8	0,0	0,0	0,0	0,0	0,0	0,0	3,1	1,7	0,6	1,0	0,8		
40-44	7,6	0,0	3,7	3,8	0,0	1,8	0,0	3,5	1,8	0,0	10,5	5,5	3,9	0,0	1,8	0,0	3,4	1,8	0,0	3,3	1,8	2,2	3,0	2,6	
45-49	3,9	0,0	1,9	3,8	3,7	3,8	3,7	3,6	3,7	7,4	7,0	7,2	3,6	0,0	1,8	3,6	0,0	1,8	14,5	10,1	12,2	5,8	3,5	4,7	
50-54	8,9	8,8	8,8	8,8	4,3	6,5	4,3	8,5	6,4	20,8	4,1	12,4	8,0	7,8	7,9	3,8	15,0	9,5	0,0	3,6	1,8	7,6	7,5	7,5	
55-59	19,8	9,6	14,6	14,1	9,2	11,6	0,0	13,3	6,7	26,5	4,3	15,3	13,0	12,8	12,9	17,1	4,2	10,6	4,2	12,4	8,3	13,4	9,4	11,4	
60-64	31,1	17,7	24,2	24,3	5,8	14,8	11,7	11,1	11,4	55,1	21,0	37,7	25,6	19,6	22,6	28,7	18,4	23,4	22,6	13,1	17,7	28,4	15,4	21,7	
65-69	43,9	46,9	45,4	21,1	13,0	16,9	68,0	25,4	46,0	73,0	31,0	51,3	32,5	18,2	25,1	25,4	23,7	24,5	61,6	17,2	38,6	46,6	24,8	35,3	
70-74	68,3	40,0	52,8	47,3	47,1	47,2	73,4	38,9	54,8	78,7	45,5	60,9	58,1	51,3	54,5	78,5	49,3	63,1	59,5	27,0	42,5	66,3	42,6	53,6	
75-79	145,3	40,2	85,6	103,9	68,7	83,8	101,3	77,7	87,9	123,1	66,6	91,3	95,3	74,1	83,4	126,1	72,0	95,8	55,3	26,3	39,1	106,2	60,6	80,5	
80-84	189,5	170,5	178,5	81,8	74,2	77,4	116,8	71,8	90,9	189,4	139,5	160,7	128,3	107,4	116,3	71,8	65,4	68,1	192,1	112,7	145,8	138,6	105,2	119,3	
85+	184,0	100,0	133,1	186,0	161,4	171,1	164,7	250,1	216,5	159,5	174,2	168,4	181,9	85,2	123,5	226,7	98,3	148,9	193,0	175,5	182,5	185,7	149,2	163,6	
Crude rate	14,8	10,7	12,7	10,1	8,7	9,4	11,6	11,6	11,6	18,1	12,6	15,3	11,8	9,8	10,8	12,5	9,5	11,0	12,7	10,2	11,4	13,1	10,5	11,7	
WSMR	9,2	5,8	7,3	6,4	4,2	5,2	7,1	5,8	6,4	11,5	6,6	8,9	7,0	5,0	5,9	7,3	5,1	6,1	7,5	5,3	6,3	8,0	5,4	6,6	





Age specific, Crude and Age Standardised Mortality Rates for Trachea, Bronchus, Lung Cancer (ICD10: C33-C34), 2004-2010


Age group	2004			2005			2006			2007			2008			2009			2010			2004-2010			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate-Male	Age specific mortality rate-Female	Total	
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	3,5	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	3,4	0,0	1,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	4,1	0,0	1,9	0,0	0,0	0,0	0,0	3,5	1,9	0,0	0,0	0,0	0,0	0,0	0,0	3,5	0,0	1,7	0,0	2,9	1,5	1,1	1,0	1,0	
35-39	0,0	0,0	0,0	0,0	3,6	1,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,1	1,7	0,0	1,0	0,5	
40-44	15,1	3,6	9,2	0,0	7,1	3,7	3,8	0,0	1,8	3,8	3,5	3,7	3,9	0,0	1,8	0,0	3,4	1,8	3,8	0,0	1,8	4,4	2,5	3,4	
45-49	15,8	3,8	9,7	15,3	11,1	13,2	7,5	3,6	5,5	14,7	7,0	10,8	3,6	3,5	3,5	10,8	6,8	8,8	14,5	3,4	8,7	11,7	5,6	8,6	
50-54	22,2	0,0	11,0	13,1	8,7	10,9	8,6	0,0	4,3	33,2	8,2	20,6	31,9	0,0	15,8	46,0	22,4	34,1	22,2	7,2	14,6	25,8	6,9	16,2	
55-59	74,3	9,6	41,4	33,0	41,2	37,1	50,0	17,7	33,6	44,2	4,3	24,0	43,4	25,6	34,4	64,3	12,6	38,2	79,9	20,7	50,1	55,7	18,8	37,0	
60-64	74,6	11,8	42,3	91,2	11,5	50,3	105,7	11,1	57,2	99,2	10,5	53,8	127,9	44,2	85,2	109,9	18,4	63,3	54,2	4,4	28,8	94,4	16,1	54,4	
65-69	168,2	40,2	101,4	168,5	71,5	118,1	170,0	31,8	98,6	132,8	68,3	99,5	97,6	30,4	62,8	202,9	23,7	110,2	172,4	45,9	106,9	159,0	44,3	99,5	
70-74	243,9	24,0	123,1	236,6	47,1	133,0	146,9	38,9	88,5	244,8	45,5	138,0	282,0	29,3	147,8	243,3	56,3	144,7	260,3	20,3	134,5	238,4	37,3	130,6	
75-79	383,0	20,1	176,9	389,6	58,9	201,2	291,4	87,4	175,9	233,9	57,1	134,2	166,8	37,0	93,8	252,2	108,1	171,5	210,3	70,0	132,0	271,6	63,3	154,1	
80-84	421,1	46,5	205,3	286,2	29,7	137,6	292,1	86,2	173,6	227,3	55,8	128,5	421,7	67,1	217,0	269,3	52,3	143,8	227,0	50,1	124,0	304,3	55,6	160,5	
85+	153,4	60,0	96,8	155,0	80,7	110,0	192,2	17,9	86,6	79,7	34,8	52,6	285,8	0,0	113,2	352,6	82,0	188,7	313,6	47,9	153,7	224,3	45,5	116,2	
Crude rate	39,8	6,2	22,6	35,1	12,7	23,7	32,6	8,8	20,5	32,3	9,3	20,6	36,4	8,4	22,1	42,0	11,7	26,5	36,7	8,6	22,3	36,5	9,4	22,6	
WSMR	25,8	3,7	13,9	22,7	8,1	14,8	21,0	4,7	12,3	21,3	5,6	13,0	22,7	5,2	13,3	26,7	6,6	16,1	22,8	4,9	13,3	23,3	5,6	13,8	





Age specific, Crude and Age Standardised Mortality Rates for Bladder Cancer (ICD10: C67), 2004-2010


Age group	2004			2005			2006			2007			2008			2009			2010			2004-2010		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate-Male	Age specific mortality rate-Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
40-44	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
45-49	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,5	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,3
50-54	13,3	0,0	6,6	0,0	0,0	0,0	4,3	0,0	2,1	0,0	0,0	0,0	4,0	0,0	2,0	0,0	0,0	0,0	0,0	0,0	0,0	2,9	0,0	1,4
55-59	0,0	0,0	0,0	4,7	0,0	2,3	0,0	0,0	0,0	13,2	0,0	6,5	4,3	0,0	2,2	0,0	0,0	0,0	4,2	0,0	2,1	3,8	0,0	1,9
60-64	6,2	0,0	3,0	0,0	0,0	0,0	29,4	0,0	14,3	5,5	5,3	5,4	30,7	0,0	15,0	9,6	0,0	4,7	18,1	4,4	11,1	14,6	1,5	7,9
65-69	14,6	0,0	7,0	7,0	0,0	3,4	34,0	0,0	16,4	0,0	0,0	0,0	19,5	12,2	15,7	19,0	0,0	9,2	43,1	5,7	23,8	20,0	2,7	11,0
70-74	68,3	0,0	30,8	37,9	15,7	25,7	36,7	0,0	16,9	17,5	0,0	8,1	58,1	0,0	27,2	39,2	0,0	18,6	44,6	13,5	28,3	43,0	4,3	22,2
75-79	39,6	20,1	28,5	77,9	9,8	39,1	38,0	9,7	22,0	61,6	9,5	32,2	71,5	0,0	31,3	45,9	18,0	30,3	99,6	0,0	44,0	62,7	9,4	32,6
80-84	42,1	15,5	26,8	81,8	29,7	51,6	97,4	14,4	49,6	151,5	13,9	72,3	183,4	94,0	131,8	53,9	0,0	22,7	104,8	12,5	51,0	103,2	25,8	58,5
85+	214,7	20,0	96,8	62,0	40,3	48,9	137,3	17,9	64,9	106,3	52,3	73,7	77,9	34,1	51,5	176,3	16,4	79,4	168,8	16,0	76,8	135,4	27,8	70,3
Crude rate	7,0	1,1	4,0	4,9	1,8	3,4	7,5	0,8	4,1	6,0	1,5	3,7	9,5	2,9	6,1	6,0	0,7	3,3	9,8	1,4	5,5	7,3	1,5	4,3
WSMR	4,4	0,4	2,2	2,7	0,8	1,6	4,7	0,3	2,3	3,0	0,6	1,7	5,4	1,2	3,1	3,3	0,3	1,6	5,4	0,8	2,9	4,2	0,6	2,2





Age specific, Crude and Age Standardised Mortality Rates for Non-Hodgkin's Lymphoma (ICD10: C82-C85, C96), 2004-2010


Age group	2004			2005			2006			2007			2008			2009			2010			2004-2010					
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate-Male	Age specific mortality rate-Female	Total			
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,6	0,0	1,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,3
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,2	1,6	0,0	0,5	0,2	0,0	0,5	0,2
20-24	0,0	0,0	0,0	0,0	0,0	0,0	3,2	0,0	1,6	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,4	0,0	0,2
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,3	0,0	1,6	3,1	0,0	1,5	0,0	0,0	0,0	0,0	2,7	1,4	0,0	0,5	0,7	0,9	0,5	0,7
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,5	1,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,3	0,0	0,5	0,3
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	4,0	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	3,7	0,0	1,7	1,1	0,0	0,5	1,1	0,0	0,5
40-44	3,8	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	3,8	3,5	3,7	0,0	0,0	0,0	0,0	0,0	0,0	3,8	0,0	1,8	1,6	0,5	1,0	1,6	0,5	1,0
45-49	3,9	0,0	1,9	0,0	3,7	1,9	3,7	7,2	5,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0	6,8	3,5	0,0	3,4	1,7	1,1	3,0	2,1	1,1	3,0	2,1
50-54	4,4	0,0	2,2	4,4	4,3	4,4	4,3	0,0	2,1	4,2	8,2	6,2	12,0	0,0	5,9	3,8	0,0	1,9	3,7	3,6	3,6	5,3	2,3	3,8	5,3	2,3	3,8
55-59	14,9	9,6	12,2	4,7	9,2	7,0	4,5	4,4	4,5	0,0	8,6	4,4	4,3	4,3	4,3	4,3	4,2	4,2	12,6	0,0	6,3	6,4	5,6	6,0	6,4	5,6	6,0
60-64	24,9	17,7	21,2	18,2	5,8	11,8	0,0	11,1	5,7	5,5	0,0	2,7	0,0	0,0	0,0	14,3	4,6	9,4	4,5	0,0	2,2	9,2	5,1	7,1	9,2	5,1	7,1
65-69	21,9	6,7	14,0	28,1	13,0	20,2	13,6	19,1	16,4	13,3	6,2	9,6	19,5	18,2	18,9	12,7	5,9	9,2	24,6	5,7	14,9	19,0	10,6	14,7	19,0	10,6	14,7
70-74	48,8	24,0	35,2	28,4	31,4	30,0	27,5	38,9	33,7	35,0	22,7	28,4	24,9	7,3	15,6	47,1	35,2	40,8	22,3	33,8	28,3	33,2	27,7	30,2	33,2	27,7	30,2
75-79	26,4	10,1	17,1	39,0	19,6	27,9	63,3	9,7	33,0	12,3	38,1	26,8	23,8	9,3	15,6	68,8	27,0	45,4	11,1	26,3	19,6	34,8	20,2	26,6	34,8	20,2	26,6
80-84	42,1	31,0	35,7	40,9	14,8	25,8	38,9	43,1	41,3	18,9	41,8	32,1	73,3	53,7	62,0	53,9	26,2	37,8	17,5	12,5	14,6	40,8	31,7	35,5	40,8	31,7	35,5
85+	92,0	20,0	48,4	31,0	20,2	24,4	82,4	17,9	43,3	106,3	52,3	73,7	26,0	34,1	30,9	50,4	32,8	39,7	48,2	16,0	28,8	61,9	27,8	41,3	61,9	27,8	41,3
Crude rate	7,0	3,5	5,2	4,9	4,0	4,4	5,1	4,9	5,0	4,7	4,8	4,8	4,6	2,9	3,8	6,0	4,1	5,0	4,4	3,5	3,9	5,2	3,9	4,6	5,2	3,9	4,6
WSMR	4,8	2,1	3,4	3,3	2,4	2,8	3,1	3,0	3,0	3,3	2,5	2,9	2,8	1,4	2,1	3,5	2,2	2,8	2,9	2,1	2,5	3,4	2,2	2,8	3,4	2,2	2,8





Age specific, Crude and Age Standardised Mortality Rates for Stomach Cancer (ICD10: C16), 2004-2010


Age group	2004			2005			2006			2007			2008			2009			2010			2004-2010		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate-Male	Age specific mortality rate-Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	3,9	0,0	1,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,2
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,4	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,3
35-39	0,0	0,0	0,0	8,3	0,0	3,9	0,0	0,0	0,0	7,9	0,0	3,7	3,8	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	2,8	0,0	1,3
40-44	0,0	0,0	0,0	3,8	0,0	1,8	0,0	3,5	1,8	0,0	0,0	0,0	0,0	0,0	0,0	3,9	0,0	1,8	0,0	0,0	0,0	1,1	0,5	0,8
45-49	3,9	3,8	3,9	0,0	0,0	0,0	11,2	7,2	9,2	7,4	3,5	5,4	3,6	3,5	3,5	3,6	6,8	5,3	0,0	0,0	0,0	4,2	3,5	3,9
50-54	4,4	4,4	4,4	0,0	0,0	0,0	4,3	0,0	2,1	12,5	0,0	6,2	8,0	0,0	4,0	3,8	11,2	7,6	11,1	3,6	7,3	6,4	2,9	4,6
55-59	5,0	9,6	7,3	4,7	4,6	4,6	9,1	4,4	6,7	17,7	8,6	13,1	4,3	17,1	10,8	4,3	4,2	4,2	4,2	0,0	2,1	7,0	6,9	7,0
60-64	18,7	0,0	9,1	12,2	17,3	14,8	23,5	5,6	14,3	16,5	5,3	10,8	20,5	14,7	17,5	28,7	4,6	16,4	18,1	13,1	15,5	19,9	8,8	14,2
65-69	36,6	6,7	21,0	14,0	6,5	10,1	34,0	12,7	23,0	46,5	18,6	32,1	32,5	12,2	22,0	31,7	5,9	18,4	30,8	0,0	14,9	32,4	8,9	20,2
70-74	48,8	8,0	26,4	37,9	23,6	30,0	36,7	23,4	29,5	35,0	15,2	24,4	24,9	22,0	23,3	39,2	35,2	37,1	44,6	20,3	31,9	38,1	21,3	29,1
75-79	39,6	20,1	28,5	0,0	9,8	5,6	25,3	29,1	27,5	24,6	47,6	37,6	47,7	37,0	41,7	45,9	18,0	30,3	77,5	17,5	44,0	38,3	25,6	31,1
80-84	21,1	31,0	26,8	102,2	0,0	43,0	97,4	14,4	49,6	56,8	13,9	32,1	110,0	107,4	108,5	18,0	65,4	45,4	34,9	37,6	36,5	62,5	39,7	49,3
85+	92,0	40,0	60,5	31,0	0,0	12,2	164,7	0,0	64,9	0,0	0,0	0,0	103,9	85,2	92,6	75,6	49,2	59,6	0,0	63,8	38,4	65,8	35,4	47,4
Crude rate	6,7	3,2	4,9	4,9	2,4	3,6	8,6	3,6	6,1	7,9	4,0	5,9	8,0	7,4	7,7	7,0	5,5	6,2	6,9	3,7	5,2	7,1	4,3	5,7
WSMR	4,7	1,7	3,1	3,2	1,6	2,4	5,5	2,3	3,7	5,5	2,4	3,9	4,9	3,6	4,2	4,6	3,0	3,7	4,2	1,8	3,0	4,7	2,4	3,5





Age specific, Crude and Age Standardised Mortality Rates for Corpus Uteri Cancer (ICD10: C54), 2004-2010

Age group	2004	2005	2006	2007	2008	2009	2010	Age specific mortality rates 2004-2010
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
40-44	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
45-49	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
50-54	0,0	0,0	0,0	4,1	0,0	0,0	7,2	1,7
55-59	4,8	4,6	8,8	0,0	8,5	0,0	4,1	4,4
60-64	5,9	5,8	11,1	15,8	4,9	0,0	4,4	6,6
65-69	0,0	19,5	0,0	6,2	12,2	5,9	5,7	7,1
70-74	16,0	23,6	7,8	15,2	22,0	0,0	33,8	17,0
75-79	20,1	9,8	9,7	19,0	0,0	9,0	35,0	14,8
80-84	15,5	0,0	14,4	13,9	0,0	0,0	0,0	6,0
85+	0,0	0,0	0,0	0,0	34,1	32,8	31,9	15,2
Crude rate	1,9	2,4	1,8	2,5	2,5	1,0	3,7	2,3
WSMR	1,0	1,6	1,1	1,6	1,5	0,4	2,1	1,3



Age specific, Crude and Age Standardised Mortality Rates for the most common male and female cancers
Source: Death Register, Health Monitoring Unit, Ministry of Health, 2004-2010



Age specific, Crude and Age Standardised Mortality Rates for Thyroid Cancer (ICD10: C73), 2004-2010

Age group	2004			2005			2006			2007			2008			2009			2010			2004-2010		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Age specific mortality rate-Male	Age specific mortality rate-Female	Total
00-04	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
05-09	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
10-14	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
15-19	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
20-24	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
25-29	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
30-34	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
35-39	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
40-44	3,8	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,3
45-49	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
50-54	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
55-59	0,0	0,0	0,0	0,0	4,6	2,3	0,0	0,0	4,4	0,0	2,2	2,2	0,0	0,0	0,0	0,0	0,0	0,0	0,0	4,1	2,1	0,6	1,3	0,9
60-64	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	5,3	2,7	2,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	4,4	2,2	0,0	1,5	0,7
65-69	0,0	6,7	3,5	7,0	6,5	6,7	6,4	3,3	0,0	0,0	0,0	0,0	13,0	0,0	6,3	12,7	0,0	6,1	0,0	0,0	0,0	4,8	2,7	3,7
70-74	0,0	0,0	0,0	0,0	7,9	4,3	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	7,0	3,7	0,0	0,0	0,0	0,0	2,1	1,1
75-79	0,0	10,1	5,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	11,9	0,0	5,2	0,0	0,0	0,0	11,1	8,8	9,8	3,5	2,7	3,0
80-84	0,0	0,0	0,0	20,4	0,0	8,6	14,4	8,3	0,0	0,0	0,0	0,0	0,0	13,4	7,8	0,0	0,0	0,0	0,0	0,0	0,0	2,7	4,0	3,4
85+	0,0	20,0	12,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	17,0	10,3	0,0	16,4	9,9	0,0	16,0	9,6	0,0	10,1	6,1
Crude rate	0,3	0,8	0,5	0,5	0,8	0,7	0,5	0,3	0,3	0,3	0,3	0,3	0,8	0,5	0,6	0,5	0,5	0,5	0,2	0,9	0,6	0,4	0,6	0,5
WSMR	0,2	0,4	0,3	0,3	0,5	0,4	0,3	0,1	0,2	0,2	0,2	0,2	0,5	0,2	0,3	0,4	0,2	0,3	0,1	0,5	0,3	0,2	0,3	0,3

